Form 3160-3 (July 1992)

UNITED STATES DEPARTMENT OF THE INTERIOR

SUBMIT IN TRIPLICATE*
(Other instructions on

FORM APPROVED OBM NO. 1004-0136 Expires: February 28,1995

Expires: February 28,1995

5. LEASE DESIGNATION AND SERIAL NO.

The second secon

BUREAU OF LAND MANAGE	UTU-76508				
APPLICATION FOR PERMIT T	6. IF INDIAN, ALLOTTEE	6. IF INDIAN, ALLOTTEE OR TRIBE NAME			
1a. TYPE OF WORK			- 	/ A	
DRILL X DEEPEN	7. UNIT AGREEMENT NA				
b. TYPE OF WELL			l N	/ A	
OIL GAS WELL X OTHER	SINGLE WULTIPLE	_	8. FARM OR LEASE NAMI	E, WELL NO.	
2. NAME OF OPERATOR	ZONE X ZONE	_ Ц	4		
Shenandoah Energy Inc.			9. API WELL NO.	V-5-8-22	
3. ADDRESS AND TELEPHONE NO. Phone: 435-781-4341	11002 East 17500 Sout	<u> </u>	J. API WELL NO.		
Fax: 435-781-4329	Vernal, Utah 84078		40 FIELD AND DOCUMENT		
L LOCATION OF WELL (Report location clearly and in accordance with			10. FIELD AND POOL, OR	WILDCAT	
At surface	1446326N		WONSITS	VALLEY	
656' FNL, 1915' FWL NENW LOT 6 At proposed prod. Zone	63053/E		11. SEC.,T.,R.,M., OR SLK		
Same	470 5016		SEC. 5, T8S,	POOF GIRSH	
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POS	ST OFFICE*		12. COUNTY OR PARISH	13.STATE	
B miles West of Redwash Utah			Uintah	Utah	
5. DISTANCE FROM PROPOSED. OCATION TO NEAREST	16. NO. OF ACRES IN LEASE	17. NO. OF A	ACRES ASSIGNED		
PROPERTY OR LEASE LINE, FT. Also to mearest drig. Unit line if any)	585.25	10 1413	40		
8. DISTANCE FROM PROPOSED LOCATION*	19. PROPOSED DEPTH	20. ROTARY	OR CABLE TOOLS		
O NEAREST WELL, DRILLING,COMPLETED, 2000' + PRAPPLIED FOR ON THIS LEASE, FT.	8392'		Rotary		
1. ELEVATIONS (Show whether DF, RT, GR, etc.)		<u> </u>			
5228' GR			22. APPROX. DATE WORK WILL START* A.S.A.P		
3. PROPOSED CASING AND CEMENTING PROGRAM				AIF	
REFER TO S.O.P.					
henandoah Energy inc. proposes to drill a well to 8392' t asing will be run and the well completed. If dry, the well	o test the Wasatch. If productiv	Φ,			
tate of Utah requirements.	i wiii be plugged and abandoned	as per BL	.M and		
Operation will be according to the Standard Operating Pro currounding areas Wasatch wells.	ocedures for the Wonsits Valley	Federal Ui	nit, the Gypsum Hills	Unit and	
lease be advised that Shenandoah Energy Inc. is conside	ered to be the operator of the ab	ove menti	oned well.	CEIVE	
henandoah Energy Inc. agrees to be responsible under the onducted upon the lease lands.	e terms and conditions of the l	ease for th	a anaratione	AR 1 6 2001	
ond coverage for this well is provided by Bond No. 0969. nergy inc. via surety as consent as provided for in 43 CFI	R 3104.2.		OIL, GA	VISION OF AS AND MININ	
ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, g open directionally, give pertinent data on subsurface locations and measured and true v	ive data on present productive zone and propose	d new productiv	re zone. If proposal is to drill or		
IGNED John Busch	TITLE Red Wash Operation		ntative DATE	3/12/01	
es space for Faderal or State office use) ERMIT NO. 43-047-33987	APPROVAL	. DATE			


APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

BRADLEY G. HILL
RECEAMATION SPECIALIST III

*See Instructions On Reverse Side

CONFIDENTIAL



SI_NANDOAH ENERGY INC.

WVFU #3W-5-8-22

LOCATED IN UINTAH COUNTY, UTAH SECTION 5, T8S, R22E, S.L.B.&M.



PHOTO: VIEW OF PROPOSED LOCATION




PHOTO: VIEW FOM BEGINNING OF PROPOSED ACCESS

7ri-State Land Surveying Inc. 38 West 100 North, Vernal, U7 84078 435-781-2501 tristate@easilink.com **LOCATION PHOTOS**

Drawn By: SS

Date: 2-20-01



DRILLING PROGRAM

ONSHORE OIL & GAS ORDER NO. 1 Approval of Operations on Onshore Federal Oil and Gas Leases

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

1. Formation Tops

The estimated tops of important geologic markers are as follows:

Formation	Depth	Prod. Phase Anticipated
Uinta	Surface	
Green River	3207'	
Mahogany Ledge	4062'	
Mesa	6692'	
TD (Wasatch)	8392'	Gas

2. Anticipated Depths of Oil Gas Water and Other Mineral Bearing Zones

The estimated depths at which the top and bottom of the anticipated water, oil, gas. Or other mineral bearing formations are expected to be encountered are as follows:

Substance	Formation	Depth
Oil/Gas	Wasatch	8392

All fresh water and prospectively valuable minerals encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

All water shows and water-bearing sands will be reported to the BLM in Vernal, Utah. Copies of State of Utah form OGC-8-X are acceptable. If no flows are detected, samples will be submitted to the BLM along with any water analyses conducted.

3. Anticipated Bottom Hole Pressures

Maximum anticipated bottom hole pressure equals approximately 3356.8 psi.

4. Surface Ownership

The well pad and access road are located on lands owned by the Federal Government.



SHENANDOAH ENERGY INC. WONSITS VALLEY #3W-5-8-22 656'FNL, 1915'NENW Lot 6 NENW, SECTION 5, T8S, R22E, SLB&M UINTAH COUNTY, UTAH UTU-76508

ONSHORE ORDER NO. 1

MULTI – POINT SURFACE USE & OPERATIONS PLAN

An onsite inspection was conducted for the WV#3W-5-8-22 on 2/28/01 at approximately 9:00 a.m. Weather conditions were sunny and clear with moderate temperatures at the time of the onsite. In attendance at the inspection were the following individuals:

Byron Tolman

Bureau of Land Management

Raleen Searle

Shenandoah Energy Inc.

1. Existing Roads:

The proposed well site is approximately 9.6 miles west of Red Wash, Utah. Directions to the location from Red Wash, Utah:

Proceed in a southwesterly direction from Red Wash, Utah, approximately \pm 1.4 miles to the junction of Highway 45; proceed across highway to the Wonsits Valley Federal Unit main road, follow westerly \pm 8.2 miles; to the beginning of the proposed access road to the west; follow road flags \pm 3468' to the proposed location.

Refer to Topo Maps A and B for location of access roads within a 2 – mile radius.

There will be no improvements made to existing access roads.

2. Planned Access Roads:

Please see the Wonsits Valley Federal Unit, Gypsum Hills Unit and surrounding areas for Wasatch wells Standard Operating Procedure (SOP).

Refer to Topo Map B for the location of the proposed access road.

3. Location of Existing Wells Within a 1 – Mile Radius:

Please refer to Topo Map C.

4. Location of Existing & Proposed Facilities:

Please see the Wonsits Valley Federal Unit, Gypsum Hills Unit and surrounding areas Wasatch wells Standard Operating Procedures (SOP).

Refer to Topo Map D for the location of the proposed pipeline. Surface gas line 2", sch. 40, Zaplock.

Location and Type of Water Supply:

Please see the Wonsits Valley Federal Unit, Gypsum Hills Unit and surrounding areas Wasatch wells Standard Operating Procedures (SOP).

5. Source of Construction Materials:

Please see the Wonsits Valley Federal Unit, Gypsum Hills Unit and surrounding areas Wasatch wells Standard Operating Procedures (SOP).

6. Methods of Handling Waste Materials:

Please see the Wonsits Valley Federal Unit, Gypsum Hills Unit and surrounding areas Wasatch wells Standard Operating Procedures (SOP).

7. Ancillary Facilities:

Please see the Wonsits Valley Federal Unit, Gypsum Hills Unit and surrounding areas Wasatch wells Standard Operating Procedures (SOP).

8. Well Site Layout: (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills, and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Please see the attached diagram to describe rig orientation, parking areas, and access roads.

As per the onsite discussions, a reserve pit liner will be determined upon construction by Byron Tolman.



9. Plans for Reclamation of the Surface:

Please see the Wonsits Valley Federal Unit, the Gypsum Hills Unit and surrounding areas Wasatch wells Standard Operating Procedures (SOP).

Seed Mix will consist of the following 12lbs. per acre:

4lbs. Fourwing Saltbrush

4lbs. Needle & Thread Grass

4lbs. Indian Rice Grass


10. Surface Ownership:

The well pad and access road are located on lands owned by:

Bureau of Land Management 170 South 500 East Vernal, Utah 84078 (435) 781-4400

11. Other Information

A Class III archaeological survey was conducted by Montgomery Archaeology Consultants. A copy of this report was submitted directly to the appropriate agencies by Montgomery Archaeology Consultants. Cultural resource clearance was recommended for this location.



Lessee's or Operator's Representative:

John Busch Red Wash Operations Rep. Shenandoah Energy Inc. 11002 East 17500 South Vernal, Utah 84078 (435) 781-4341

Certification:

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil & Gas Orders, the approved plan of operations, and any applicable Notice to Lessees.

Shenandoah Energy Inc. will be fully responsible for the actions of their subcontractors.


A complete copy of the approved Application for Permit to Drill will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Shenandoah Energy Inc. its' contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

- Ita-Busch	March 12, 2001

John Busch Red Wash Operations Representative Date






الجاج والإجاليان الخالجان


S''ENANDOAH ENERG'' INC. CROSS SECTIONS WONSITS VALLEY #3W-5-8-22 20, II STA. 3+25 1" = 50'20, H STA. 2+50 1" = 50'**EXISTING** GRADE FINISHED GRADE 20, WELL HOLE 11 STA. 1+75 1" = 50'20, 11 STA. 0+00 1" = 50'APPROXIMATE YARDAGES CUT = 3,730 Cu. Yds. FILL = 3,730 Cu. Yds. PIT = 2,370 Cu. Yds.12" TOPSOIL = 1,260 Cu. Yds. Tri State Land Surveying, Inc. 38 WEST 100 NORTH VERNAL, UTAH 84078 (435) 781-2501 1" = 50' SCALE: SURVEYED BY: C.D.S. DATE: 2-20-01 DRAWN BY: J.R.S.


SHI JANDOAH ENERGY, NC. TYPICAL RIG LAYOUT


WONSITS VALLEY #3W-5-8-22




SURVEYED BY:	C.D.S.	SCALE:	1" = 50'	Tri State (435) 781-2501
DRAWN BY:	J.R.S.	DATE:	2-20-01	Land Surveying, Inc. 38 WEST 100 NORTH VERNAL, UTAH 84078







CONFIDENTIAL



WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 03/16/2001	API NO. ASSIGNED: 43-047-33987					
WELL NAME: WV 3W-5-8-22 OPERATOR: SHENANDOAH ENERGY INC (N4235 CONTACT: JOHN BUSCH	PHONE NUMBER: 435-781-4341					
PROPOSED LOCATION:	INSPECT LOCATN BY: / /					
NENW 05 080S 220E SURFACE: 0656 FNL 1915 FWL	Tech Review Initials Date					
BOTTOM: 0656 FNL 1915 FWL	Engineering					
UINTAH WONSITS VALLEY (710)	Geology					
LEASE TYPE: 1-Federal	Surface					
LEASE NUMBER: UTU-76508 SURFACE OWNER: 1-Federal PROPOSED FORMATION: WSTC						
RECEIVED AND/OR REVIEWED: Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. UT-0969 Potash (Y/N) Noil Shale (Y/N) *190-5 (B) or 190-3 Water Permit (No. 43-8496 RDCC Review (Y/N) (Date: NA Fee Surf Agreement (Y/N)	LOCATION AND SITING:					
COMMENTS: Worsils Valley Sol, Separations: Lederal approval	ate file.					




OPERATOR: SHENANDOAH ENERGY (N4235)

SEC. 5, T8S, R22E

FIELD: WONSITS VALLEY (710)

COUNTY: UINTAH SPACING: R649-3-2/GEN ST



PREPARED BY: LCORDOVA DATE: 22-MARCH-2001



Shenandoah Energy Inc.

April 10, 2001

Division of Oil, Gas & Mining 1594 W. North Temple, STE 1210 Salt Lake City, UT 84114

Attention: Lisha Cordova

Dear Lisha:

The enclosed is copies of revised paperwork on the following wells:

WV #3W-5-8-22 — We changed the road and pipeline to stay on the lease to avoid a Rights-of-Way (2 copies of the Topo B & Topo D map).

WV #14W-4-8-22 - Revised cover page to change the unit & field name to the White River 2 copies enclosed.

If you have any questions please contact Raleen Searle (435) 781-4309.

.....,,

Raleen Searle


Administrative Assistant


Enclosures


RECEIVED


APR 1 2 2001

DIVISION OF OIL, GAS AND MINING









Michael O. Leavitt Governor Kathleen Clarke Executive Director Lowell P. Braxton Division Director

1594 West North Temple, Suite 1210 PO Box 145801 Salt Lake City, Utah 84114-5801 801-538-5340 801-359-3940 (Fax) 801-538-7223 (TDD)

June 12, 2001

Shenandoah Energy, Inc. 11002 E 17500 S Vernal, UT 84078

Re: Wonsits Valley 3W-5-8-22 Well, 656' FNL, 1915' FWL, NE NW, Sec. 5, T. 8 South,

R. 22 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-33987.

Sincerely,

John R. Baza

Associate Director

er

Enclosures

cc:

Uintah County Assessor

Bureau of Land Management, Vernal District Office

Operator:		Shenandoah Energy, Inc. Wonsits Valley 3W-5-8-22					
Well Name & Number							
API Number:		43-047-33987					
Lease:		UTU 76508					
Location: NE NW	Sec. 5	T. 8 South R. 22 East					

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

• Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

₩ 3160-3 (July 1992)

UNITED TATES DEPARTMENT OF THE INTERIOR

SUBMIT IN TRIPLICATE

M ADDROVED i NO. 1004-0136 Iros: February 28,1995

5. LEASE DESIGNATION AND SERIAL NO.

UTU-76508 BUREAU OF LAND MANAGEMENT A 15 IMPIAN ALLOTTER OF TRIBE NAME APPLICATION FOR PERMIT TO DRILL OR DEEPEN N/A 1a. TYPE OF WORK 7. UNIT AGREEMENT NAME DEEPEN DRILL X N/A N TYPE OF WELL MULTIPLE A. FARM OR LEASE NAME, WELL NO. GAS SINGLE OIL X ZONE X WELL WELL OTHER ZONE WV #3W-5-8-22 2. NAME OF OPERATOR O ADIWELL NO Shenandoah Energy Inc. 11002 East 17500 South 3. ADDRESS AND TELEPHONE NO. Phone: 435-781-4341 Vernal, Utah 84078 10. FIELD AND POOL, OR WILDCAT Fax: 435-781-4329 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) **WONSITS VALLEY** 11. SEG.,T.,R.,M., OR BLK 656' FNL, 1915' FWL NENW LOT 6 AND SURVEY OR AREA At proposed prod. Zone SEC. 5, T8S, R22E, SLB&M Same 12. COUNTY OR PARISH 13.STATE 14 DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE Uintah litab 6 miles West of Redwash Utah 17. NO. OF ACRES ASSIGNED 16. NO. OF ACRES IN LEASE 15. DISTANCE FROM PROPOSED TO THIS WELL LOCATION TO NEAREST 656' ± 585.25 40 PROPERTY OR LEASE LINE, FT. et drig. Unit line if any) 19. PROPOSED DEPTH 20. ROTARY OR CABLE TOOLS 18. DISTANCE FROM PROPOSED LOCATION" TO NEAREST WELL, DRILLING, COMPLETED, 2000' + Rotary 8392 OR APPLIED FOR ON THIS LEASE, FT. 22. APPROX. DATE WORK WILL START 21. ELEVATIONS (Show whether DF, RT, GR, etc.) A.S.A.P 5228' GR 23. PROPOSED CASING AND CEMENTING PROGRAM REFER TO S.O.P. Shenandoah Energy inc. proposes to drill a well to 8392' to test the Wasatch. If productive, casing will be run and the well completed. If dry, the well will be plugged and abandoned as per BLM and RECEIVED State of Utah requirements. Operation will be according to the Standard Operating Procedures for the Wonsits Valley Federal Unit, the Gypsum Hills Unit and JUN 2 7 2001 surrounding areas Wasatch wells. See Onshore Order No. 1 attached. DIVISION OF Please be advised that Shenandoah Energy Inc. is considered to be the operator of the above mentioned well. OIL, GAS AND MINING Shenandoah Energy Inc. agrees to be responsible under the terms and conditions of the lease for the operations BUDEINED conducted upon the lease lands. MAR 1 5 2001 Bond coverage for this weil is provided by Bond No. 0969. The principal is Shenandoah Energy Inc. via surety as consent as provided for in 43 CFR 3104.2. IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If prone and measured and true vertical depths. Give blowest preventer program if any. 3/12/01 SIGNED John Busch TITLE Red Wash Operations Representative

CONDITIONS

CONDITIONS OF APPROVAL, IF ANY:

(This space for Fe

PERMIT NO.

Assistant Field Menacer

*See Instructions On Reverse Side

COAs Page 1 of <u>3</u> Well No.: WV #3W-5-8-22

CONDITIONS OF APPROVAL APPLICATION FOR PERMIT TO DRILL

Company/Operator: Shenandoah Energy Inc.
Well Name & Number: WV #3W-5-8-22
API Number: <u>43-047-33987</u>
Lease Number: <u>U - 76508</u>
Location: LOT 6 (NENW) Sec. 05 T. 8S R. 22E
Agreement: N/A

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. <u>DRILLING PROGRAM</u>

1. Casing Program and Auxiliary Equipment

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the top of the Green River formation, identified at \pm 3,250 ft.

COAs Page 3 of <u>3</u> Well No.: WV #3W-5-8-22

CONDITIONS OF APPROVAL FOR THE SURFACE USE PROGRAM OF THE APPLICATION FOR PERMIT TO DRILL

-The pipeline will be zap locked on the well location and dragged into place with a backhoe, dozer, or grader, or the access road can be used as a working surface to lay the pipe.

Form 3160-5 FORM APPROVED **UNITED STATES** (June 1990) CONFIDENTIAL DE Budget Bureau No. 1004-0135 RTMENT OF THE INTERIOR Expires: March 31, 1993 Lease Designation and Serial No. SUNDRY NOTICES AND REPORTS ON WELLS UTU-76508 Do not use this form for proposals to drill or to deepen or reentry to a different reservoir Use "APPLICATION FOR PERMIT--" for such proposals 6. If Indian, Allottee or Tribe Name N/A If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE Type of Well Oil Gas CONFIDENTIAL Well Well Other Well Name and No. WV 3W 5 8 22 Name of Operator 9. API Well No. SHENANDOAH ENERGY INC. Address and Telephone No. 43-047-33987 (801) 781-4306 10. Field and Pool, or Exploratory Area 11002 E. 17500 S. VERNAL, UT 84078-8526 Location of Well (Footage, Sec., T., R., M., or Survey Description) Wonsits Valley - Wasatch 11. County or Parish, State _•UINTAH, UTAH 656' FNL, 1915' FWL, NE NW, SECTION 5, T8S, R22E, SLBM 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Abandonment Change of Plans Recompletion **New Construction** Subsequent Report Plugging Back Non-Routine Fracturing Casing Repair Water Shut-Off Final Abandonment Notice Altering Casing Conversion to Injection SPUD DATE Dispose Water (Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.) Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work) THIS WELL WAS SPUD 08/15/01. DRILL 12 1/4" HOLE TO 102'. RUN 11 JTS 36# 9 5/8" CSG. RECEIVED SEP 24 2001 **DIVISION OF**

OIL, GAS AND MINING

14. I hereby certify that the foregoing intrue and correct. Signed D. C. Beaman	Title	Office Manager	Date	09/19/01
(This space for Federal or State office use)				
Approved by:	Title		Date	
Conditions of approval, if any			-	
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willful representations as to any matter within its jurisdiction.	ly to make	to any department or agency of the United States any false, fictitio	us or fraudule	int statements or

CONFIDENTIAL

OPERATOR: ADDRESS:

Shenandoah Energy, Inc. 11002 East 17500 South

(801)781-4300

Vernal, Utah 84078-8526 **ENTITY ACTION FORM - FORM 6**

SC TP RG County **Spud Date Effective Date API Number** Well Name QQ Action Current **New Entity** Code Entity No. No. 43-047-33987 WV 3W 5 8 22 **NE NW** 5 88 **22E** Uintah 08/15/01 Α 9-24-01 13290 WELL 1 COMMENTS: New well to be drilled in Wonsits Valley. Not in the Wasatch participating area. 9-24-0/WELL 2 COMMENTS: **WELL 3 COMMENTS: WELL 4 COMMENTS: WELL 5 COMMENTS:**

ACTION CODES (See instructions on back of form)

- A Establish new entity for new well (single well only)
- B Add new well to existing entity (group or unit well)
- C Re-assign well from one existing entity to another existing entity
- D Re-assign well from one existing entity to a new entity
- E Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected

(3/89)

RECEIVED

SEP 24 2001

DIVISION OF OIL, GAS AND MINING

OPERATOR ACCT. No. 4235

Office Manager. 09/20/01

Phone No. (801) 781-4306

Title

Date

State or	Ulan			
Division	of Oil,	Gas	and	Mining

ENTITY ACTION FORM - FORM 6

CONFIDENTIAL

ADDRESS:

OPERATOR: Shenandoah Energy, Inc. 11002 East 17500 South

Vernal, Utah 84078-8526

(801)781-4300

OPERATOR ACCT. No. 4235

Action Current **New Entity API Number** Well Name \overline{QQ} SC TP RG County Spud Date **Effective Date** Code **Entity** No. No. A 43-047-33987 WV 3W 5 8 22 NE NW 5 88 22E **Uintah** 08/15/01 99999 13321 10-2-01 WELL 1 COMMENTS: New well to be drilled in Wonsits Valley. Not in the Wasatch participating area. WELL 2 COMMENTS: WELL 3 COMMENTS: WELL 4 COMMENTS: WELL 5 COMMENTS: ACTION CODES (See instructions on back of form) A - Establish new entity for new well (single well only)

- B Add new well to existing entity (group or unit well)
- C Re-assign well from one existing entity to another existing entity
- D Re-assign well from one existing entity to a new entity
- E Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected

(3/89)

RECEIVED

Signature

Title

Phone No. (801) 781-4306

Date

Office Manager. 09/20/01

POT 8 2 2001

DIVISION OF OIL, GAS AND MINING Form 3160-4 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED OMB No. 1004-0137

Expires: November 30, 2000 BUREAU OF LAND MANAGEMENT Lease Serial No. UTU-76508 WELL COMPLETION OR RECOMPLETION REPORT AND LOG ☐ Other 6. If Indian, Allottee or Tribe Name la. Type of Well Oil Well Gas Well □ Dry Diff. Resvr. New Well □ Plug Back ■ Work Over □ Deepen b. Type of Completion Unit or CA Agreement Name and No. Other UTU76508 Contact: J.T. CONLEY Lease Name and Well No. Name of Operator SHENANDOAH ENERGY INC WV 3W-5-8-22 E-Mail: jconley@shenandoahenergy.com 3a. Phone No. (include area code) Ph: 435.781.4300 9. API Well No. 11002 EAST 17500 SOUTH 3. Address 43-047-33987 VERNAL, UT 84078 Field and Pool, or Exploratory WONSITS VALLEY 4. Location of Well (Report location clearly and in accordance with Federal requirements)* At surface NENW 656FNL 1915FWL 11. Sec., T., R., M., or Block and Survey or Area Sec 5 T8S R22E Mer SLB 11-10-02 At top prod interval reported below NENW 656FNL 1915FWL 12. County or Parish UINTAH At total depth NENW 656FNL 1915FWL 17. Elevations (DF, KB, RT, GL)* 5228 GL 14. Date Spudded 08/15/2001 15. Date T.D. Reached 09/14/2001 Date Completed ☐ D & A ☐ Ready to Prod. 10/10/2001 7563 MD 7779 20. Depth Bridge Plug Set: MD 19. Plug Back T.D.: 18. Total Depth: TVD TVD Type Electric & Other Mechanical Logs Run (Submit copy of each) No No No Yes (Submit analysis) Was well cored? 22 Was DST run? Yes (Submit analysis) Directional Survey? Yes (Submit analysis) 4-10-02 23. Casing and Liner Record (Report all strings set in well) No. of Sks. & Slurry Vol. Bottom Stage Cementer Cement Top* Amount Pulled Size/Grade Wt. (#/ft.) Hole Size Type of Cement (BBL) Depth (MD) (MD) 175 491 9.625 K-55 36.0 0 12.250 2400 1770 7870 4.500 J-55 11.6 0 7.875 24. Tubing Record Depth Set (MD) Packer Depth (MD) Packer Depth (MD) Size Depth Set (MD) Depth Set (MD) Packer Depth (MD) Size 2.375 6911 26. Perforation Record 25. Producing Intervals Perf. Status Size No. Holes Perforated Interval Top Bottom Formation OPEN 6992 TO 7002 WASATCH 6992 7558 A) OPEN 7168 TO 7178 B) OPEN 7200 TO 7212 C) OPEN 7526 TO 7558 D) 27. Acid, Fracture, Treatment, Cement Squeeze, Etc. Amount and Type of Material Depth Interval SAND FRAC WITH 50,000 LBS IN 22,300 GALS 6992 TO 7002 SAND FRAC WITH 110,000 LBS IN 40,800 GALS 7168 TO 7212 SAND FRAC WITH 140,000 LBS IN 56,800 GALS 7526 TO 7558 28. Production - Interval A Production Method Water Oil Gravity Gas Date First Test BBL MCF BBI Corr. API Gravity Production Tested Produced Date OTHER 0.0 384.0 0.0 11/14/2001 11/14/2001 24 Well Status Gas:Oil Water 24 Hr. Oil Gas Choke Tbg. Press. Csg. BBL Size Flwg. Press. Rate 64/64 SI 0.0 28a. Production - Interval B Production Method Oil Gravity Gas Oil Gas MCF Date First Test Hours Test Gravity BBL. Corr. API Production BBL Date Tested Produced Well Status Gas:Oil Water 24 Hr Gas Choke Tbg. Press. Csg. Ratio BBL BBL Press. Rate

28b. Prod	uction - Interv	al C									····
Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gra		Production Method	
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Wel	ll Status	atus	
28c. Produ	uction - Interva	i D			1			•			
Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gra		Production Method	
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Wel	'ell Status		
29. Dispos	sition of Gas(S	old, used j	for fuel, vent	ed, etc.)		<u></u>					
Show tests, i	ary of Porous all important 2 ncluding deptl coveries.	ones of po	rosity and co	ontents there	of: Cored in tool open,	ntervals and a flowing and	all drill-stem shut-in pressures		31. For	mation (Log) Markers	
	Formation		Тор	Bottom		Description	ns, Contents, etc.			Name	Top Meas. Depth
WASATCH WASATCH WASATCH WASATCH	1		6992 7168 7200 7526	7002 7178 7212 7558	CH/ CH/	CHANNEL SAND CHANNEL SAND CHANNEL SAND CHANNEL SAND		MA	REEN RIVER 3293 AHOGANY 4067 ASATCH 6690		
						CONF	IDENTIAI	_			
CONF	onal remarks (FIDENTIAL - ot release wel	TITE HOI	LE .		from Sher	nandoah En	ergy Inc.				
1. Ele	enclosed attac etrical/Mechan ndry Notice for	nical Logs	•	• /		2. Geologic 5. Core Ana	-		3. DST Rep 7 Other:	port 4. Directio	nal Survey
34. I herel	oy certify that	the forego	-	tronic Subn	nission #958	4 Verified b	rect as determined by the BLM Well GY INC, sent to	Inform	nation Syst	records (see attached instruction.	ons):
Name	(please print)	J.T. CON	LEY				Title DIV	/ISION	MANAGE	ER	
Signat	ure	(Electroni	ic Submissi	on)			Date <u>12/</u>	03/200)1		
					··· ·						

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fradulent statements or representations as to any matter within its jurisdiction.

Г

	'NITED STATES
DEPAR	ENT OF THE INTERIOR
BUREAU	OF LAND MANAGEMENT

BUREAU OF LAND	MANAGEMENT
RY NOTICES AND	REPORTS ON WELLS

FORM APPROVE	υ
OMB NO. 1004-013	35
Expires: November 30,	2000

Lease	Serial No.
CITII	76609

SUNDRY NOTICES AND REPORTS ON WELLS	UTU-76508
Do not use this form for proposals to drill or to re-enter an	6. If Indian, Allottee or Tribe Name
abandoned well. Use form 3160-3 (APD) for such proposals.	o, if fildiali, Allouce of Thoc Name

		<u>]</u>	
SUBMIT IN TRIPLICATE - Other instructions on reverse side.		7. If Unit or CA/Agreement, Name and/or No. N/A	
1. Type of Well Gas Well Other	CUNTIDENTIAL	8. Well Name and No. WV 3WRG 5-8-22	
2. Name of Operator Co SHENANDOAH ENERGY	ntact: DAHN F. CALDWELL E-Mail: dcaldwell@shenandoahenergy.com	9. API Well No. 43-047-33987	
3a. Address 11002 E. 17500 S. VERNAL, UT 84078	3b. Phone No. (include area code) Ph: 435.781.4342 Fx: 435.781.4357	10. Field and Pool, or Exploratory WONSITS VALLEY	
4. Location of Well (Footage, Sec., T., R., M., or Survey Des	cription)	11. County or Parish, and State	
Sec 5 T8S R22E NENW 656FNL 1915FWL		UINTAH COUNTY, UT	

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
№ Notice of Intent ☐ Subsequent Report ☐ Final Abandonment Notice	☐ Acidize ☐ Alter Casing ☐ Casing Repair ☐ Change Plans ☐ Convert to Injection	☐ Deepen ☐ Fracture Treat ☐ New Construction ☐ Plug and Abandon ☐ Plug Back	☐ Production (Start/Resume) ☐ Reclamation ☑ Recomplete ☐ Temporarily Abandon ☐ Water Disposal	☐ Water Shut-Off ☐ Well Integrity ☐ Other

We intend to abandon the Wasatch gas well to test the G-1 Sand. Proposed procedure as follows:

1 - Set CIBP at 6950' above Wasatch zones.

2 - Pressure test csg to 3000 psig to insure plug is holding.
3 - Swab fluid level in csg down to 5000' (from surface).

5 - RIH w/bailer & cap CIBP w/cmt. Perf the Green River f/ 5888'-5894'.

6 - Pickup a treating pkr, SN & tbg & TIH to 5830' (+/-) & set pkr. Pressure check backside to 1000 psi, to insure pkr is set.

7 - Depending on FL we may try a small 500 gal 7 1/2% acid matrix job to try to improve production.

8 - Release pkr after swab testing & TOOH w/tbg.
9 - RU prod assembly, anchor & SN & TIH. Land tbg, ND BOP & NU pumping tee. Turn over to production.

COPY SENT TO OPE Date:

(Continued on page 2)

14. I hereby certify that the foregoing is true and correct. Electronic Submission #11239 verified For SHENANDOAH ENE	by the BLM Well Information System RGY, sent to the Vernal				
Name (Printed/Typed) JIM SIMONTON	Title COMPLETION MANAGER				
Signature (Electronic Submission)	Date 05/08/2002				
THIS SPACE FOR FEDERAL OR STATE OFFICE USE					
Approved By	Title	Date			
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office				

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Utah Division of Oil, Gas and Mining

Accepted by the INAL ** ORIGINAL **

Federal Approval CONFIDENTIAL **Action Is Necessary**

MAY 1 0 2002

DIVISION OF OIL, GAS AND MINING

^{13.} Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Additional data for EC transaction #11239 that would not fit on the form



32. Additional remarks, continued

NOTE: DUE TO OTHER OPERATORS ACREAGE POSITION IN THE AREA, WE REQUEST THAT THIS "NOI" & SUBSEQUENT REPORTS BE HELD "CONFIDENTIAL".

U D STATES OF THE NITEDIOD

FORM APPROVED
OMB NO. 1004-0135
 Expires: November 30, 200

BUREAU OF LAND MANAGEMENT			Expires: November 30, 2000 5. Lease Scrial No.			
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.				UTU-76508		
				6. If Indian, Allottee or Tribe Name N/A		
SUBMIT IN TRIPLICATE - Other instructions on reverse side.			7. If Unit or CA/Agreement, Name and/or No. N/A			
1. Type of Well Gas Well Other			8. Well Name and No. WV 3WRG 5-8-22			
2. Name of Operator SHENANDOAH ENERGY	Contact:	DAHN F. CALI E-Mail: dcaldwel		nergy.com	9. API Well No. 43-047-33987	
3a. Address 11002 E. 17500 S. VERNAL, UT 84078		3b. Phone No. (Ph: 435.781. Fx: 435.781.4			10. Field and Pool, or Exploratory WONSITS VALLEY	
4. Location of Well (Footage, Sec., T.	, R., M., or Survey Description)			11. County or Parish, and State	
Sec 5 T8S R22E NENW 656F	NL 1915FWL				UINTAH COU	NTY, UT
12. CHECK APPR	ROPRIATE BOX(ES) TO	O INDICATE 1	NATURE OF N	NOTICE, R	EPORT, OR OTH	ER DATA
TYPE OF SUBMISSION			TYPE OF	ACTION		
Notice of Intent	☐ Acidize	□ Deepe	n	☐ Product	tion (Start/Resume)	■ Water Shut-Off
☐ Notice of Intent	☐ Alter Casing	🗖 Fractı	re Treat	□ Reclam	ation	■ Well Integrity
Subsequent Report ■	Casing Repair	□ New (Construction	onstruction Recomplete		Other
Final Abandonment Notice	☐ Change Plans	Plug a	nd Abandon			
Convert to Injection Plug Back Water			Disposal			
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final Attach the steepen completed. Final Attach that the site is ready for for the steepen steep	rk will be performed or provide operations. If the operation repardonment Notices shall be final inspection.) Wasatch Zones), press to sour & dumped 35' of cm 388' - 5894'. @ 5780'. Begin swbg. 4' down 2 7/8" tbg. Con't pkr @ 5788' w/ 20,000# ess bombs & soft set the	e the Bond No. on issults in a multiple led only after all reset plug & csg to ton top of CIBF to swbg. compression of Frinipple to mo	The with BLM/BIA completion or recognirements, included the control of 2500#'s & he control of 2500#'s	on Required submitted in a sing reclamation of the color	bsequent reports shall new interval, a Form 3 n, have been complete	be filed within 30 days 160-4 shall be filed once
14. I hereby certify that the foregoing is	Electronic Submission	#12212 verified	by the BLM Wel GY, sent to the	l information Vernal	n System	
Name (Printed/Typed) JIM SIMONTON			Title COMPLETION MANAGER			
Signature (Electronic Submission) Date 06/21/2002						
THIS SPACE FOR FEDERAL OR STATE OFFICE USE						
Approved By			Title		Date	·
Conditions of approval, if any, are attached certify that the applicant holds legal or eq which would entitle the applicant to conditions.	uitable title to those rights in the	es not warrant or ne subject lease	Office			

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

** ORIGINAL **



CONFIDENTIAL

JUN 2 5 2002

DIVISION OF OIL GAS AND MINING

Additional data for EC transaction #12212 that would not fit on the form

32. Additional remarks, continued

Energy Inc.

CONFIDENTIAL

CONFIDENTIAL

RECEIVED

JUN 2 5 2002

DIVISION OF OIL, GAS AND MINING

OPERATOR CHANGE WORKSHEET

ROUTING
1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

FROM: (Old Operator): N4235-Shenandoah Energy Inc	CA No.								
N4235-Shenandoah Energy Inc 11002 E 17500 S Vernal, UT 84078-8526	SA No			N2460-QEP U 11002	Jinta Basin E 17500 S				1
11002 E 17500 S Vernal, UT 84078-8526	A No			11002	E 17500 S				
Vernal, UT 84078-8526	A No			Verna	LIT 84078				
,	TA No					3-8526			
	'A No			Phone:	(435) 781-				
		·····		Unit:	(133) 701	1311			ĺ
WELL(S)	211101		· · · · · · · · · · · · · · · · · · ·	-	-,				
NAME	SEC	TWN	RNG	API NO	ENTITY	LEASE	WELL	WELL	Conf
					NO	TYPE	TYPE	STATUS	
									<u> </u>
WV 5W-17-8-21	17			4304733954		Federal	GW	P	
WV 7W-17-8-21	17	080S		4304733956		Federal	GW	P	
GHU 14W-20-8-21	20	080S	210E	4304733915	13073	Federal	GW .	P	
GH 9W-21-8-21	21	080S	210E	4304733846	13074	Federal	GW	P	
GH 11W-21-8-21	21	080S	210E	4304733847	13049	Federal	GW	P	
GH 15W-21-8-21	21	080S	210E	4304733848	13051	Federal	GW	P	
WV 9W-23-8-21	23	080S	210E	4304733909	13160	Federal	GW	P	
GB 9W-25-8-21	25	080S	210E	4304733960	13390	Federal	GW	P	
WV 1W-5-8-22	05	080S	220E	4304733985	13369	Federal	GW	P	
WV 3W-5-8-22	05	080S	220E	4304733987	13321	Federal	OW	S	
WV 7W-5-8-22	05	080S	220E	4304733988	13235	Federal	GW	P	
WV 9W-5-8-22	05	080S	220E	4304733990	13238	Federal	GW	P	
WV 11W-5-8-22	05	080S	220E	4304733992	13239	Federal	GW	P	
WV 13W-5-8-22	05	080S	220E	4304733994	13236	Federal	GW	P	
WV 15W-5-8-22	05	080S	220E	4304733996	13240	Federal	GW	P	
WV 8W-8-8-22	08	080S	220E	4304734005	13220	Federal	GW	P	
GB 9W-19-8-22	19	080S	220E	4304733946	13393	Federal	GW	Р	1
GB 12W-19-8-22	19	080S	220E	4304733948	13388	Federal	GW	P	
GB 4W-30-8-22	30	080S	220E	4304733945	13372	Federal	GW	Р	
GB 10W-30-8-22	30	080S	220E	4304733947	13389	Federal	GW	P	
00 10 11 00 0 22		13000	1202		1.5507	- 500.01	1	-	+

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on:

6/2/2003

2. (R649-8-10) Sundry or legal documentation was received from the NEW operator on: 6/2/2003


The new company was checked on the Department of Commerce, Division of Corporations Database on:

6/19/2003

4. Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151

5. If NO, the operator was contacted contacted on:

6.	(R649-9-2)Waste Management Plan has been received on:	IN PLACE	_	÷		-
7.	Federal and Indian Lease Wells: The BLM and or the BIA or operator change for all wells listed on Federal or Indian leases on:	has approved 7/21/2003	the merge	r, name cha	inge,	-
8.	Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for we	lls listed on:	7/21/2003	* 		-
9.	Federal and Indian Communization Agreements ("CA The BLM or BIA has approved the operator for all wells listed within	•	n/a			-
10	. Underground Injection Control ("UIC") The Division for the enhanced/secondary recovery unit/project for the water disposal	on has approved al well(s) listed o		Transfer of .	Authority to Ir	- iject
D	ATA ENTRY:				,,_,	-
1.	Changes entered in the Oil and Gas Database on:	8/27/2003	-			
2.	Changes have been entered on the Monthly Operator Change Spread	d Sheet on:	8/27/2003			
3.	Bond information entered in RBDMS on:	n/a	-		•	
4.	Fee wells attached to bond in RBDMS on:		.		···• .	ä
S 1	State well(s) covered by Bond Number:	965-003-032				•
	EDERAL WELL(S) BOND VERIFICATION: Federal well(s) covered by Bond Number:	965-002-976	· .	2 * *		•
IN 1.	DIAN WELL(S) BOND VERIFICATION: Indian well(s) covered by Bond Number:	799446				-
	CE WELL(S) BOND VERIFICATION: (R649-3-1) The NEW operator of any fee well(s) listed covered by Box	nd Number	965-003-033			•
	The FORMER operator has requested a release of liability from their be. The Division sent response by letter on:	ond on: n/a	n/a			-
	CASE INTEREST OWNER NOTIFICATION: (R649-2-10) The FORMER operator of the fee wells has been contacted of their responsibility to notify all interest owners of this change on:	d and informed t	by a letter fro	m the Divisio	n	•
CC	MMENTS:					-
						_
						-
						-





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

999 18th STREET - SUITE 300 DENVER, CO 80202-2466 http://www.epa.gov/region08

Ref: 8P-W-GW

FEB 23 2004

CERTIFIED MAIL RETURN RECEIPT REQUESTED

Stephanie Tomkinson QEP Uinta Basin, Inc. 11002 East 17500 South Vernal, UT 84078 Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY

MAR 0 1 2004
DIV. OF OIL, GAS & MINING

Re: Underground Injection Control Program
Permit for the 3 WRG-5-8-22 Well
Uintah County, UT
EPA Permit No. UT20947-06158

Dear Ms. Tomkinson:

Enclosed is your copy of the FINAL Underground Injection Control (UIC) Permit for the proposed 3 WRG-5-8-22, in Uintah County, Utah. A Statement of Basis, which discusses development of the conditions and requirements of the Permit, also is included.

The Public Comment period ended August 30, 2003. There were no comments on the Draft Permit received during the Public Notice period, and therefore the Final Permit becomes effective on the date of issuance. All conditions set forth herein refer to Title 40 Parts 124, 144, 146, and 147 of the Code of Federal Regulations (CFR) and are regulations that are in effect on the date that this permit becomes effective.

Please note that under the terms of the Final Permit, you are authorized only to construct the proposed injection well, and must fulfill the "Prior to Commencing Injection" requirements of the Permit, Part II Section C Subpart 1 and obtain written Authorization to Inject prior to commencing injection. It is your responsibility to be familiar with and to comply with all provisions of the Final Permit.

The permit and the authorization to inject are issued for the operating life of the well unless terminated (Part III, Section B). The EPA will review this permit at least every five (5) years to determine whether action under 40 CFR § 144.36(a) is warranted.

If you have any questions on the enclosed Final Permit or Statement of Basis, please call Chuck Tinsley of my staff at (303) 312-6266, or toll-free at (800) 227-8917, ext. 6266.

Sincerely,

Stephen S. Tuber

Assistant Regional Administrator

Office of Partnerships and Regulatory Assistance

enclosure:

Final UIC Permit

Statement of Basis

Form 7520-7 Application to Transfer Permit

Form 7520-11 Monitoring Report Form 7520-14 Plugging Plan

Form 7520-12 Well Rework Record Groundwater Section Guidance 34 Groundwater Section Guidance 35 Groundwater Section Guidance 37 Groundwater Section Guidance 39

cc:

Ms. Maxine Natchees, Uintah and Ouray Business Council

Ms. Elaine Willie, Ute Indian Tribe

Mr. Chester Mills, Bureau of Indian Affairs, U&O Agency

Mr. Gil Hunt, State of Utah, DOGM

Mr. Jerry Kenczka, Bureau of Land Management

\$EPA

UNDERGROUND INJECTION CONTROL PROGRAM PERMIT

PREPARED: January 2004

Permit No. UT20947-06158

Class II Enhanced Oil Recovery Injection Well

3 WRG-5-8-22 Uintah County, UT

Issued To

QEP Uinta Basin, Inc.

180 East 100 South Salt Lake City, UT 84145-0433

Part I. AUTHORIZATION TO CONSTRUCT AND OPERATE

Under the authority of the Safe Drinking Water Act and Underground Injection Control (UIC) Program regulations of the U. S. Environmental Protection Agency (EPA) codified at Title 40 of the Code of Federal Regulations (40 CFR) Parts 2, 124, 144, 146, and 147, and according to the terms of this Permit.

QEP Uinta Basin, Inc. 180 East 100 South Salt Lake City, UT 84145-0433

is authorized to construct and to operate the following Class II injection well or wells:

3 WRG-5-8-22 1915 FWL 656 FNL, NENW S5, T8S, R22E Uintah County, UT

Permit requirements herein are based on regulations found in 40 CFR Parts 124, 144, 146, and 147 which are in effect on the Effective Date of this Permit.

This Permit is based on representations made by the applicant and on other information contained in the Administrative Record. Misrepresentation of information or failure to fully disclose all relevant information may be cause for termination, revocation and reissuance, or modification of this Permit and/or formal enforcement action. This Permit will be reviewed periodically to determine whether action under 40 CFR 144.36(a) is required.

This Permit is issued for the life of the well unless modified, revoked and reissued, or terminated under 40 CFR 144.39 or 144.40. This Permit may be adopted, modified, revoked and reissued, or terminated if primary enforcement authority for this program is delegated to an Indian Tribe or a State. Upon the effective date of delegation, all reports, notifications, questions and other compliance actions shall be directed to the Indian tribe or State Program Director or designee.

Issue Date: Feb

Eb 23 2004

Effective Date Feb 23

Stephen S. Tuber

Assistant Regional Administrator*

Office of Partnerships and Regulatory Assistance

*NOTE: The person holding this title is referred to as the "Director" throughout this Permit.

PART II. SPECIFIC PERMIT CONDITIONS

Section A. WELL CONSTRUCTION REQUIREMENTS

These requirements represent the approved minimum construction standards for well casing and cement, injection tubing, and packer.

Details of the approved well construction plan are incorporated into this Permit as APPENDIX A. Changes to the approved plan that may occur during construction must be approved by the Director prior to being physically incorporated.

1. Casing and Cement.

The well or wells shall be cased and cemented to prevent the movement of fluids into or between underground sources of drinking water. The well casing and cement shall be designed for the life expectancy of the well and of the grade and size shown in APPENDIX A. Remedial cementing may be required if shown to be inadequate by cement bond log or other attempted demonstration of Part II (External) mechanical integrity.

2. Injection Tubing and Packer.

Injection tubing is required, and shall be run and set with a packer at or below the depth indicated in APPENDIX A. The packer setting depth may be changed provided it remains below the depth indicated in APPENDIX A and the Permittee provides notice and obtains the Director's approval for the change.

3. Sampling and Monitoring Devices.

The Permittee shall install and maintain in good operating condition:

- (a) a "tap" at a conveniently accessible location on the injection flow line between the pump house or storage tanks and the injection well, isolated by shut-off valves, for collection of representative samples of the injected fluid; and
- (b) one-half (1/2) inch female iron pipe fitting, isolated by shut-off valves and located at the wellhead at a conveniently accessible location, for the attachment of a pressure gauge capable of monitoring pressures ranging from normal operating pressures up to the Maximum Allowable Injection Pressure specified in APPENDIX C:
 - (i) on the injection tubing; and
 - (ii) on the tubing-casing annulus (TCA); and
- (c) a pressure actuated shut-off device attached to the injection flow line set to shut-off the injection pump when or before the Maximum Allowable Injection Pressure specified in APPENDIX C is reached at the wellhead; and
- (d) a non-resettable cumulative volume recorder attached to the injection line.

4. Well Logging and Testing

Well logging and testing requirements are found in APPENDIX B. The Permittee shall ensure the log and test requirements are performed within the time frames specified in APPENDIX B. Well logs and tests shall be performed according to current EPA-approved procedures. Well log and test results shall be submitted to the Director within sixty (60) days of completion of the logging or testing activity, and shall include a report describing the methods used during logging or testing and an interpretation of the test or log results.

5. Postponement of Construction or Conversion

The Permittee shall complete well construction within one year of the Effective Date of this Permit. Authorization to construct and operate shall expire and the Permit may be terminated under 40 CFR 144.40 if the well has not been constructed within one year of the Effective Date of the Permit unless the Permittee has notified the Director and requested an extension prior to expiration. Notification shall be in writing, and shall state the reasons for the delay and provide an estimated completion date. Once Authorization has expired under this part, the complete permit process including opportunity for public comment may be required before Authorization to construct and operate can be reissued.

6. Workovers and Alterations

Workovers and alterations shall meet all conditions of the Permit. Prior to beginning any addition or physical alteration to the injection well that may significantly affect the tubing, packer or casing, the Permittee shall give advance notice to the Director and obtain the Director's approval. The Permittee shall record all changes to the well construction on a Well Rework Record (EPA Form 7520-12), and shall provide this and any other record of well workover, logging, or test data to EPA within sixty (60) days of completion of the activity.

A successful demonstration of Part I MI is required following the completion of any well workover or alteration which affects the casing, tubing, or packer. Injection operations shall not be resumed until the well has successfully demonstrated mechanical integrity and the Director has provided written approval to resume injection.

Section B. MECHANICAL INTEGRITY

The Permittee is required to ensure each injection well maintains mechanical integrity at all times. The Director, by written notice, may require the Permittee to comply with a schedule describing when mechanical integrity demonstrations shall be made.

An injection well has mechanical integrity if:

- (a) There is no significant leak in the casing, tubing, or packer (Part I); and
- (b) There is no significant fluid movement into an underground source of drinking water throught vertical channels adjacent to the injection well bore (Part II).

1. Demonstration of Mechanical Integrity (MI).

The operator shall demonstrate MI prior to commencing injection and periodically thereafter. Well-specific conditions dictate the methods and the frequency for demonstrating MI and are discussed in the Statement of Basis. The logs and tests are designed to demonstrate both internal (Part I) and external (Part II) MI as described above. The conditions present at this well site warrant the methods and frequency required in Appendix B of this Permit.

In addition to these regularly scheduled demonstrations of MI, the operator shall demonstrate internal (Part I) MI after any workover which affects the tubing, packer or casing.

The Director may require additional or alternative tests if the results presented by the operator are not satisfactory to the Director to demonstrate there is no movement of fluid into or between USDWs resulting from injection activity. Results of MI tests shall be submitted to the Director as soon as possible but no later than sixty (60) days after the test is complete.

2. Mechanical Integrity Test Methods and Criteria

EPA-approved methods shall be used to demonstrate mechanical integrity. A current copy of Ground Water Section Guidance No. 34 "Cement Bond Logging Techniques and Interpretation", Ground Water Section Guidance No. 37, "Demonstrating Part II (External) Mechanical Integrity for a Class II injection well permit", and Ground Water Section Guidance No. 39, "Pressure Testing Injection Wells for Part I (Internal) Mechanical Integrity" are provided at issuance of this Permit.

The Director may stipulate specific test methods and criteria best suited for a specific well construction and injection operation.

3. Notification Prior to Testing.

The Permittee shall notify the Director at least 30 days prior to any scheduled mechanical integrity test. The Director may allow a shorter notification period if it would be sufficient to enable EPA to witness the mechanical integrity test. Notification may be in the form of a yearly or quarterly schedule of planned mechanical integrity tests, or it may be on an individual basis.

4. Loss of Mechanical Integrity.

If the well fails to demonstrate mechanical integrity during a test, or a loss of mechanical integrity becomes evident during operation (such as presence of pressure in the TCA, water flowing at the surface, etc.), the Permittee shall notify the Director within 24 hours (see Part III Section E Paragraph 11(e) of this Permit), and the well shall be shut-in within 48 hours unless the Director requires immediate shut-in.

Within five days, the Permittee shall submit a follow-up written report that documents test results, repairs undertaken or a proposed remedial action plan.

Injection operations shall not be resumed until after the well has successfully been repaired and demonstrated mechanical integrity, and the Director has provided approval to resume injection.

Section C. WELL OPERATION

INJECTION BETWEEN THE OUTERMOST CASING PROTECTING UNDERGROUND SOURCES OF DRINKING WATER AND THE WELL BORE IS PROHIBITED.

Injection is approved under the following conditions:

1. Requirements Prior to Commencing Injection.

Injection operation may commence only after all construction and pre-injection requirements herein have been met and approved. Except for new wells authorized by an Area Permit under 40 CFR 144.33 (c), the Permittee may not commence injection until construction is complete, and

- (a) The Permittee has submitted to the Director a notice of completion of construction and a completed EPA Form 7520-12; all applicable logging and testing requirements of this Permit (see APPENDIX B) have been fulfilled and the records submitted to the Director; mechanical integrity pursuant to 40 CFR 146.8 and Part II Section B of this Permit has been demonstrated; and
 - (i) The Director has inspected or otherwise reviewed the new injection well and finds it is in compliance with the conditions of the Permit; or
 - (ii) The Permittee has not received notice from the Director of his or her intent to inspect or otherwise review the new injection well within 13 days of the date of the notice in Paragraph 1a, in which case prior inspection or review is waived and the Permittee may commence injection.

2. Injection Interval.

Injection is permitted only within the approved injection interval listed in APPENDIX C. Additional individual injection perforations may be added provided that they remain within the approved injection interval and the Permittee provides notice to the Director in accordance with Part II, Section A, Paragraph 6.

3. Injection Pressure Limitation

- (a) The permitted Maximum Allowable Injection Pressure (MAIP), measured at the wellhead, is found in APPENDIX C. Injection pressure shall not exceed the amount the Director determines is appropriate to ensure that injection does not initiate new fractures or propagate existing fractures in the confining zone adjacent to USDWs. In no case shall injection pressure cause the movement of injected or formation fluids into a USDW.
- (b) The Permittee may request a change of the MAIP, or the MAIP may be increased or decreased by the Director in order to ensure that the requirements in Paragraph (a) above are fulfilled. The Permitee may be required to conduct a step rate injection test or other suitable test to provide information for determining the fracture pressure of the injection zone. Change of the permitted MAIP by the Director shall be by modification of this Permit and APPENDIX C.

4. Injection Volume Limitation.

Injection volume is limited to the total volume specified in APPENDIX C.

5. Injection Fluid Limitation.

Injected fluids are limited to those identified in 40 CFR 144.6(b)(2) as fluids used for enhanced recovery of oil or natural gas, including those which are brought to the surface in connection with conventional oil or natural gas production that may be commingled with waste waters from gas plants which are an integral part of production operations unless those waters are classified as a hazardous waste at the time of injection, pursuant to 40 CFR 144.6(b). Non-exempt wastes, including unused fracturing fluids or acids, gas plant cooling tower cleaning wastes, service wastes and vacuum truck wastes, are NOT approved for injection. This well is NOT approved for commercial brine injection, industrial waste fluid disposal or injection of hazardous waste as defined by CFR 40 Part 261. The Permittee shall provide a listing of the sources of injected fluids in accordance with the reporting requirements in Part II Section D Paragraph 4 and APPENDIX D of this Permit.

6. Tubing-Casing Annulus (TCA)

The tubing-casing annulus (TCA) shall be filled with water treated with a corrosion inhibitor, or other fluid approved by the Director. The TCA valve shall remain closed during normal operating conditions and the TCA pressure shall be maintained at zero (0) psi.

If TCA pressure cannot be maintained at zero (0) psi, the Permittee shall follow the procedures in Ground Water Section Guidance No. 35 "Procedures to follow when excessive annular pressure is observed on a well."

Section D. MONITORING, RECORDKEEPING, AND REPORTING OF RESULTS

1. Monitoring Parameters, Frequency, Records and Reports.

Monitoring parameters are specified in APPENDIX D. Pressure monitoring recordings shall be taken at the wellhead. The listed parameters are to be monitored, recorded and reported at the frequency indicated in APPENDIX D even during periods when the well is not operating.

Monitoring records must include:

- (a) the date, time, exact place and the results of the observation, sampling, measurement, or analysis, and;
- (b) the name of the individual(s) who performed the observation, sampling, measurement, or analysis, and;
- (c) the analytical techniques or methods used for analysis.

2. Monitoring Methods.

(a) Monitoring observations, measurements, samples, etc. taken for the purpose of complying with these requirements shall be representative of the activity or condition being monitored.

- (b) Methods used to monitor the nature of the injected fluids must comply with analytical methods cited and described in Table 1 of 40 CFR 136.3 or Appendix III of 40 CFR 261, or by other methods that have been approved in writing by the Director.
- (c) Injection pressure, annulus pressure, injection rate, and cumulative injected volumes shall be observed and recorded at the wellhead under normal operating conditions, and all parameters shall be observed simultaneously to provide a clear depiction of well operation.
- (d) Pressures are to be measured in pounds per square inch (psi).
- (e) Fluid volumes are to be measured in standard oil field barrels (bbl).
- (f) Fluid rates are to be measured in barrels per day (bbl/day).

3. Records Retention.

- (a) Records of calibration and maintenance, and all original strip chart recordings for continuous monitoring instrumentation, copies of all reports required by this permit, and records of all data used to complete the application for this permit shall be retained for a period of AT LEAST THREE (3) YEARS from the date of the sample, measurement, report, or application. This period may be extended anytime prior to its expiration by request of the Director.
- (b) Records of the nature and composition of all injected fluids must be retained until three (3) years after the completion of any plugging and abandonment (P&A) procedures specified under 40 CFR 144.52(a)(6) or under Part 146 Subpart G, as appropriate. The Director may require the Permittee to deliver the records to the Director at the conclusion of the retention period. The Permittee shall continue to retain the records after the three (3) year retention period unless the Permittee delivers the records to the Director or obtains written approval from the Director to discard the records.
- (c) The Permittee shall retain records at the location designated in APPENDIX D.

4. Annual Reports.

Whether the well is operating or not, the Permittee shall submit an Annual Report to the Director that summarizes the results of the monitoring required by Part II Section D and APPENDIX D.

The first Annual Report shall cover the period from the effective date of the Permit through December 31 of that year. Subsequent Annual Reports shall cover the period from January 1 through December 31 of the reporting year. Annual Reports shall be submitted by February 15 of the year following data collection. EPA Form 7520-11 may be copied and shall be used to submit the Annual Report, however, the monitoring requirements specified in this Permit are mandatory even if EPA Form 7520-11 indicates otherwise.

8

Section E. PLUGGING AND ABANDONMENT

1. Notification of Well Abandonment, Conversion or Closure.

The Permittee shall notify the Director in writing at least forty-five (45) days prior to: 1) plugging and abandoning the well, 2) converting to a non-injection well, or 3) in the case of an Area Permit, before closure of the project.

2. Well Plugging Requirements

Prior to abandonment, the injection well shall be plugged with cement in a manner which prevents the movement of fluids into or between underground sources of drinking water. Prior to placement of the cement plug(s) the well shall be in a state of static equilibrium with the mud weight equalized top to bottom, either by circulating the mud in the well at least once or by a comparable method prescribed by the Director. The well shall be plugged in accordance with the approved plugging and abandonment plan and with 40 CFR 146.10.

3. Approved Plugging and Abandonment Plan.

The approved plugging and abandonment plan is incorporated into this Permit as APPENDIX E. Changes to the approved plugging and abandonment plan must be approved by the Director prior to beginning plugging operations. The Director also may require revision of the approved plugging and abandonment plan at any time prior to plugging the well.

4. Forty Five (45) Day Notice of Plugging and Abandonment.

The Permittee shall notify the Director at least forty-five (45) days prior to plugging and abandoning the well and provide notice of any anticipated change to the approved plugging and abanonment plan.

5. Plugging and Abandonment Report.

Within sixty (60) days after plugging a well, the Permittee shall submit a report (EPA Form 7520-13) to the Director. The plugging report shall be certified as accurate by the person who performed the plugging operation. Such report shall consist of either:

- (a) A statement that the well was plugged in accordance with the approved plugging and abandonment plan; or
- (b) Where actual plugging differed from the approved plugging and abandonment plan, an updated version of the plan, on the form supplied by the Director, specifying the differences.

6. Inactive Wells.

After any period of two years during which there is no injection the Permittee shall plug and abandon the well in accordance with Part II Section E Paragraph 2 of this Permit unless the Permittee:

- (a) Provides written notice to the Director;
- (b) Describes the actions or procedures the Permittee will take to ensure that the well will not endanger USDWs during the period of inactivity. These actions and procedures shall include compliance with mechanical integrity demonstration, Financial Responsibility and all other permit requirements designed to protect USDWs; and

(c) Receives written notice by the Director temporarily waiving plugging and abandonment requirements.

PART III. CONDITIONS APPLICABLE TO ALL PERMITS

Section A. EFFECT OF PERMIT

The Permittee is allowed to engage in underground injection in accordance with the conditions of this Permit. The Permittee shall not construct, operate, maintain, convert, plug, abandon, or conduct any other activity in a manner that allows the movement of fluid containing any contaminant into underground sources of drinking water, if the presence of that contaminant may cause a violation of any primary drinking water regulation under 40 CFR 142 or may otherwise adversely affect the health of persons. Any underground injection activity not authorized by this Permit or by rule is prohibited. Issuance of this Permit does not convey property rights of any sort or any exclusive privilege; nor does it authorize any injury to persons or property, any invasion of other private rights, or any infringement of State or local law or regulations. Compliance with the terms of this Permit does not constitute a defense to any enforcement action brought under the provisions of Section 1431 of the Safe Drinking Water Act (SDWA) or any other law governing protection of public health or the environment, for any imminent and substantial endangerment to human health or the environment, nor does it serve as a shield to the Permittee's independent obligation to comply with all UIC regulations. Nothing in this Permit relieves the Permittee of any duties under applicable regulations.

Section B. CHANGES TO PERMIT CONDITIONS

1. Modification, Reissuance, or Termination.

The Director may, for cause or upon a request from the Permittee, modify, revoke and reissue, or terminate this Permit in accordance with 40 CFR 124.5, 144.12, 144.39, and 144.40. Also, this Permit is subject to minor modification for causes as specified in 40 CFR 144.41. The filing of a request for modification, revocation and reissuance, termination, or the notification of planned changes or anticipated noncompliance on the part of the Permittee does not stay the applicability or enforceability of any condition of this Permit.

2. Conversions.

The Director may, for cause or upon a written request from the Permittee, allow conversion of the well from a Class II injection well to a non-Class II well. Conversion may not proceed until the Permittee receives written approval from the Director. Conditions of such conversion may include but are not limited to, approval of the proposed well rework, follow up demonstration of mechanical integrity, well-specific monitoring and reporting following the conversion, and demonstration of practical use of the converted configuration.

3. Transfer of Permit.

Under 40 CFR 144.38, this Permit is transferable provided the current Permittee notifies the Director at least thirty (30) days in advance of the proposed transfer date (EPA Form 7520-7) and provides a written agreement between the existing and new Permittees containing a specific date for transfer of Permit responsibility, coverage and liability between them. The notice shall adequately demonstrate that the financial responsibility requirements of 40 CFR 144.52(a)(7) will be met by the new Permittee. The Director may require modification or revocation and reissuance of the Permit to change the name of the Permittee and incorporate such other requirements as may be necessary under the Safe Drinking Water Act; in some cases, modification or revocation and reissuance is mandatory.

4. Permittee Change of Address.

Upon the Permittee's change of address, or whenever the operator changes the address where monitoring records are kept, the Permittee must provide written notice to the Director within 30 days.

5. Construction Changes, Workovers, Logging and Testing Data

The Permittee shall give advance notice to the Director, and shall obtain the Director's written approval prior to any physical alterations or additions to the permitted facility. Alterations or workovers shall meet all conditions as set forth in this permit. The Permittee shall record any changes to the well construction on a Well Rework Record (EPA Form 7520-12), and shall provide this and any other record of well workovers, logging, or test data to EPA within sixty (60) days of completion of the activity.

Following the completion of any well workovers or alterations which affect the casing, tubing. or packer, a successful demonstration of mechanical integrity (Part III, Section F of this permit) shall be made, and written authorization from the Director received, prior to resuming injection activities.

Section C. SEVERABILITY

The Provisions of this Permit are severable, and if any provision of this Permit or the application of any provision of this Permit to any circumstance, is held invalid, the application of such provision to other circumstances, and the remainder of this Permit shall not be affected thereby.

Section D. CONFIDENTIALITY

In accordance with 40 CFR Part 2 and 40 CFR 144.5, information submitted to EPA pursuant to this Permit may be claimed as confidential by the submitter. Any such claim must be asserted at the time of submission by stamping the words "confidential business information" on each page containing such information. If no claim is made at the time of submission. EPA may make the information available to the public without further notice. If a claim is asserted, the validity of the claim will be assessed in accordance with the procedures in 40 CFR Part 2 (Public Information). Claims of confidentiality for the following information will be denied:

- The name and address of the Permittee, and
- information which deals with the existence, absence or level of contaminants in drinking water.

Section E. GENERAL PERMIT REQUIREMENTS

1. Duty to Comply.

The Permittee must comply with all conditions of this Permit. Any noncompliance constitutes a violation of the Safe Drinking Water Act (SDWA) and is grounds for enforcement action; for Permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application; except that the Permittee need not comply with the provisions of this Permit to the extent and for the duration such noncompliance is authorized in an emergency permit under 40 CFR 144.34. All violations of the SDWA may subject the Permittee to penalties and/or criminal prosecution as specified in Section 1423 of the SDWA.

Permit UT20947-06158 **FINAL PERMIT** Permit

2. Duty to Reapply.

If the Permittee wishes to continue an activity regulated by this Permit after the expiration date of this Permit, under 40 CFR 144.37 the Permittee must apply for a new permit prior to the expiration date.

3. Need to Halt or Reduce Activity Not a Defense.

It shall not be a defense for a Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this Permit.

4. Duty to Mitigate.

The Permittee shall take all reasonable steps to minimize or correct any adverse impact on the environment resulting from noncompliance with this Permit.

5. Proper Operation and Maintenance.

The Permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the Permittee to achieve compliance with the conditions of this Permit. Proper operation and maintenance includes effective performance, adequate funding, adequate operator staffing and training, and adequate laboratory and process controls, including appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems only when necessary to achieve compliance with the conditions of this Permit.

6. Permit Actions.

This Permit may be modified, revoked and reissued or teminated for cause. The filing of a request by the Permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance, does not stay any permit condition.

7. Property Rights.

This Permit does not convey any property rights of any sort, or any exclusive privilege.

8. Duty to Provide Information.

The Permittee shall furnish to the Director, within a time specified, any information which the Director may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. The Permittee shall also furnish to the Director, upon request, copies of records required to be kept by this Permit. The Permittee is required to submit any information required by this Permit or by the Director to the mailing address designated in writing by the Director.

9. Inspection and Entry.

The Permittee shall allow the Director, or an authorized representative, upon the presentation of credentials and other documents as may be required by law, to:

(a) Enter upon the Permittee's premises where a regulated facility or activity is located or conducted, or where records must be kept under the conditions of this Permit:

- (b) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this Permit;
- (c) Inspect at reasonable times any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this Permit; and,
- (d) Sample or monitor at reasonable times, for the purpose of assuring permit compliance or as otherwise authorized by the SDWA, any substances or parameters at any location.

10. Signatory Requirements.

All applications, reports or other information submitted to the Director shall be signed and certified according to 40 CFR 144.32. This section explains the requirements for persons duly authorized to sign documents, and provides wording for required certification.

11. Reporting Requirements.

- (a) Planned changes. The Permittee shall give notice to the Director as soon as possible of any planned changes, physical alterations or additions to the permitted facility, and prior to commencing such changes.
- (b) Anticipated noncompliance. The Permittee shall give advance notice to the Director of any planned changes in the permitted facility or activity which may result in noncompliance with permit requirements.
- (c) Monitoring Reports. Monitoring results shall be reported at the intervals specified in this Permit.
- (d) Compliance schedules. Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of this Permit shall be submitted no later than 30 days following each schedule date.
- (e) Twenty-four hour reporting. The Permittee shall report to the Director any noncompliance which may endanger human health or the environment, including:
 - (i) Any monitoring or other information which indicates that any contaminant may cause endangerment to a USDW; or
 - (ii) Any noncompliance with a permit condition or malfunction of the injection system which may cause fluid migration into or between USDWs.

Information shall be provided, either directly or by leaving a message, within twenty-four (24) hours from the time the permittee becomes aware of the circumstances by telephoning (800) 227-8917 and requesting EPA Region VIII UIC Program Compliance and Technical Enforcement Director, or by contacting the EPA Region VIII Emergency Operations Center at (303) 293-1788.

In addition, a follow up written report shall be provided to the Director within five (5) days of the time the Permittee becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause, the period of noncompliance including exact dates and times, and if the noncompliance has not been corrected the anticipated time it is expected to continue; and the steps taken or planned to reduce, eliminate, and prevent recurrence of the noncompliance.

- (f) Oil Spill and Chemical Release Reporting: The Permittee shall comply with all reporting requirements related to the occurence of oil spills and chemical releases by contacting the National Response Center (NRC) at (800) 424-8802, (202) 267-2675, or through the NRC website http://www.nrc.uscg.mil/index.htm.
- (g) Other Noncompliance. The Permittee shall report all instances of noncompliance not reported under paragraphs Part III, Section E Paragraph 11(b) or Section E, Paragraph 11(e) at the time the monitoring reports are submitted. The reports shall contain the information listed in Paragraph 11(e) of this Section.
- (h) Other information. Where the Permittee becomes aware that it failed to submit any relevant facts in the permit application, or submitted incorrect information in a permit application or in any report to the Director, the Permittee shall promptly submit such facts or information to the Director.

Section F. FINANCIAL RESPONSIBILITY

1. Method of Providing Financial Responsibility.

The Permittee shall maintain continuous compliance with the requirement to maintain financial responsibility and resources to close, plug, and abandon the underground injection well(s). No substitution of a demonstration of financial responsibility shall become effective until the Permittee receives written notification from the Director that the alternative demonstration of financial responsibility is acceptable. The Director may, on a periodic basis, require the holder of a permit to revise the estimate of the resources needed to plug and abandon the well to reflect changes in such costs and may require the Permittee to provide a revised demonstration of financial responsibility.

2. Insolvency.

In the event of:

- (a) the bankruptcy of the trustee or issuing institution of the financial mechanism; or
- (b) suspension or revocation of the authority of the trustee institution to act as trustee; or

(c) the institution issuing the financial mechanism losing its authority to issue such an instrument

the Permittee must notify the Director in writing, within ten (10) business days, and the Permittee must establish other financial assurance or liability coverage acceptable to the Director within sixty (60) days after any event specified in (a), (b), or (c) above.

The Permittee must also notify the Director by certified mail of the commencement of voluntary or involuntary proceedings under Title 11 (Bankruptcy), U.S. Code naming the owner or operator as debtor, within ten (10) business days after the commencement of the proceeding. A guarantor, if named as debtor of a corporate guarantee, must make such a notification as required under the terms of the guarantee.

APPENDIX A

WELL CONSTRUCTION REQUIREMENTS

FORMATION DATA:


- * Base of USDWs: Top of Green River Formation at 3203'
- * Confining Zone: Green River Formation interval between 5590' 5658'
- * Permitted Injection Zone: Green River Formation interval between 5658' 6690' Wasatch Formation interval between 6690' 6840'
- * Original Authorized Injection perforations: 5888' 5894'

WELL CONSTRUCTION:

- * 9-5/8" surface casing in 12-1/4" hole to 491' with 175 sx cement
- * 4-1/2" longstring casing in 7-7/8" hole to 7870' with 1770 sx cement
- * Perforations: Green River G-1 zone from 5888' 5894'
- * CIBP set in 4-1/2" casing at 6875' to isolate Wasatch perfs
- * Cement on top of CIBP to 6840
- * Well TD at 8009'

WELLHEAD EQUIPMENT:

- * Sampling tap located to enable sampling fluid in the injection tubing
- * Sampling tap located to enable sampling fluid in the 2-7/8" x 4-1/2" annulus
- * Pressure gauge isolated by 1/2" FIP shut-off valve or quick-connect and located ot enable reading the pressure on the injection tubing
- * Pressure gauge isolated by 1/2" FIP shut-off valve or quick-connect and located ot enable reading the pressure on the 2-7/8" x 4-1/2" annulus
- * Pressure actuated shut-off device located on the injection line, and set to prevent injection operations from exceeding the maximum allowable injection pressure
- * Non-resettable cumulative volume recorder located on the injection line



APPENDIX B

LOGGING AND TESTING REQUIREMENTS

Logs.

Logs will be conducted according to current UIC guidance. It is the responsibility of the permittee to obtain and use guidance prior to conducting any well logging required as a condition of this permit.

VELL NAME: 3 WRG-5-8-22	
TYPE OF LOG	DATE DUE
TEMP	At least once every five (5) years after the last successful demonstration of Part II Mechanical Integri
RATS	Prior to beginning injection as a demonstration of Part Mechanical Integrity

Tests.

Tests will be conducted according to current UIC guidance. It is the responsibility of the permittee to obtain and use guidance prior to conducting any well test required as a condition of this permit.

WELL NAME: 3 WRG-5-8-22	
TYPE OF TEST	DATE DUE
Pore Pressure	Prior to beginning injection.
Standard Annulus Pressure	Prior to beginning injection and at least once every five (5) years after the last successful demonstration of Part I Mechanical Integrity

APPENDIX C

OPERATING REQUIREMENTS

MAXIMUM ALLOWABLE INJECTION PRESSURE:

Maximum Allowable Injection Pressure (MAIP) as measured at the surface shall not exceed the pressure(s) listed below.

	MAXIMUM ALLOWED INJECTION PRESSURE (psi)
WELL NAME	ZONE 1 (Upper)
3 WRG-5-8-22	1,605

INJECTION INTERVAL(S):

Injection is permitted only within the approved injection interval listed below. Injection perforations may be altered provided they remain within the approved injection interval and the Permittee provides notice to the Director in accordance with Part II, Section A, Paragraph 6. Specific injection perforations can be found in Appendix A.

	APPROVED INJECTION INTERVAL (GL, ft)	FRACTURE GRADIENT
FORMATION NAME	тор воттом	(psi/ft)
Green River	5,658.00 - 6,690.00	0.733
Wasatch	6,690.00 - 6,840.00	0.733

ANNULUS PRESSURE:

The annulus pressure shall be maintained at zero (0) psi as measured at the wellhead. If this pressure cannot be maintained, the Permittee shall follow the procedures listed under Part II, Section C. 6. Of this permit.

MAXIMUM INJECTION VOLUME:

There is no limitation on the number of barrels per day (bbls/day) of water that shall be injected into this well, provided further that in no case shall injection pressure exceed that limit shown in Appendix C.

APPENDIX D

MONITORING AND REPORTING PARAMETERS

This is a listing of the parameters required to be observed, recorded, and reported. Refer to the permit Part II, Section D, for detailed requirements for observing, recording, and reporting these parameters.

	MONGOLINA DE RECONDENTATION DE L'EMPENDANCE DE L'ANDRE L'ANDRE L'ANDRE L'ANDRE L'ANDRE L'ANDRE L'ANDRE L'ANDRE	
	Injection pressure (psig)	
OBSERVE AND RECORD	Annulus pressure(s) (psig)	
	Injection rate (bbl/day)	
11200112	Fluid volume injected since the well began injecting (bbls)	

	Injected fluid total dissolved solids (mg/l)
ANALYZE	Injected fluid specific gravity
	Injected fluid specific conductivity
	Injected fluid pH

Each month's maximum and averaged injection pressures (psig)
Each month's maximum and averaged annulus pressure(s) (psig)
Each month's averaged injection rate (bbl/day)
Fluid volume injected since the well began injecting (bbl)
Written results of annual injected fluid analysis
Sources of all fluids injected during the year


Records of all monitoring activities must be retained and made available for inspection at the following location:

QEP Uinta Basin, Inc. 11002 East 17500 South Vernal, UT 84078

APPENDIX E

PLUGGING AND ABANDONMENT REQUIREMENTS

Perform Mechanical Integrity Test
Pull tubing and packer
Circulate well with 9.6 ppg drilling mud or plugging gel
Set Cast Iron Bridge Plug (CIPB) above injection perfs at 6875'
Place 35' of cement on top of plug
Place cement plug in the interval 4017' - 4240'
Cut and pull 4-1/2" casing from approx. 3293' (base of USDW)
Place cement plug inside and outside of 4-1/2" casing in the interval 3240' - 3340'
Tag top of plug and report location
Place cement plug across base of surface casing in the interval 441' - 541'
Tag top of plug and report location
Place cement plug in the interval from the surface to 50'.



APPENDIX F

CORRECTIVE ACTION REQUIREMENTS

No corrective action is necessary. All wells in the area of review have been cemented in a manner which will prevent injection fluids from contaminating USDWs.

STATEMENT OF BASIS

QEP UINTA BASIN, INC. 3 WRG-5-8-22 UINTAH COUNTY, UT

EPA PERMIT NO. UT20947-06158

CONTACT: Chuck Tinsley

U. S. Environmental Protection Agency

Ground Water Program, 8P-W-GW 999 18th Street. Suite 300

Denver, Colorado 80202-2466

Telephone: 1-800-227-8917 ext. 6266

This STATEMENT OF BASIS gives the derivation of site-specific UIC Permit conditions and reasons for them. Referenced sections and conditions correspond to sections and conditions in the Permit.

UIC Permits specify the conditions and requirements for construction, operation, monitoring and reporting, and plugging of injection wells to prevent the movement of fluids into underground sources of drinking water (USDWs). Under 40 CFR 144 Subpart D, certain conditions apply to all UIC Permits and may be incorporated either expressly or by reference. General Permit conditions for which content is mandatory and not subject to site-specific differences (40 CFR Parts 144, 146 and 147) are not discussed in this document.

Upon the Effective Date when issued, the Permit authorizes the conversion and operation of a "new" injection well or wells governed by the conditions specified in the Permit. The Permit is issued for the operating life of the injection well unless terminated for reasonable cause under 40 CFR 144.39, 144.40 and 144.41. The Permit is subject to EPA review at least once every five (5) years to determine if action is required under 40 CFR 144.36(a).

PART I. General Information and Description of Facility

QEP Uinta Basin, Inc. 180 East 100 South Salt Lake City, UT 84145-0433

on

November 13, 2002

submitted an application for an Underground Injection Control (UIC) Program Permit for the following injection well or wells:

3 WRG-5-8-22 1915 FWL 656 FNL, NENW S5, T8S, R22E Uintah County, UT

Regulations specific to Uintah-Ouray Indian Reservation injection wells are found at 40 CFR 147 Subpart TT.

The Permit application, including the required information and data necessary to issue a UIC Permit in accordance with 40 CFR Parts 144, 146 and 147, was reviewed by EPA and determined to be complete.

The Permit will expire upon delegation of primary enforcement responsibility (primacy) for applicable portions of the UIC Program to the Ute Indian Tribe or the State of Utah unless the delegated agency has the authority and chooses to adopt and enforce this Permit as a Tribal or State Permit.

TABLE 1.1 shows the status of the well or wells as "New", "Existing", or "Conversion" and for Existing shows the original date of injection operation. Well authorization "by rule" under 40 CFR Part 144 Subpart C expires automatically on the Effective Date of an issued UIC Permit.

	TABLE 1.1				
WELL STATUS / DATE OF OPERATION					
Well Name	Well Status	Date of Operation			
3 WRG-5-8-22	Conversion	N/A			

PART II. Permit Considerations (40 CFR 146.24)

Geologic Setting (TABLE 2.1)

THE UINTA FORMATION (0'-3203')

The Uinta Formation is calcareous shale, some limestone, claystone, siltstone, and sandstone. It is a fluvial facies in the eastern and western ends of the basin that interfingers with rocks similar in appearance to the overlying Duchesne River Formation. It grades laterally into thinner bedded calcareous lake deposits in the center of the basin.

The Uinta is very low to very high permeability. Largest primary intergranular permeability of the sandstone seems to be about the same as that of the median for sandstone in the Duchesne River Formation. Most of the formation is finer grained, and, therefore, of lower primary permeability than the Duchesne River Formation. Permeability is greatly increased where the Uinta Formation Is fractured. In most of the area, the formation yields only a few gallons per minute of saline water to wells and springs. In some areas the water has high fluoride and boron concentrations. Locally, flowing wells yield fresh to slightly saline water. In the fluvial facies, particularly where the rocks are fractured, yields are larger.

THE GREEN RIVER FORMATION (3203'-6690')

The Green River Formation is mostly lacustrine shale that contains some limestone, marlstone, and siltstone. The formation includes beds of oil shale and of carbonate evaporite. The Green River interfingers with both the overlying Uinta and the underlying Wasatch Formations, as well as laterally with other formations near the edges of the basin.

The Green River Formation is very low to low permeability except where fractured. Sandstones near oil-shale beds have values of transmissivity from 0.9 to 2.4 sq ft/day. In most of the basin the formation yields only saline or briny water, though in and near the areas of outcrop in the southern part of the basin the water is fresh to slightly saline, and in the are of the outcrop near Strawberry Reservoir the water is fresh where the formation is fractured.

THE WASATCH FORMATION (top at 6690')

In most of the basin, the Wasatch Formation is mainly lacustrine shale, sandstone, and conglomerate, it interfingers with the overlying and underlying formations and laterally with the North Horn, Currant Creek, and Green River Formations. The Wasatch outcrops only in the far eastern end of the northern Uinta Basin and in the canyons of deeply incised streams in the southern Uinta Basin.

The Wasatch Formation is very low to low permeability except where fractured. In the Greater Altamont-Bluebell oil field, the Wasatch sands reportedly have only 4 to 5 percent porosity, but are permeable because of fracturing. Much of the water produced with petroleum is moderately saline to very saline; generally, however, the water is less mineralized than is water from the Green River Formation.

Permit UT20947-06158 3 FINAL PERMIT Statement of Basis

TABLE 2.1					
GEOLOGIC SETTING					
3 WRG-5-8-22					

Formation Name	Top (ft)	Base (ft)	TDS (mg/l)	Lithology
Uinta	0.00	3,203.00	< 10,000.00	The Uinta Formation is calcareous shale, some limestone, claystone, siltstone, and sandstone.
Green River	3,203.00	6,690.00	10,000.00 - 60,000.00	The Green River Formation is mostly lacustrine shale that contains some limestone, martstone, and siltstone.
Wasatch	6,690.00	8,334.00	> 10,000.00	In most of the basin, the Wasatch Formation is mainly lacustrine shale, sandstone, and conglomerate.

Proposed Injection Zone(s) (TABLE 2.2)

An injection zone is a geological formation, group of formations, or part of a formation that receives fluids through a well. The proposed injection zones are listed in TABLE 2.2.

Injection will occur into an injection zone that is separated from USDWs by the confining zone which is free of known open faults or fractures within the Area of Review.

TABLE 2.2 INJECTION ZONES

3 WRG-5-8-22						
Formation Name	Top (ft)	Base (ft)	TDS (mg/l)	Fracture Gradient (psi/ft)	Porosity	Exempted?*
Green River	5,658.00	6,690.00	56,187.00	0.733		E
Wasatch	6,690.00	6,840.00	> 10,000.00	0.733		N/A
* C - Currently Exempted E - Previously Exempted P - Proposed Exemption		<u> </u>	•			

Confining Zone(s) (TABLE 2.3)

A confining zone is a geological formation, part of a formation, or a group of formations that limits fluid movement above the injection zone. The confining zone or zones are listed in TABLE 2.3.

N/A - Not Applicable

TABLE 2.3
CONFINING ZONES
3 WRG-5-8-22

Formation Name	Formation Lithology	Top (ft)	Base (ft)
Green River	The Green River Formation is mostly lacustrine shale that contains some limestone, marlstone, and siltstone.	5,590.00	5,658.00

Underground Sources of Drinking Water (USDWs) (TABLE 2.4)

Aquifers or the portions thereof which contain less than 10,000 mg/l total dissolved solids (TDS) and are being or could in the future be used as a source of drinking water are considered to be USDWs. The USDWs in the area of this facility are identified in TABLE 2.4.

TABLE 2.4 UNDERGROUND SOURCES OF DRINKING WATER (USDW) 3 WRG-5-8-22

Formation Name	Formation Lithology	Top (ft)	Base (ft)	TDS (mg/l)	
Uinta	The Uinta Formation is calcareous shale, some limestone, claystone, siltstone, and sandstone.	0.00	3,203.00	< 10,000.00	

PART III. Well Construction (40 CFR 146.22)

TABLE 3.1 WELL CONSTRUCTION REQUIREMENTS 3 WRG-5-8-22

Casing Type	Hole Size (in)	Casing Size (in)	Cased Interval (ft)	Cemented Interval (ft)	
Longstring	7.88	4.50	0.00 - 7,870.00	2,520.00 - 8,334.00	
Surface	12.25	9.63	0.00 - 491.00	0.00 - 491.00	

The approved well completion plan will be incorporated into the Permit as APPENDIX A and will be binding on the Permittee. Modification of the approved plan is allowed under 40 CFR 144.52(a)(1) provided written approval is obtained from the Director prior to actual modification.

Casing and Cementing (TABLE 3.1)

The construction plan for this well proposed for conversion to an injection well was evaluated and determined to be in conformance with standard practices and guidelines that ensure well injection does not result in the movement of fluids into USDWs. Well construction and conversion details for this well are shown in TABLE 3.1.

Tubing and Packer

Injection tubing is required to be installed from a packer up to the surface inside the well casing. The packer will be set above the uppermost perforation. The tubing and packer are designed to prevent injection fluid from coming into contact with the outermost casing.

Tubing-Casing Annulus (TCA)

The TCA allows the casing, tubing and packer to be pressure-tested periodically for mechanical integrity, and will allow for detection of leaks. The TCA will be filled with fresh water treated with a corrosion inhibitor or other fluid approved by the Director.

Monitoring Devices

The permittee will be required to install and maintain wellhead equipment allowing for monitoring pressures and providing access for sampling the injected fluid. This equipment includes: 1) shutoff valves located at the wellhead on the injection tubing and on the TCA; 2) a flow meter that measures the cumulative volume of injected fluid; 3) pressure gauges attached to the injection tubing and the TCA to monitor the injection and TCA pressure; and 4) a tap on the injection line, isolated by shut-off valves, for sampling the injected fluid.

All sampling and measurement taken for monitoring must be representative of the monitored activity.

PART IV. Area of Review, Corrective Action Plan (40 CFR 144.55)

TABLE 4.1 AOR AND CORRECTIVE ACTION							
Well Name	Туре	Status (Abandoned Y/N)	Total Depth (ft)	TOC Depth (ft)	CAP Required (Y/N)		
WFU 1-5	Producer	No	8,500.00	859.00	No		

TABLE 4.1 lists the wells in the Area of Review ("AOR") and shows the well type, operating status, depth, top of casing cement ("TOC") and whether a Corrective Action Plan ("CAP") is required for the well.

Area Of Review

Applicants for Class I, II (other than "existing" wells) or III injection well Permits are required to identify the location of all known wells within the injection well's Area of Review (AOR) which penetrate the injection zone, or in the case of Class II wells operating over the fracture pressure of the formation, all known wells within the area of review that penetrate formations which may be affected by increased pressure. Under 40 CFR 146.6 the AOR may be a fixed radius of not less than one quarter (1/4) mile or a calculated zone of endangering influence. For Area Permits, a fixed width of not less than one quarter (1/4) mile for the circumscribing area may be used.

Corrective Action Plan

For wells in the AOR which are improperly sealed, completed, or abandoned, the applicant shall develop a Corrective Action Plan (CAP) consisting of the steps or modifications that are necessary to prevent movement of fluid into USDWs.

The CAP will be incorporated into the Permit as APPENDIX F and become binding on the permittee.

TABLE 4.1 lists the wells in the AOR, and shows the well type, operating status, depth, top of casing cement and whether a CAP is required for this well.

PART V. Well Operation Requirements (40 CFR 146.23)

INJE	TABLE 5.1 CTION ZONE PRESSU	RES	
	3 WRG-5-8-22		
Formation Name	Depth Used to Calculate MAIP (ft)	Fracture Gradient (psi/ft)	Initial MAIP (psi)
Wasatch	5,888.00	0.733	1,670
Green River	5,888.00	0.733	1,670

Approved Injection Fluid

The approved injection fluid will be limited to a produced water mixture which meets requirements pursuant to 40 CFR § 144.6(b). The well also may be used to inject other Class II wastes such as drilling fluids and spent well completion, treatment and stimulation fluid. Non-exempt wastes, including unused fracturing fluids or acids, gas plant cooling tower cleaning wastes, service wastes and vacuum truck wastes, are not approved.

This well is NOT approved for commercial brine injection, industrial waste fluid disposal or injection of hazardous waste as defined by CFR 40 Part 261.

Injection Pressure Limitation

Injection pressure, measured at the wellhead, shall not exceed a maximum calculated to assure that the pressure used during injection does not initiate new fractures or propagate existing fractures in the confining zones adjacent to the USDWs.

The applicant submitted injection fluid density and injection zone data which was used to calculate a formation fracture pressure and to determine the maximum allowable injection pressure (MAIP), as measured at the surface, for this Permit,

TABLE 5.1 lists the fracture gradient for the injection zone and the approved MAIP, determined according to the following formula:

$$FP = [fg - (0.433 * sg)] * d$$

FP = formation fracture pressure (measured at surface)

fg = fracture gradient (from submitted data or tests)

sg = specific gravity (of injected fluid)

d = depth to top of injection zone (or top perforation)

Injection Volume Limitation

Cumulative injected fluid volume limits are set to assure that injected fluids remain within the boundary of the exempted area. Cumulative injected fluid volume is limited when injection occurs into an aquifer that has been exempted from protection as a USDW.

Mechanical Integrity (40 CFR 146.8)

An injection well has mechanical integrity if:

- 1. there is no significant leak in the casing, tubing, or packern (Part I); and
- 2. there is no significant fluid movement into a USDW through vertical channels adjacent to the injection well bore (Part II).

The Permit prohibits injection into a well which lacks mechanical integrity.

The Permit requires that the well demonstrate mechanical integrity prior to injection and periodically thereafter. A demonstration of mechanical integrity includes both internal (Part I) and external (Part II). The methods and frequency for demonstrating Part I and Part II mechanical integrity are dependent upon well-specific conditions as explained below:

Well construction and site-specific conditions dictate the following requirements for mechanical integrity demonstrations:

Part I MI - Internal MI will be demonstrated prior to beginning injection. Since this well is constructed with a standard casing, tubing, and packer configuration, periodic testing will occur at least once every five (5) years. Part I is also required prior to resuming injection following any workover operation that affects the casing, tubing, or packer.

Part II MI - Cementing records for this well show that adequate cement was placed in the well, however the CBL does not meet the minimum requirements to demonstrate zone isolation. Therefore, Part II MI will be required prior to beginning injection (Radioactive Tracer Survey), and at least once every five years (Temperature Survey) thereafter. The initial Radioactive Tracer Survey is required in order to obtain a detailed evaluation of Part II MI in the area near the perforations. Subsequent demonstrations of Part II MI will be made with Temperature Surveys to evaluate the cement in the interval between the perforations and the confining zone.

PART VI. Monitoring, Recordkeeping and Reporting Requirements

Injection Well Monitoring Program

At least once a year the permittee must analyze a sample of the injected fluid for total dissolved solids (TDS), specific conductivity, pH, and specific gravity. This analysis shall be reported to EPA annually as part of the Annual Report to the Director. Any time a new source of injected fluid is added, a fluid analysis shall be made of the new source.

Instantaneous injection pressure, injection flow rate, cumulative fluid volume and TCA pressures must be observed on a weekly basis. A recording, at least once every thirty (30) days, must be made of the injection pressure, injection flow rate and cumulative fluid volume, and the maximum and average value for each must be determined for each month. This information is required to be reported annually as part of the Annual Report to the Director.

Permit UT20947-06158 8 FINAL PERMIT Statement of Basis

PART VII. Plugging and Abandonment Requirements (40 CFR 146.10)

Plugging and Abandonment Plan

Prior to abandonment, this well must be plugged with cement in a manner which will not allow the movement of fluids either into or between USDWs. The plugging and abandonment plan is described in Appendix E of the Permit.

PART VIII. Financial Responsibility (40 CFR 144.52)

Demonstration of Financial Responsibility

The permittee is required to maintain financial responsibility and resources to close, plug, and abandon the underground injection operation in a manner prescribed by the Director. The permittee shall show evidence of such financial responsibility to the Director by the submission of a surety bond, or other adequate assurance such as financial statements or other materials acceptable to the Director. The Regional Administrator may, on a periodic basis, require the holder of a lifetime permit to submit a revised estimate of the resources needed to plug and abandon the well to reflect inflation of such costs, and a revised demonstration of financial responsibility if necessary. Initially, the operator has chosen to demonstrate financial responsibility with:

Surety Bond, received April 11, 2003

Evidence of continuing financial responsibility is required to be submitted to the Director annually.



Auestar Exploration and Production Company

Independence Plaza 1050 17th Street, Suite 500 Denver, CO 80265 Tel 303 672 6900 • Fax 303 294 9632

Denver Division

May 28, 2003

Division of Oil, Gas, & Mining 1594 West North Temple, Suite 1210 P. O. Box 145801 Salt Lake City, Utah 84114-5801

Attention: John Baza/Jim Thompson

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named QEP Uinta Basin, Inc. pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly, Warl Thele

Brank Nielsen

Division Landman

Enclosure

RECEIVED
JUN 0 2 2003

DIV. OF OIL, GAS & MINING

SEI (N4235) to QEP (N2460)

	10	1-	T _D		1	r:
well_name	Sec	T	R	api 🔾	Entity	Lease Type
UTAH STATE I	36	0708	240E	4304715128		State
BRENNAN FED 3	17	0708	210E	4304715419		Federal
FEDERAL 2-29-7-22	29	0708	220E	4304715423		Federal
FS PRINCE GOVT 1	10	0708	240E	4304716199	 	Federal
KAYE STATE 1-16	16	1008	230E	4304730609	· · · · · · · · · · · · · · · · · · ·	State
LEOTA FED 1	34	0708	210E	4304730879	1	Federal
GULF BRENNAN FED 8	17	0708	210E	4304731509		Federal
RFC 1	20	0708	210E	4304731805		Federal
EAST COYOTE FED 14-4-8-25	04	0808	250E	4304732493		Federal
F S PRINCE 4	03	0708	240E	4304732677		Federal
GYPSUM HILLS 21	21	080S	210E	4304732692		Federal
TOLL STATION ST 8-36-8-21	36	080S	210E	4304732724	12361	
SAGE GROUSE FED 6-14-8-22	14	0808	220E	4304732746		Federal
GYPSUM HILLS 22WG	22	080S	210E	4304732818		Federal
GLEN BENCH ST 8A-36-8-21	36	0808	210E	4304733037	12377	
GLEN BENCH ST 6-36-8-21	36	0808	210E	4304733038	12378	
SAGE GROUSE 12A-14-8-22	14	0808	220E	4304733177		Federal
OU GB 12W-20-8-22	20	080S	220E	4304733249		Federal
GLEN BENCH ST 2-36-8-21	36	080S	210E	4304733252	12527	
GBU 15-18-8-22	18	080S	220E	4304733364		Federal
GLEN BENCH FED 3W-17-8-22	17	0808	220E	4304733513		Federal
GLEN BENCH FED 5W-17-8-22	17	080S	220E	4304733514		Federal
WV FED 9W-8-8-22	08	080S	220E	4304733515		Federal
GB FED 9W-18-8-22	18	080S	220E	4304733516		Federal
OU GB 3W-20-8-22	20	080S	220E	4304733526		Federal
GHU 10W-19-8-21	19	080S	210E	4304733528		Federal
GH 1W-32-8-21	32	080S	210E	4304733570	12797	
GH 3W-32-8-21	32	0808	210E	4304733571	12796	
GH 5W-32-8-21	32	080S	210E	4304733572	12828	
GH 7W-32-8-21	32	080S	210E	4304733573	12872	
GLEN BENCH 12W-30-8-22	30	080S	220E	4304733670		Federal
GH 2W-32-8-21	32	080S	210E	4304733744	13029	
GH 4W-32-8-21	32	080S	210E	4304733745	13035	
GH 8W-32-8-21	32	080S	210E	4304733746	13030	
GB 3W-16-8-22	16	080S	220E	4304733751	13577	
GB 5W-16-8-22	16	080S	220E	4304733752	13570	
GH 6W-32-8-21	32	080S	210E	4304733753	13036	
GB 11W-16-8-22	16	080S	220E	4304733754	13582	
GH 7W-21-8-21	21	080S	210E	4304733845		Federal
GH 9W-21-8-21	21	080S	210E	4304733846		Federal
GH 11W-21-8-21	21	080S	210E	4304733847		Federal
GH 15W-21-8-21	21	080S	210E	4304733848		Federal
GH 5G-32-8-21	32	080S	210E	4304733866	13037	
WV 9W-23-8-21	23	080S	210E	4304733909		Federal
GHU 14W-20-8-21	20	080S	210E	4304733915		Federal
GB 1W-36-8-21	36	080S	210E	4304733944	13439	
GB 4W-30-8-22	30	080S	220E	4304733945		Federal
GB 9W-19-8-22	19	080S	220E	4304733946		Federal
GB 10W-30-8-22	30	080S	220E	4304733947		Federal
GB 12W-19-8-22	19	080S	220E	4304733948		Federal
WV 5W-17-8-21	17	080S	210E	4304733954		Federal
WV 7W-17-8-21	17	080S	210E	4304733956		Federal
GB 9W-25-8-21	25	080S	210E	4304733960	13390	Federal
WV 1W-5-8-22	05	080S	220E	4304733985		Federal
WV 3W-5-8-22	05	080S	220E	4304733987		Federal
WV 7W-5-8-22	05	080S	220E	4304733988		Federal
WV 9W-5-8-22	05	080S	220E	4304733990		Federal
WV 11W-5-8-22	05	0808	220E	4304733992		Federal
WV 13W-5-8-22	05	080S	220E	4304733994	13236	Federal
WV 15W-5-8-22	05	080S	220E	4304733996		Federal
WV 8W-8-8-22	08	080S	220E	4304734005	13220	Federal
WV 14W-8-8-22	08	080S	220E	4304734007	13322	Federal
OU GB 6W-20-8-22	20	080S	220E	4304734018	13518	Federal
GB 5W-30-8-22	30	080S	220E	4304734025	13502	Federal
GB 11W-20-8-22	20	080S	220E	4304734039	13413	Federal

well_name	Sec	T	R		Entity	Lease Type
OU GB 4W-20-8-22	20	080S	220E	4304734043		Federal
WV 7W-36-7-21	36	070S	210E	4304734065	13334	
WV 9W-36-7-21	36	070S	210E	4304734066	13331	State
WV 3G-10-8-21	10	080S	210E	4304734106	13241	Federal
WV 15G-3-8-21	03	080S	210E	4304734109	13368	Federal
WV 16G-3-8-21	03	080S	210E	4304734110		Federal
GB 6W-25-8-21	25	080S	210E	4304734121	13440	Fee
GB 7W-25-8-21	25	080S	210E	4304734122	13436	Fee
GH 5W-21-8-21	21	080S	210E	4304734147	13387	Federal
GH 6W-21-8-21	21	080S	210E	4304734148	13371	Federal
GH 8W-21-8-21	21	080S	210E	4304734149	13293	Federal
GH 9W-17-8-21	17	080S	210E	4304734150	13392	Federal
GH 10W-20-8-21	20	080S	210E	4304734151	13328	Federal
GH 10W-21-8-21	21	080S	210E	4304734152	13378	Federal
GH 12W-21-8-21	21	080S	210E	4304734153	13294	Federal
GH 14W-21-8-21	21	080S	210E	4304734154	13292	Federal
GH 16W-17-8-21	17	080S	210E	4304734156	13354	Federal
GH 16W-21-8-21	21	080S	210E	4304734157	13329	Federal
GB 5W-20-8-22	20	080S	220E	4304734209	13414	Federal
WV 6W-22-8-21	22	080S	210E	4304734272		Federal
GH 1W-20-8-21	20	080S	210E	4304734327		Federal
GH 2W-20-8-21	20	080S	210E	4304734328	ŧ	Federal
GH 3W-20-8-21	20	080S	210E	4304734329	13728	Federal
GH 7W-20-8-21	20	080S	210E	4304734332	13537	Federal
GH 9W-20-8-21	20	080S	210E	4304734333	13411	Federal
GH 11W-20-8-21	20	080S	210E	4304734334	13410	Federal
GH 15W-20-8-21	20	080S	210E	4304734335	13407	Federal
GH 16W-20-8-21	20	080S	210E	4304734336	13501	Federal
WV 12W-23-8-21	23	080S	210E	4304734343	13430	Federal
OU GB 13W-20-8-22	20	080S	220E	4304734348	13495	Federal
OU GB 14W-20-8-22	20	080S	220E	4304734349	 	Federal
OU GB 11W-29-8-22	29	080S	220E	4304734350	-	Federal
WV 11G-5-8-22	05	080S	220E	4304734388		Federal
WV 13G-5-8-22	05	080S	220E	4304734389		Federal
WV 15G-5-8-22	05	080S	220E	4304734390	13459	Federal
GB 11W-30-8-22	30	080S	220E	4304734392	13433	
SU BRENNAN W 15W-18-7-22	18	070S	220E	4304734403		Federal
STIRRUP U 16W-5-8-22	05	080S	220E	4304734446		Federal
STIRRUP U 2W-5-8-22	05	080S	220E	4304734455		Federal
WV 10W-5-8-22	05	080S	220E	4304734456		Federal
WV 16W-8-8-22	08	080S	220E	4304734470		Federal
GB 16WX-30-8-22	30	080S	220E	4304734506		Federal
OU GB 1W-19-8-22	19	080S	220E	4304734512		Federal
OU GB 2W-19-8-22	19	080S	220E	4304734513	 	Federal
OU GB 5W-19-8-22	19	080S	220E	4304734514		Federal
OU GB 7W-19-8-22	19	080S	220E	4304734515		Federal
OU GB 8W-19-8-22	19	080S	220E	4304734516		Federal
OU GB 11W-19-8-22	19	080S	220E	4304734517		Federal
OU GB 16W-19-8-22	19	080S	220E	4304734522		Federal
GB 1W-30-8-22	30	080S	220E	4304734528		Federal
GB 3W-30-8-22	30	080S	220E	4304734529		Federal
GB 6W-30-8-22	30	080S	220E	4304734530		Federal
GB 7W-30-8-22	30	0805	220E	4304734531	+	Federal
GB 8W-30-8-22	30	080S	220E	4304734532		Federal
GB 9W-30-8-22	30	080S	220E	4304734533		Federal
OU GB 6W-19-8-22	19	0805	220E	4304734534		Federal
OU GB 10W-19-8-22	19	080S	220E	4304734535		Federal
OU GB 13W-19-8-22	19	080S	220E	4304734536		Federal
OU GB 13W-19-8-22	19	080S	220E	4304734537	 	Federal
OU GB 14W-19-8-22	19	080S	220E	4304734538		Federal
OU GB 13W-19-8-22	17	080S	220E	4304734542	· · · · · · · · · · · · · · · · · · ·	Federal
OU GB 12W-17-8-22	17	+	+	4304734543	4	Federal
	17	080S 080S	220E	4304734544		Federal
OU GB 13W-17-8-22			220E			
OU GB 6W-29-8-22	29	080S	220E 220E	4304734545 4304734546		Federal Federal

SEI (N4235) to QEP (N2460)

	SEI (1942	·	·	,		г
well_name	Sec	T	R	api	Entity	Lease Type
OU GB 13W-29-8-22	29	080S	220E	4304734547		Federal
OU GB 4W-29-8-22	29	080S	220E	4304734548		Federal
OU GB 5W-29-8-22	29	080S	220E	4304734549		Federal
OU GB 14W-17-8-22	17	080S	220E	4304734550		Federal
OU GB 11W-17-8-22	17	080S	220E	4304734553	13671	Federal
OU GB 14W-29-8-22	29	080S	220E	4304734554	13528	Federal
OU GB 2W-17-8-22	17	080S	220E	4304734559	13539	Federal
OU GB 7W-17-8-22	17	080S	220E	4304734560	13599	Federal
GH EXT 15W-17-8-21	17	080S	210E	4304734562	13674	Federal
OU GB 16W-18-8-22	18	080S	220E	4304734563	13559	Federal
OU GB 1W-29-8-22	29	080S	220E	4304734573	13562	Federal
OU GB 7W-29-8-22	29	080S	220E	4304734574	13564	Federal
OU GB 8W-29-8-22	29	080S	220E	4304734575	13609	Federal
OU GB 9W-29-8-22	29	080S	220E	4304734576	+	Federal
OU GB 10W-29-8-22	29	080S	220E	4304734577		Federal
OU GB 15W-29-8-22	29	080S	220E	4304734578		Federal
OU GB 4W-16-8-22	16	080S	220E	4304734598	13579	
OU GB 2W-20-8-22	20	080S	220E	4304734599		Federal
OU GB 2W-29-8-22	29	080S	220E	4304734600		Federal
OU GB 15W-17-8-22	17	080S	220E	4304734601		Federal
OU GB 16W-17-8-22	17	080S	220E	4304734602		Federal
OU GB 16W-17-8-22	29	080S	220E	4304734603		Federal
OU GB 1W-20-8-22	20	0805	220E	4304734604	-	Federal
OU GB 1 W-20-6-22	16	080S	220E	4304734617	13697	
OU GB 13W-16-8-22	16	080S	220E	4304734618	13611	
OU GB 15W-16-8-22	16	080S	220E	4304734622	13595	
OU GB 1W-17-8-22	17	080S	220E	4304734623	-	Federal
OU GB 9W-17-8-22	17	080S	220E	4304734624		Federal
OU GB 10W-17-8-22	17	080S	220E	4304734625	+	Federal
OU GB 9W-20-8-22	20	080S	220E	4304734630	 	Federal
OU GB 10W-20-8-22	20	080\$	220E	4304734631		Federal
OU GB 15W-20-8-22	20	080S	220E	4304734632		Federal
				+ · · · · · · · · · · · · · · · · · · ·		
OU WIH 13W-21-8-22	21	0805	220E	4304734646		Federal
OU GB 13W-9-8-22	09	080S	220E	4304734654		Federal
OU GB 2W-16-8-22	16	080S	220E	4304734657	13721	
OU GB 6W-16-8-22	16	080S	220E	4304734658	13592	
OU GB 7W-16-8-22	16	080S	220E	4304734659	13747	
OU GB 14W-21-8-22	21	080S	220E	4304734664		Federal
OU GB 12WX-29-8-22	29	080S		4304734668		Federal
OU WIH 10W-21-8-22	21	080S		+		Federal
OU GB 3W-21-8-22	21	080S	220E	4304734686		Federal
OU GB 16SG-30-8-22	30	080S	220E	4304734688		Federal
OU WIH 7W-21-8-22	21	080S	220E	4304734689		Federal
OU GB 5W-21-8-22	21	080S	220E	4304734690		Federal
OU GB 7W-20-8-22	20	080S	220E	4304734705		Federal
OU SG 10W-15-8-22	15	080S	220E	4304734719		Federal
OU SG 9W-10-8-22	10	080S	220E	4304734783	13722	Federal

JUL 0 7 2003

3104 (932.34)WF Nationwide Bond ESB000024

NOTICE

QEP Uinta Basin, Inc. 1050 17th Street Suite 500 Denver, Colorado 80265 Oil and Gas lease

Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

Wilbert B. Forbes

Land Law Examiner

Branch of Use Authorization

Division of Resources Planning,

S/ wilbert B Forbes

Use and Protection

bc: JFO,MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Unita Basin MFO



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

In Reply Refer To: 3106 (UT-924)

July 21, 2003

Memorandum

To:

Vernal Field Office

From:

Chief, Branch of Minerals Adjudication

Subject:

Name Change Approval

Attached is an approved copy of the name change from BLM-Eastern States, which is recognized by the Utah State Office. We have updated our records to reflect:

The name change from Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated is effective July 23, 1999. The BLM Bond Number is ESB000024.

Mary Higgins

Acting Chief, Branch of Minerals Adjudication

Enclosure

- 1. Eastern States Letter
- 2. List of leases

cc:

MMS, James Sykes, PO Box 25165, M/S 357 B1, Denver CO 80225 State of Utah, DOGM, Earlene Russell (Ste. 1210), Box 145801, SLC UT 84114

Teresa Thompson (UT-922) Joe Incardine (UT-921)

RECEIVED

JUL 2 9 2003

DIV. OF OIL, GAS & MINING

Exhibit of Leases

UTSL-065342	UTU-0825	UTU-65472	UTU-74971
UTSL-065429	UTU-0826	UTU-65632	UTU-74972
UTSL-066409-A	UTU-0827	UTU-67844	UTU-75079
UTSL-066446	UTU-0828	UTU-68217	UTU-75080
UTSL-066446-A	UTU-0829	UTU-68218	UTU-75081
UTSL-066446-B	UTU-0830	UTU-68219	UTU-75082
UTSL-066791	UTU-0933	UTU-68220	UTU-75082
UTSL-069330	UTU-0971	UTU-68387	
UTSL-070932-A	UTU-0971 UTU-0971-A		UTU-75084
		UTU-68620	UTU-75085
UTSL-071745	UTU-01089	UTU-69001	UTU-75086
UTSL-071963	UTU-02025	UTU-70853	UTU-75087
UTSL-071964	UTU-02030	UTU-70854	UTU-75088
UTSL-071965	UTU-02060	UTU-70855	UTU-75102
	UTU-02148	UTU-70856	UTU-75103
UTU-046	UTU-02149	UTU-71416	UTU-75116
UTU-055	UTU-02510-A	UTU-72066	UTU-75243
UTU-057	UTU-09613	UTU-72109	UTU-75503
UTU-058	UTU-09617	UTU-72118	UTU-75678
UTU-059	UTU-09809	UTU-72598	UTU-75684
UTU-080	UTU-011225-B	UTU-72634	UTU-76278
UTU-081	UTU-011226	UTU-72649	UTU-75760
UTU-082	UTU-011226-B	UTU-73182	UTU-75939
UTU-093	UTU-012457	UTU-73443	UTU-76039
UTU-0116	UTU-012457-A	UTU-73456	UTU-76482
UTU-0558	UTU-018260-A	UTU-73680	UTU-76507
UTU-0559	UTU-022158	UTU-73681	UTU-76508
UTU-0560	UTU-025960	UTU-73684	
UTU-0561	UTU-025962		UTU-76721
UTU-0562	· ·	UTU-73686	UTU-76835
	UTU-025963	UTU-73687	UTU-77063
UTU-0566	UTU-029649	UTU-73698	UTU-77301
UTU-0567	UTU-65471	UTU-73699	UTU-77308
UTU-0568	UTU-65472	UTU-73700	UTU-78021
UTU-0569	UTU-103144	UTU-73710	UTU-78028
UTU-0570	UTU-140740	UTU-73914	UTU-78029
UTU-0571	UTU-14219	UTU-73917	UTU-78214
UTU-0572	UTU-14639	UTU-74401	UTU-78215
UTU-0629	UTU-16551	UTU-74402	UTU-78216
UTU-0802	UTU-28652	UTU-74407	UTU-80636
UTU-0803	UTU-42050	UTU-74408	UTU-80637
UTU0804	UTU-43915	UTU-74419	UTU-80638
UTU0805	UTU-43916	UTU-74493	UTU-80639
UTU0806	UTU-43917	UTU-74494	UTU-80640
UTU0807	UTU-43918	UTU-74495	5 2 5 5 5 5 5 5
UTU0809	UTU-56947	UTU-74496	
UTU0810	UTU-65276	UTU-74836	
UTU-0823	UTU-65404	UTU-74842	
UTU-0824	UTU-65471		
U1U-0024	010-034/1	UTU-74968	

Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

1. DJJ 2. CDW

Change of Operator (Well Sold)	ator Nam	e Change/Me	rger								
The operator of the well(s) listed below has chang	ed, effective	e:			1/1/2007						
FROM: (Old Operator): N2460-QEP Uinta Basin, Inc. 1050 17th St, Suite 500 Denver, CO 80265			TO: (New Operator): N5085-Questar E&P Company 1050 17th St, Suite 500 Denver, CO 80265								
Phone: 1 (303) 672-6900			Phone: 1 (303)	672-6900							
CA No.			Unit:								
WELL NAME	SEC TWN	RNG		ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS				
SEE ATTACHED LISTS			*								
 OPERATOR CHANGES DOCUMENTA Enter date after each listed item is completed (R649-8-10) Sundry or legal documentation was (R649-8-10) Sundry or legal documentation was The new company was checked on the Departm Is the new operator registered in the State of U (R649-9-2) Waste Management Plan has been res Inspections of LA PA state/fee well sites complete. Reports current for Production/Disposition & State of U Federal and Indian Lease Wells: The BLM or operator change for all wells listed on Federa Federal and Indian Units: The BLM or BIA has approved the successor Federal and Indian Communization Agin 	s received from the state on: ceived on: cei	e BIA h	NEW operator Provision of Consumer Service Se	on: orporations oer: - e merger, na BLM	764611-0143 me change,	BIA	1/31/2005				
The BLM or BIA has approved the operator f											
9. Underground Injection Control ("UIC"				oved UIC F	orm 5, Transfer	of Auth	ority to				
Inject, for the enhanced/secondary recovery unit DATA ENTRY: 1. Changes entered in the Oil and Gas Database of Changes have been entered on the Monthly Op	on:		4/30/2007 and	5/15/2007	n: 4/30/2007 and 5	5/15/200°	- 7				
 Bond information entered in RBDMS on: Fee/State wells attached to bond in RBDMS on Injection Projects to new operator in RBDMS of Receipt of Acceptance of Drilling Procedures for 	: n:		4/30/2007 and 4/30/2007 and 4/30/2007 and	5/15/2007 5/15/2007							
BOND VERIFICATION:			ESB000024								
 Federal well(s) covered by Bond Number: Indian well(s) covered by Bond Number: (R649-3-1) The NEW operator of any state/fed 	e well(s) list	ed cov	799446	- umber	965003033						
3b. The FORMER operator has requested a release	of liability	from tl	heir bond on:	n/a	_	•					
LEASE INTEREST OWNER NOTIFIC	ATION:										
4. (R649-2-10) The NEW operator of the fee wells of their responsibility to notify all interest owner				y a letter front	om the Division						
COMMENTS: THIS IS A COMPANY NAME C SOME WELL NAMES HAV		CHANC	SED AS REQU	JESTED							

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
FEDERAL 2-29-7-22	FEDERAL 2-29-7-22	NESW	29	070S	220E	4304715423	5266	Federal	GW	S
UTAH FED D-1	UTAH FED D-1	SWSW	14	070S	240E	4304715936	10699	Federal	GW	S
UTAH FED D-2	UTAH FED D-2	NESW	25	070S	240E	4304715937	9295	Federal	GW	S
PRINCE 1	PRINCE 1	SWSW	10	070S	240E	4304716199	7035	Federal	GW	P
UTAH FED D-4	UTAH FED D-4	SWSE	14	070S	240E	4304731215	9297	Federal	GW	S
FZ BB 1	BRENNAN FZ-BB1	NESE	20	070S	210E	4304731805	10952	Federal	GW	TA
EAST COYOTE FED 14-4-8-25	EAST COYOTE FED 14-4-8-25	SESW	04	080S	250E	4304732493	11630	Federal	OW	P
F S PRINCE 4	PRINCE 4	SWSW	03	070S	240E	4304732677	7035	Federal	OW	P
GYPSUM HILLS 21	GH 21 WG	SWSW	21	080S	210E	4304732692	11819	Federal	GW	P
SAGE GROUSE FED 6-14-8-22	OU SG 6 14 8 22	SENW	14	080S	220E	4304732746		Federal	GW	P
GYPSUM HILLS 22WG	GH 22 WG	SWNW	22	080S	210E	4304732818		Federal	GW	P
SAGE GROUSE 12A-14-8-22	SAGE GROUSE 12A-14-8-22	NWSW	14	080S	220E	4304733177	-	Federal	GW	S
OU GB 12W-20-8-22	OU GB 12W-20-8-22	NWSW	20	080S	220E	4304733249	1	Federal	GW	P
GBU 15-18-8-22	OU GB 15 18 8 22	SWSE	18	080S	220E	4304733364		Federal	GW	P
GLEN BENCH FED 3W-17-8-22	OU GB 3W 17 8 22	NENW	17	080S	220E	4304733513		Federal	GW	P
GLEN BENCH FED 5W-17-8-22	OU GB 5W 17 8 22	SWNW	17	080S	220E	4304733514		Federal	GW	P
WV FED 9W-8-8-22	WV 9W 8 8 22	NESE	08	080S	220E	4304733515	-	Federal	GW	P
GB FED 9W-18-8-22	OU GB 9W 18 8 22	NESE	18	080S	220E	4304733516	And the second	Federal	GW	P
OU GB 3W-20-8-22	OU GB 3W-20-8-22	NENW	20	080S	220E	4304733526		Federal	GW	P
GLEN BENCH 12W-30-8-22	OU GB 12W 30 8 22	NWSW	30	080S	220E	4304733670	3	Federal	GW	P
WVFU 10W-8-8-22	WV 10W 8 8 22	NWSE	08	080S	220E	4304733814		Federal	GW	P
GH 7W-21-8-21	GH 7W-21-8-21	SWNE	21	080S	210E	4304733845		Federal	GW	P
GH 9W-21-8-21	GH 9W-21-8-21	NESE	21	080S	210E	4304733846		Federal	GW	P
GH 11W-21-8-21	GH 11W-21-8-21	NESW	21	080S	210E	4304733847	100	Federal	GW	P
GH 15W-21-8-21	GH 15W-21-8-21	SWSE	21	080S	210E	4304733848		Federal	GW	P
WV 7W-22-8-21	WV 7W-22-8-21	SWNE	22	080S	210E	4304733907		Federal	GW	P
WV 9W-23-8-21	WV 9W-23-8-21	NESE	23	080S	210E	4304733909		Federal	GW	P
GHU 14W-20-8-21	GH 14W 20 8 21	SESW	20	080S	210E	4304733915		Federal	GW	P
GB 4W-30-8-22	OU GB 4W 30 8 22	NWNW	30	080S	220E	4304733945		Federal	GW	P
GB 9W-19-8-22	OU GB 9W 19 8 22	NESE	19	080S	220E	4304733946		Federal	GW	P
GB 10W-30-8-22	OU GB 10W 30 8 22	NWSE	30	080S	220E	4304733947		Federal	GW	P
GB 12W-19-8-22	OU GB 12W 19 8 22	NWSW	19	080S	220E	4304733948			GW	P
GB 9W-25-8-21	GB 9W-25-8-21	NESE	25	080S	210E	4304733960		Federal	GW	P
WV 1W-5-8-22	SU 1W 5 8 22	NENE	05	080S	220E	4304733985	-	Federal	GW	P
WV 3W-5-8-22	SU 3W 5 8 22	NENW	05	080S	220E	4304733987		Federal	OW	S
WV 7W-5-8-22	SU 7W 5 8 22	SWNE	05	080S	220E	4304733988		Federal	GW	P
WV 9W-5-8-22	SU 9W 5 8 22	NESE	05	080S	220E	4304733990		Federal	GW	P
WV 11W-5-8-22	SU 11W 5 8 22	NESW	05	080S	220E	4304733992		Federal	GW	S
WV 13W-5-8-22	SU 13W 5 8 22	SWSW	05	080S	220E	4304733994		Federal	GW	S
WV 15W-5-8-22	SU 15W 5 8 22	SWSE	05	080S	220E	4304733996		Federal	GW	P
WV 8W-8-8-22	WV 8W-8-8-22	SENE	08	080S	220E	4304734005		Federal	GW	P
WV 14W-8-8-22	WV 14W-8-8-22	SESW	08	080S	220E	4304734007		Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
OU GB 6W-20-8-22	OU GB 6W-20-8-22	SENW	20	080S	220E	4304734018	13518	Federal	GW	P
GB 5W-30-8-22	OU GB 5W 30 8 22	SWNW	30	080S	220E	4304734025		Federal	GW	P
GB 11W-20-8-22	OU GB 11W 20 8 22	NESW	-20	080S	220E	4304734039		Federal	GW	P
OU GB 4W-20-8-22	OU GB 4W-20-8-22	NWNW	20	080S	220E	4304734043		Federal	GW	P
GH 5W-21-8-21	GH 5W-21-8-21	SWNW	21	080S	210E	4304734147	13387	Federal	GW	P
GH 6W-21-8-21	GH 6W-21-8-21	SENW	21	080S	210E	4304734148		Federal	GW	P
GH 8W-21-8-21	GH 8W-21-8-21	SENE	21	080S	210E	4304734149		Federal	GW	P
GH 10W-20-8-21	GH 10W-20-8-21	NWSE	20	080S	210E	4304734151	13328	Federal	GW	P
GH 10W-21-8-21	GH 10W-21-8-21	NWSE	21	080S	210E	4304734152		Federal	GW	P
GH 12W-21-8-21	GH 12W-21-8-21	NWSW	21	080S	210E	4304734153	-	Federal	GW	P
GH 14W-21-8-21	GH 14W-21-8-21	SESW	21	080S	210E	4304734154	12.10.10.10.10.10.10.10.10.10.10.10.10.10.	Federal	GW	P
GH 16W-21-8-21	GH 16W-21-8-21	SESE	21	080S	210E	4304734157		Federal	GW	P
GB 5W-20-8-22	OU GB 5W 20 8 22	SWNW	20	080S	220E	4304734209		Federal	GW	P
WV 6W-22-8-21	WV 6W-22-8-21	SENW	22	080S	210E	4304734272		Federal	GW	P
GH 1W-20-8-21	GH 1W-20-8-21	NENE	20	080S	210E	4304734327		Federal	GW	P
GH 2W-20-8-21	GH 2W-20-8-21	NWNE	20	080S	210E	4304734328		Federal	GW	P
GH 3W-20-8-21	GH 3W-20-8-21	NENW	20	080S	210E	4304734329		Federal	GW	P
GH 7W-20-8-21	GH 7W-20-8-21	SWNE	20	080S	210E	4304734332		Federal	GW	P
GH 9W-20-8-21	GH 9W-20-8-21	NESE	20	080S	210E	4304734333		Federal	GW	P
GH 11W-20-8-21	GH 11W-20-8-21	NESW	20	080S	210E	4304734334		Federal	GW	P
GH 15W-20-8-21	GH 15W-20-8-21	SWSE	20	080S	210E	4304734335		Federal	GW	P
GH 16W-20-8-21	GH 16W-20-8-21	SESE	20	080S	210E	4304734336		Federal	GW	P
WV 12W-23-8-21	WV 12W-23-8-21	NWSW	23	080S	210E	4304734343		Federal	GW	P
OU GB 13W-20-8-22	OU GB 13W-20-8-22	SWSW	20	080S	220E	4304734348		Federal	GW	P
OU GB 14W-20-8-22	OU GB 14W-20-8-22	SESW	20	080S	220E	4304734349		Federal	GW	P
OU GB 11W-29-8-22	OU GB 11W-29-8-22	NESW	29	080S	220E	4304734350		Federal	GW	P
WV 11G-5-8-22	WVX 11G 5 8 22	NESW	05	080S	220E	4304734388		Federal	OW	P
WV 13G-5-8-22	WVX 13G 5 8 22	SWSW	05	080S	220E	4304734389		Federal	OW	P
WV 15G-5-8-22	WVX 15G 5 8 22	SWSE	05	080S	220E	4304734390		Federal	OW	P
SU BRENNAN W 15W-18-7-22	SU BRENNAN W 15W-18-7-22	SWSE	18	070S	220E	4304734403		Federal	GW	TA
STIRRUP U 16W-5-8-22	SU 16W 5 8 22	SESE	05	080S	220E	4304734446		Federal	GW	P
STIRRUP U 2W-5-8-22	SU 2W 5 8 22	NWNE	05	080S	220E	4304734455		Federal	GW	P
WV 10W-5-8-22	SU 10W 5 8 22	NWSE	05	080S	220E	4304734456		Federal	GW	P
WV 16W-8-8-22	WV 16W-8-8-22	SESE	08	080S	220E	4304734470	10000	Federal	GW	P
GB 16WX-30-8-22	OU GB 16WX 30 8 22	SESE	30	080S	220E	4304734506		Federal	GW	P
OU GB 1W-19-8-22	OU GB 1W-19-8-22	NENE	19	080S	220E	4304734512		Federal	GW	P
OU GB 2W-19-8-22	OU GB 2W-19-8-22	NWNE	19	080S	220E	4304734513		Federal	GW	P
OU GB 5W-19-8-22	OU GB 5W-19-8-22	SWNW	19	080S	220E	4304734514		Federal	GW	P
OU GB 7W-19-8-22	OU GB 7W-19-8-22	SWNE	19	080S	220E	4304734515		Federal	GW	P
OU GB 8W-19-8-22	OU GB 8W-19-8-22	SENE	19	080S	220E	4304734516		Federal	GW	P
OU GB 11W-19-8-22	OU GB 11W-19-8-22	NESW	19	080S	220E	4304734517		Federal	GW	P
OU GB 16W-19-8-22	OU GB 16W-19-8-22	SESE	19	080S	220E	4304734517		Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
GB 1W-30-8-22	OU GB 1W 30 8 22	NENE	30	080S	220E	4304734528	13487	Federal	GW	P
GB 3W-30-8-22	OU GB 3W 30 8 22	NENW	30	080S	220E	4304734529	13493	Federal	GW	P
GB 6W-30-8-22	OU GB 6W 30 8 22	SENW	30	080S	220E	4304734530	13519	Federal	GW	P
GB 7W-30-8-22	OU GB 7W 30 8 22	SWNE	30	080S	220E	4304734531	13494	Federal	GW	P
GB 8W-30-8-22	OU GB 8W 30 8 22	SENE	30	080S	220E	4304734532	13483	Federal	GW	P
GB 9W-30-8-22	OU GB 9W 30 8 22	NESE	30	080S	220E	4304734533	13500	Federal	GW	P
OU GB 6W-19-8-22	OU GB 6W-19-8-22	SENW	19	080S	220E	4304734534	13475	Federal	GW	P
OU GB 10W-19-8-22	OU GB 10W-19-8-22	NWSE	19	080S	220E	4304734535	13479	Federal	GW	P
OU GB 13W-19-8-22	OU GB 13W-19-8-22	SWSW	19	080S	220E	4304734536	13478	Federal	GW	P
OU GB 14W-19-8-22	OU GB 14W-19-8-22	SESW	19	080S	220E	4304734537	13484	Federal	GW	P
OU GB 15W-19-8-22	OU GB 15W-19-8-22	SWSE	19	080S	220E	4304734538	13482	Federal	GW	P
OU GB 12W-17-8-22	OU GB 12W-17-8-22	NWSW	17	080S	220E	4304734542	13543	Federal	GW	P
OU GB 6W-17-8-22	OU GB 6W-17-8-22	SENW	17	080S	220E	4304734543	13536	Federal	GW	P
OU GB 13W-17-8-22	OU GB 13W-17-8-22	SWSW	17	080S	220E	4304734544	13547	Federal	GW	P
OU GB 6W-29-8-22	OU GB 6W-29-8-22	SENW	29	080S	220E	4304734545	13535	Federal	GW	P
OU GB 3W-29-8-22	OU GB 3W-29-8-22	NENW	29	080S	220E	4304734546	13509	Federal	GW	P
OU GB 13W-29-8-22	OU GB 13W-29-8-22	SWSW	29	080S	220E	4304734547	13506	Federal	GW	P
OU GB 4W-29-8-22	OU GB 4W-29-8-22	NWNW	29	080S	220E	4304734548	13534	Federal	GW	P
OU GB 5W-29-8-22	OU GB 5W-29-8-22	SWNW	29	080S	220E	4304734549	13505	Federal	GW	P
OU GB 14W-17-8-22	OU GB 14W-17-8-22	SESW	17	080S	220E	4304734550	13550	Federal	GW	P
OU GB 11W-17-8-22	OU GB 11W-17-8-22	NESW	17	080S	220E	4304734553	13671	Federal	GW	P
OU GB 14W-29-8-22	OU GB 14W-29-8-22	SESW	29	080S	220E	4304734554	13528	Federal	GW	P
OU GB 2W-17-8-22	OU GB 2W-17-8-22	NWNE	17	080S	220E	4304734559	13539	Federal	GW	P
OU GB 7W-17-8-22	OU GB 7W-17-8-22	SWNE	17	080S	220E	4304734560	13599	Federal	GW	P
OU GB 16W-18-8-22	OU GB 16W-18-8-22	SESE	18	080S	220E	4304734563	13559	Federal	GW	P
OU GB 1W-29-8-22	OU GB 1W-29-8-22	NENE	29	080S	220E	4304734573	13562	Federal	GW	P
OU GB 7W-29-8-22	OU GB 7W-29-8-22	SWNE	29	080S	220E	4304734574	13564	Federal	GW	P
OU GB 8W-29-8-22	OU GB 8W-29-8-22	SENE	29	080S	220E	4304734575	13609	Federal	GW	S
OU GB 9W-29-8-22	OU GB 9W-29-8-22	NESE	29	080S	220E	4304734576	13551	Federal	GW	P
OU GB 10W-29-8-22	OU GB 10W-29-8-22	NWSE	29	080S	220E	4304734577	13594	Federal	GW	P
OU GB 15W-29-8-22	OU GB 15W-29-8-22	SWSE	29	080S	220E	4304734578	13569	Federal	GW	P
OU GB 2W-20-8-22	OU GB 2W-20-8-22	NWNE	20	080S	220E	4304734599	13664	Federal	GW	P
OU GB 2W-29-8-22	OU GB 2W-29-8-22	NWNE	29	080S	220E	4304734600	13691	Federal	GW	P
OU GB 15W-17-8-22	OU GB 15W-17-8-22	SWSE	17	080S	220E	4304734601	13632	Federal	GW	P
OU GB 16W-17-8-22	OU GB 16W-17-8-22	SESE	17	080S	220E	4304734602	13639	Federal	GW	P
OU GB 16W-29-8-22	OU GB 16W-29-8-22	SESE	29	080S	220E	4304734603	13610	Federal	GW	P
OU GB 1W-20-8-22	OU GB 1W-20-8-22	NENE	20	080S	220E	4304734604	13612	Federal	GW	P
OU GB 1W-17-8-22	OU GB 1W-17-8-22	NENE	17	080S	220E	4304734623	13701	Federal	GW	P
OU GB 9W-17-8-22	OU GB 9W-17-8-22	NESE	17	080S	220E	4304734624	13663	Federal	GW	P
OU GB 10W-17-8-22	OU GB 10W-17-8-22	NWSE	17	080S	220E	4304734625	13684	Federal	GW	P
OU GB 9W-20-8-22	OU GB 9W-20-8-22	NESE	20	080S	220E	4304734630	13637	Federal	GW	P
OU GB 10W-20-8-22	OU GB 10W-20-8-22	NWSE	20	080S	220E	4304734631	13682	Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
OU GB 15W-20-8-22	OU GB 15W-20-8-22	SWSE	20	080S	220E	4304734632	13613	Federal	GW	P
WIH 15MU-21-8-22	OU WIH 15MU 21 8 22	SWSE.	21	080S	220E	4304734634		Federal	GW	P
OU WIH 13W-21-8-22	OU WIH 13W-21-8-22	SWSW	21	080S	220E	4304734646		Federal	GW	P
OU GB 11W-15-8-22	OU GB 11W-15-8-22	NESW	15	080S	220E	4304734648		Federal	GW	P
OU GB 13W-9-8-22	OU GB 13W-9-8-22	SWSW	09	080S	220E	4304734654		Federal	GW	P
OU WIH 14W-21-8-22	OU WIH 14W-21-8-22	SESW	21	080S	220E	4304734664		Federal	GW	P
OU GB 12WX-29-8-22	OU GB 12WX-29-8-22	NWSW	29	080S	220E	4304734668		Federal	GW	P
OU WIH 10W-21-8-22	OU WIH 10W-21-8-22	NWSE	21	080S	220E	4304734681		Federal	GW	P
OU GB 4G-21-8-22	OU GB 4G-21-8-22	NWNW	21	080S	220E	4304734685	_	Federal	OW	P
OU GB 3W-21-8-22	OU GB 3W-21-8-22	NENW	21	080S	220E	4304734686		Federal	GW	P
OU GB 16SG-30-8-22	OU GB 16SG-30-8-22	SESE	30	080S	220E	4304734688		Federal	GW	S
OU WIH 7W-21-8-22	OU WIH 7W-21-8-22	SWNE	21	080S	220E	4304734689		Federal	GW	P
OU GB 5W-21-8-22	OU GB 5W-21-8-22	SWNW	21	080S	220E	4304734690		Federal	GW	P
WIH 1MU-21-8-22	WIH 1MU-21-8-22	NENE	21	080S	220E	4304734693		Federal	GW	P
OU GB 5G-19-8-22	OU GB 5G-19-8-22	SWNW	19	080S	220E	4304734695			OW	P
OU GB 7W-20-8-22	OU GB 7W-20-8-22	SWNE	20	080S	220E	4304734705		Federal	GW	P
OU SG 14W-15-8-22	OU SG 14W-15-8-22	SESW	15	080S	220E	4304734710	13821	Federal	GW	P
OU SG 15W-15-8-22	OU SG 15W-15-8-22	SWSE	15	080S	220E	4304734711		Federal	GW	P
OU SG 16W-15-8-22	OU SG 16W-15-8-22	SESE	15	080S	220E	4304734712		Federal	GW	P
OU SG 4W-15-8-22	OU SG 4W-15-8-22	NWNW	15	080S	220E	4304734713	177	1704	GW	P
OU SG 12W-15-8-22	OU SG 12W-15-8-22	NWSW	15	080S	220E	4304734714		Federal	GW	P
OU GB 5MU-15-8-22	OU GB 5MU-15-8-22	SWNW	15	080S	220E	4304734715		Federal	GW	P
OU SG 8W-15-8-22	OU SG 8W-15-8-22	SENE	15	080S	220E	4304734717		Federal	GW	P
OU SG 9W-15-8-22	OU SG 9W-15-8-22	NESE	15	080S	220E	4304734718		Federal	GW	P
OU SG 10W-15-8-22	OU SG 10W-15-8-22	NWSE	15	080S	220E	4304734719		Federal	GW	P
OU SG 2MU-15-8-22	OU SG 2MU-15-8-22	NWNE	15	080S	220E	4304734721			GW	P
OU SG 7W-15-8-22	OU SG 7W-15-8-22	SWNE	15	080S	220E	4304734722		Federal	GW	P
OU GB 14SG-29-8-22	OU GB 14SG-29-8-22	SESW	29	080S	220E	4304734743		Federal	GW	P
OU GB 16SG-29-8-22	OU GB 16SG-29-8-22	SESE	29	080S	220E	4304734744		Federal	GW	P
OU GB 13W-10-8-22	OU GB 13W-10-8-22	SWSW	10	080S	220E	4304734754		Federal	GW	P
OU GB 6MU-21-8-22	OU GB 6MU-21-8-22	SENW	21	080S	220E	4304734755		Federal	GW	P
OU SG 10W-10-8-22	OU SG 10W-10-8-22	NWSE	10	080S	220E	4304734764		Federal	GW	P
OU GB 14M-10-8-22	OU GB 14M-10-8-22	SESW	10	080S	220E	4304734768		Federal	GW	P
OU SG 9W-10-8-22	OU SG 9W-10-8-22	NESE	10	080S	220E	4304734783		Federal	GW	P
OU SG 16W-10-8-22	OU SG 16W-10-8-22	SESE	10	080S	220E	4304734784		Federal	GW	P
GB 3M-27-8-21	GB 3M-27-8-21	NENW	27	080S	210E	4304734900		Federal	GW	P
WVX 11D-22-8-21	WVX 11D-22-8-21	NESW	22	080S	210E	4304734902		Federal	GW	DRL
GB 11M-27-8-21	GB 11M-27-8-21	NESW	27	080S	210E	4304734952		Federal	GW	P
GB 9D-27-8-21	GB 9D-27-8-21	NESE	27	080S	210E	4304734956		Federal	GW	DRL
GB 1D-27-8-21	GB 1D-27-8-21	NENE	27	080S	210E	4304734957		Federal	GW	DRL
WRU EIH 2M-35-8-22	WRU EIH 2M-35-8-22	NWNE	35	080S	220E	4304735052		Federal	GW	P
GYPSUM HILLS 12MU-20-8-21	GH 12MU 20 8 21	NWSW	20	080S	210E	4304735069		Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
OU SG 4W-11-8-22	OU SG 4W-11-8-22	NWNW	11	080S	220E	4304735071	14814	Federal	GW	DRL
OU SG 5W-11-8-22	OU SG 5W-11-8-22	SWNW	11	080S	220E	4304735072	14815	Federal	GW	DRL
OU SG 6W-11-8-22	SG 6ML 11 8 22	SENW	11	080S	220E	4304735073	14825	Federal	GW	P
OU SG 5MU-14-8-22	OU SG 5MU-14-8-22	SWNW	14	080S	220E	4304735076	-	Federal	GW	P
OU SG 6MU-14-8-22	OU SG 6MU-14-8-22	SENW	14	080S	220E	4304735077	14128	Federal	GW	P
SG 12MU-14-8-22	SG 12MU-14-8-22	NWSW	14	080S	220E	4304735078		Federal	GW	P
OU SG 13MU-14-8-22	OU SG 13MU-14-8-22	SWSW	14	080S	220E	4304735079	13990	Federal	GW	P
OU SG 9MU-11-8-22	OU SG 9MU-11-8-22	NESE	11	080S	220E	4304735091	13967	Federal	GW	P
SG 11SG-23-8-22	SG 11SG-23-8-22	NESW	23	080S	220E	4304735099	13901	Federal	GW	S
OU SG 14W-11-8-22	OU SG 14W-11-8-22	SESW	11	080S	220E	4304735114	14797	Federal	GW	DRL
SG 5MU-23-8-22	SG 5MU-23-8-22	SWNW	23	080S	220E	4304735115		Federal	GW	P
SG 6MU-23-8-22	SG 6MU-23-8-22	SENW	23	080S	220E	4304735116		Federal	GW	P
SG 14MU-23-8-22	SG 14MU-23-8-22	SESW	23	080S	220E	4304735117		Federal	GW	P
SG 13MU-23-8-22	SG 13MU-23-8-22	SWSW	23	080S	220E	4304735190		Federal	GW	P
WH 7G-10-7-24	WH 7G-10-7-24	SWNE	10	070S	240E	4304735241		Federal	GW	P
GB 4D-28-8-21	GB 4D-28-8-21	NWNW	28	080S	210E	4304735246		Federal	GW	P
GB 7M-28-8-21	GB 7M-28-8-21	SWNE	28	080S	210E	4304735247		Federal	GW	P
GB 14M-28-8-21	GB 14M-28-8-21	SESW	28	080S	210E	4304735248		Federal	GW	P
SG 11MU-23-8-22	SG 11MU-23-8-22	NESW	23	080S	220E	4304735257	111111111111111111111111111111111111111	Federal	GW	P
SG 15MU-14-8-22	SG 15MU-14-8-22	SWSE	14	080S	220E	4304735328		Federal	GW	P
EIHX 14MU-25-8-22	EIHX 14MU-25-8-22	SESW	25	080S	220E	4304735330		Federal	GW	P
EIHX 11MU-25-8-22	EIHX 11MU-25-8-22	NESW	25	080S	220E	4304735331		Federal	GW	P
NBE 12ML-10-9-23	NBE 12ML-10-9-23	NWSW	10	090S	230E	4304735333	TOTAL CONTRACTOR OF THE PARTY O	Federal	GW	P
NBE 13ML-17-9-23	NBE 13ML-17-9-23	SWSW	17	090S	230E	4304735334	14000	Federal	GW	P
NBE 4ML-26-9-23	NBE 4ML-26-9-23	NWNW	26	090S	230E	4304735335	14215	Federal	GW	P
SG 7MU-11-8-22	SG 7MU-11-8-22	SWNE	11	080S	220E	4304735374		Federal	GW	P
SG 1MU-11-8-22	SG 1MU-11-8-22	NENE	11	080S	220E	4304735375	14279	Federal	GW	P
OU SG 13W-11-8-22	OU SG 13W-11-8-22	SWSW	11	080S	220E	4304735377		Federal	GW	DRL
SG 3MU-11-8-22	SG 3MU-11-8-22	NENW	11	080S	220E	4304735379	-	Federal	GW	P
SG 8MU-11-8-22	SG 8MU-11-8-22	SENE	11	080S	220E	4304735380		Federal	GW	P
SG 2MU-11-8-22	SG 2MU-11-8-22	NWNE	11	080S	220E	4304735381		Federal	GW	P
SG 10MU-11-8-22	SG 10MU-11-8-22	NWSE	11	080S	220E	4304735382		Federal	GW	P
OU GB 8MU-10-8-22	OU GB 8MU-10-8-22	SENE	10	080S	220E	4304735422		Federal	GW	DRL
EIHX 2MU-25-8-22	EIHX 2MU-25-8-22	NWNE	25	-	220E	4304735427	-	Federal	GW	P
EIHX 1MU-25-8-22	EIHX 1MU-25-8-22	NENE	25	080S	220E	4304735428	-	Federal	GW	P
EIHX 7MU-25-8-22	EIHX 7MU-25-8-22	SWNE	25	080S	220E	4304735429		Federal	GW	P
EIHX 8MU-25-8-22	EIHX 8MU-25-8-22	SENE	25	080S	220E	4304735430		Federal	GW	P
EIHX 9MU-25-8-22	EIHX 9MU-25-8-22	NESE	25	080S	220E	4304735433		Federal	GW	P
EIHX 16MU-25-8-22	EIHX 16MU-25-8-22	SESE	25	080S	220E	4304735434		Federal	GW	P
EIHX 15MU-25-8-22	EIHX 15MU-25-8-22	SWSE	25	080S	220E	4304735435		Federal	GW	P
EIHX 10MU-25-8-22	EIHX 10MU-25-8-22	NWSE	25	080S	220E	4304735436		Federal	GW	P
GB 3MU-3-8-22	GB 3MU-3-8-22	NENW	03	080S	220E	4304735457		Federal	GW	P

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
NBE 15M-17-9-23	NBE 15M-17-9-23	SWSE	17	090S	230E	4304735463	14423	Federal	GW	P
NBE 7ML-17-9-23	NBE 7ML-17-9-23	SWNE	17	090S	230E	4304735464		Federal	GW	P
NBE 3ML-17-9-23	NBE 3ML-17-9-23	NENW	17	090S	230E	4304735465		Federal	GW	P
NBE 11M-17-9-23	NBE 11M-17-9-23	NESW	17	090S	230E	4304735466		Federal	GW	P
NBE 10ML-10-9-23	NBE 10ML-10-9-23	NWSE	10	090S	230E	4304735650		Federal	GW	p
NBE 6ML-10-9-23	NBE 6ML-10-9-23	SENW	10	090S	230E	4304735651		Federal	GW	P
NBE 12ML-17-9-23	NBE 12ML-17-9-23	NWSW	17	090S	230E	4304735652		Federal	GW	P
NBE 6ML-26-9-23	NBE 6ML-26-9-23	SENW	26	090S	230E	4304735664		Federal	GW	P
NBE 11ML-26-9-23	NBE 11ML-26-9-23	NESW	26	090S	230E	4304735665		Federal	GW	P
NBE 15ML-26-9-23	NBE 15ML-26-9-23	SWSE	26	090S	230E	4304735666		Federal	GW	P
SG 4MU-23-8-22	SG 4MU-23-8-22	NWNW	23	080S	220E	4304735758		Federal	GW	P
RWS 8ML-14-9-24	RWS 8ML-14-9-24	SENE	14	090S	240E	4304735803		Federal	GW	S
SG 11MU-14-8-22	SG 11MU-14-8-22	NESW	14	080S	220E	4304735829	14486	Federal	GW	P
RB DS FED 1G-7-10-18	RB DS FED 1G-7-10-18	NENE	07	100S	180E	4304735932		Federal	OW	S
RB DS FED 14G-8-10-18	RB DS FED 14G-8-10-18	SESW	08	100S	180E	4304735933		Federal	OW	P
OU SG 14MU-14-8-22	OU SG 14MU-14-8-22	SESW	14	080S	220E	4304735950		Federal	GW	P
COY 10ML-14-8-24	COY 10ML-14-8-24	NWSE	14	080S	240E	4304736038		Federal	GW	APD
COY 12ML-24-8-24	COY 12ML-24-8-24	NWSW	24	080S	240E	4304736039	14592	Federal	OW	P
WIH 1AMU-21-8-22	WIH 1AMU-21-8-22	NENE	21	080S	220E	4304736060		Federal	GW	P
NBE 4ML-10-9-23	NBE 4ML-10-9-23	NWNW	10	090S	230E	4304736098		Federal	GW	P
NBE 8ML-10-9-23	NBE 8ML-10-9-23	SENE	10	090S	230E	4304736099		Federal	GW	P
NBE 16ML-10-9-23	NBE 16ML-10-9-23	SESE	10	090S	230E	4304736100		Federal	GW	P
NBE 8ML-12-9-23	NBE 8ML-12-9-23	SENE	12	090S	230E	4304736143		Federal	GW	DRL
WH 12G-11-7-24	WH 12G-11-7-24	NWSW	11	070S	240E	4304736195		Federal	GW	APD
HC 16M-6-7-22	HC 16M-6-7-22	SESE	06	070S	220E	4304736197		Federal	GW	APD
HC 14M-6-7-22	HC 14M-6-7-22	SESW	06	070S	220E	4304736198		Federal	GW	APD
WWT 8ML-25-8-24	WWT 8ML-25-8-24	SENE	25	080S	240E	4304736199		Federal	GW	APD
GB 16D-28-8-21	GB 16D-28-8-21	SESE	28	080S	210E	4304736260	14981	Federal	GW	P
WH 7G-3-7-24	WH 7G-3-7-24	SWNE	03	070S	240E	4304736347		Federal	GW	APD
NBE 5ML-10-9-23	NBE 5ML-10-9-23	SWNW	10	090S	230E	4304736353	15227	Federal	GW	P
NBE 7ML-10-9-23	NBE 7ML-10-9-23	SWNE	10	090S	230E	4304736355		Federal	GW	DRL
NBE 3ML-10-9-23	NBE 3ML-10-9-23	NENW	10	090S	230E	4304736356		Federal	GW	P
WH 4G-10-7-24	WH 4G-10-7-24	NWNW	10	070S	240E	4304736359	10070	Federal	GW	APD
EIHX 4MU-36-8-22	EIHX 4MU-36-8-22	NWNW	36	080S	220E	4304736444	14875	Federal	GW	P
EIHX 3MU-36-8-22	EIHX 3MU-36-8-22	NENW	36	080S	220E	4304736445		Federal	GW	P
EIHX 2MU-36-8-22	EIHX 2MU-36-8-22	NWNE	36	080S	220E	4304736446		Federal	GW	P
EIHX 1MU-36-8-22	EIHX 1MU-36-8-22	NENE	36	080S	220E	4304736447		Federal	GW	P
WWT 2ML-24-8-24	WWT 2ML-24-8-24	NWNE	24	080S	240E	4304736515	1,1001	Federal	GW	APD
RWS 1ML-1-9-24	RWS 1ML-1-9-24	NENE	01	090S	240E	4304736517		Federal	GW	APD
RWS 3ML-1-9-24	RWS 3ML-1-9-24	NENW	01	090S	240E	4304736518		Federal	GW	APD
RWS 9ML-1-9-24	RWS 9ML-1-9-24	NESE	01	090S	240E	4304736519		Federal	GW	APD
RWS 15ML-1-9-24	RWS 15ML-1-9-24	SWSE	01	090S	240E	4304736521		Federal	GW	APD

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
BSW 1ML-12-9-24	BSW 1ML-12-9-24	NENE	12	090S	240E	4304736522		Federal	GW	APD
BSW 11ML-13-9-24	BSW 11ML-13-9-24	NESW	13	090S	240E	4304736523		Federal	GW	APD
NBE 7ML-26-9-23	NBE 7ML-26-9-23	SWNE	26	090S	230E	4304736587	16008	Federal	GW	DRL
NBE 8ML-26-9-23	NBE 8ML-26-9-23	SENE	26	090S	230E	4304736588	15689	Federal	GW	P
NBE 1ML-26-9-23	NBE 1ML-26-9-23	NENE	26	090S	230E	4304736589	-	Federal	GW	DRL
NBE 2ML-26-9-23	NBE 2ML-26-9-23	NWNE	26	090S	230E	4304736590		Federal	GW	DRL
NBE 3ML-26-9-23	NBE 3ML-26-9-23	NENW	26	090S	230E	4304736591		Federal	GW	DRL
NBE 5ML-26-9-23	NBE 5ML-26-9-23	SWNW	26	090S	230E	4304736592	15839	Federal	GW	DRL
NBE 9ML-10-9-23	NBE 9ML-10-9-23	NESE	10	090S	230E	4304736593	15438	Federal	GW	P
NBE 11ML-10-9-23	NBE 11ML-10-9-23	NESW	10	090S	230E	4304736594		Federal	GW	P
NBE 15ML-10-9-23	NBE 15ML-10-9-23	SWSE	10	090S	230E	4304736595	15439	Federal	GW	P
NBE 1ML-12-9-23	NBE 1ML-12-9-23	NENE	12	090S	230E	4304736613		Federal	GW	APD
NBE 2ML-17-9-23	NBE 2ML-17-9-23	NWNE	17	090S	230E	4304736614	15126	Federal	GW	P
NBE 4ML-17-9-23	NBE 4ML-17-9-23	NWNW	17	090S	230E	4304736615		Federal	GW	P
NBE 6ML-17-9-23	NBE 6ML-17-9-23	SENW	17	090S	230E	4304736616	_	Federal	GW	P
NBE 10ML-17-9-23	NBE 10ML-17-9-23	NWSE	17	090S	230E	4304736617	15128	Federal	GW	P
NBE 14ML-17-9-23	NBE 14ML-17-9-23	SESW	17	090S	230E	4304736618	15088	Federal	GW	P
NBE 9ML-26-9-23	NBE 9ML-26-9-23	NESE	26	090S	230E	4304736619	15322		GW	P
NBE 10D-26-9-23	NBE 10D-26-9-23	NWSE	26	090S	230E	4304736620		Federal	GW	DRL
NBE 12ML-26-9-23	NBE 12ML-26-9-23	NWSW	26	090S	230E	4304736621		Federal	GW	DRL
NBE 13ML-26-9-23	NBE 13ML-26-9-23	SWSW	26	090S	230E	4304736622		Federal	GW	P
NBE 14ML-26-9-23	NBE 14ML-26-9-23	SESW	26	090S	230E	4304736623		Federal	GW	P
NBE 16ML-26-9-23	NBE 16ML-26-9-23	SESE	26	090S	230E	4304736624		Federal	GW	P
RWS 13ML-14-9-24	RWS 13ML-14-9-24	SWSW	14	090S	240E	4304736737		Federal	GW	APD
RWS 12ML-14-9-24	RWS 12ML-14-9-24	NWSW	14	090S	240E	4304736738		Federal	GW	APD
SG 3MU-23-8-22	SG 3MU-23-8-22	SESW	14	080S	220E	4304736940	15100	Federal	GW	P
NBE 5ML-17-9-23	NBE 5ML-17-9-23	SWNW	17	090S	230E	4304736941		Federal	GW	P
WWT 2ML-25-8-24	WWT 2ML-25-8-24	NWNE	25	080S	240E	4304737301		Federal	GW	APD
WWT 1ML-25-8-24	WWT 1ML-25-8-24	NENE	25	080S	240E	4304737302		Federal	GW	APD
HK 15ML-19-8-25	HK 15ML-19-8-25	SWSE	19	080S	250E	4304737303		Federal	GW	APD
WT 13ML-19-8-25	WT 13ML-19-8-25	SWSW	19	080S	250E	4304737304		Federal	GW	APD
HK 3ML-29-8-25	HK 3ML-29-8-25	NENW	29	080S	250E	4304737305		Federal	GW	APD
HK 5ML-29-8-25	HK 5ML-29-8-25	SWNW	29	080S	250E	4304737330		Federal	GW	APD
HK 2ML-30-8-25	HK 2ML-30-8-25	NWNE	30	080S	250E	4304737331		Federal	GW	APD
HK 5ML-30-8-25	HK 5ML-30-8-25	SWNW	30	080S	250E	4304737332		Federal	GW	APD
HK 10ML-30-8-25	HK 10ML-30-8-25	NWSE	30	080S	250E	4304737333		Federal	GW	APD
HK 14ML-30-8-25	HK 14ML-30-8-25	SESW	30	080S	250E	4304737334		Federal	GW	APD
HK 6ML-30-8-25	HK 6ML-30-8-25	SENW	30	080S	250E	4304737348		Federal	GW	APD
HK 8ML-30-8-25	HK 8ML-30-8-25	SENE	30	080S	250E	4304737349		Federal	GW	APD
WWT 7ML-25-8-24	WWT 7ML-25-8-24	SWNE	25	080S	240E	4304737407		Federal	GW	APD
WWT 9ML-25-8-24	WWT 9ML-25-8-24	NESE	25	080S	240E	4304737408		Federal	GW	APD
WWT 10ML-25-8-24	WWT 10ML-25-8-24	NWSE	25	080S	240E	4304737409		Federal	GW	APD

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
WWT 15ML-25-8-24	WWT 15ML-25-8-24	SWSE	25	080S	240E	4304737410		Federal	GW	APD
BBS 15G-22-7-21	BBS 15G-22-7-21	SWSE	22	070S	210E	4304737443	15688	Federal	OW	P
WWT 15ML-13-8-24	WWT 15ML-13-8-24	SWSE	13	080S	240E	4304737524		Federal	GW	APD
WWT 16ML-13-8-24	WWT 16ML-13-8-24	SESE	13	080S	240E	4304737525		Federal	GW	APD
COY 6ML-23-8-24	COY 6ML-23-8-24	SENW	23	080S	240E	4304737526		Federal	GW	APD
NBZ 8ML-23-8-24	NBZ 8ML-23-8-24	SENE	23	080S	240E	4304737527		Federal	GW	APD
COY 9ML-23-8-24	COY 9ML-23-8-24	NESE	23	080S	240E	4304737528		Federal	GW	APD
NBZ 15ML-23-8-24	NBZ 15ML-23-8-24	SWSE	23	080S	240E	4304737529		Federal	GW	APD
COY 16ML-23-8-24	COY 16ML-23-8-24	SESE	23	080S	240E	4304737530		Federal	GW	APD
COY 5ML-24-8-24	COY 5ML-24-8-24	SWNW	24	080S	240E	4304737531		Federal	GW	APD
COY 6ML-24-8-24	COY 6ML-24-8-24	SENW	24	080S	240E	4304737532		Federal	GW	APD
COY 6ML-21-8-24	COY 6ML-21-8-24	SENW	21	080S	240E	4304737584		Federal	GW	APD
COY 4ML-21-8-24	COY 4ML-21-8-24	NWNW	21	080S	240E	4304737585		Federal	GW	APD
COY 14ML-21-8-24	COY 14ML-21-8-24	SESW	21	080S	240E	4304737586		Federal	GW	APD
COY 15ML-21-8-24	COY 15ML-21-8-24	SWSE	21	080S	240E	4304737587		Federal	GW	NEW
WWT 1ML-24-8-24	WWT 1ML-24-8-24	NENE	24	080S	240E	4304737590		Federal	GW	APD
RWS 13ML-23-9-24	RWS 13ML-23-9-24	swsw	23	090S	240E	4304737591		Federal	GW	APD
WWT 8ML-24-8-24	WWT 8ML-24-8-24	SENE	24	080S	240E	4304737640		Federal	GW	APD
GB 16ML-20-8-22	GB 16ML-20-8-22	SESE	20	080S	220E	4304737664	15948	Federal	GW	DRL
NBZ 1ML-29-8-24	NBZ 1ML-29-8-24	NENE	29	080S	240E	4304737666		Federal	GW	APD
WWT 16ML-24-8-24	WWT 16ML-24-8-24	SESE	24	080S	240E	4304737930		Federal	GW	APD
WWT 15ML-24-8-24	WWT 15ML-24-8-24	SWSE	24	080S	240E	4304737931		Federal	GW	APD
COY 14ML-24-8-24	COY 14ML-24-8-24	SESW	24	080S	240E	4304737932		Federal	GW	APD
COY 13ML-24-8-24	COY 13ML-24-8-24	SWSW	24	080S	240E	4304737933		Federal	GW	APD
COY 11ML-24-8-24	COY 11ML-24-8-24	NESW	24	080S	240E	4304737934		Federal	GW	APD
COY 15ML-14-8-24	COY 15ML-14-8-24	SWSE	14	080S	240E	4304737935		Federal	GW	APD
COY 14ML-14-8-24	COY 14ML-14-8-24	SESW	14	080S	240E	4304737936		Federal	GW	APD
COY 12ML-14-8-24	COY 12ML-14-8-24	NWSW	14	080S	240E	4304737937		Federal	GW	APD
COY 11ML-14-8-24	COY 11ML-14-8-24	NESW	14	080S	240E	4304737938		Federal	GW	APD
WVX 8ML-5-8-22	WVX 8ML-5-8-22	SENE	05	080S	220E	4304738140		Federal	GW	APD
WVX 6ML-5-8-22	WVX 6ML-5-8-22	SENW	05	080S	220E	4304738141		Federal	GW	APD
BBS 5G-23-7-21	BBS 5G-23-7-21	SWNW	23	070S	210E	4304738471		Federal	OW	APD
GB 12SG-29-8-22	GB 12SG-29-8-22	NWSW	29	080S	220E	4304738766		Federal	GW	APD
GB 10SG-30-8-22	GB 10SG-30-8-22	NWSE	30	080S	220E	4304738767		Federal	GW	APD
NBE 12SWD-10-9-23	NBE 12SWD-10-9-23	NWSW	10	090S	230E	4304738875		Federal	WD	APD
OP 16MU-3-7-20	OP 16MU-3-7-20	SESE	03	070S	200E	4304738944		Federal	OW	APD
WF 1P-1-15-19	WF 1P-1-15-19	NWNW	06	150S	200E	4304736781	14862	Indian	GW	S

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

	5. LEASE DESIGNATION AND SERIAL NUMBER: See attached		
SUNDRY	NOTICES AND REPORT	S ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached
	new wells, significantly deepen existing wells below caterals. Use APPLICATION FOR PERMIT TO DRILI	rurrent bottom-hole depth, reenter plugged wells, or L form for such proposals.	7. UNIT or CA AGREEMENT NAME: see attached
1. TYPE OF WELL OIL WELL	GAS WELL OTHER		8. WELL NAME and NUMBER: see attached
2. NAME OF OPERATOR QUESTAR EXPLORATIO	N AND PRODUCTION COMPA	NY	9. API NUMBER: attached
3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 CIT	, Denver STATE CO	PHONE NUMBER: (303) 308-3068	10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: attach		(333) 333 333	соинту: Uintah
QTR/QTR, SECTION, TOWNSHIP, RAN			STATE: UTAH
11. CHECK APPR	ROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REF	ORT, OR OTHER DATA
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 1/1/2007 SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	ACIDIZE ALTER CASING CASING REPAIR CHANGE TO PREVIOUS PLANS CHANGE TUBING CHANGE WELL NAME CHANGE WELL STATUS COMMINGLE PRODUCING FORMATIONS CONVERT WELL TYPE	DEEPEN FRACTURE TREAT NEW CONSTRUCTION OPERATOR CHANGE PLUG AND ABANDON PLUG BACK PRODUCTION (START/RESUME) RECLAMATION OF WELL SITE RECOMPLETE - DIFFERENT FORMATIC	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR VENT OR FLARE WATER DISPOSAL WATER SHUT-OFF OTHER: Operator Name Change
Effective January 1, 2007 AND PRODUCTION COM change of operator is invol on the attached list. All op Federal Bond Number: 96 Utah State Bond Number: Fee Land Bond Number: Current operator of record attached list. Successor operator of reco	IPANY. This name change involved. The same employees will cerations will continue to be covered by the same employees will perations will continue to be covered by the same employees. It is a same employees will be same employees and same employees will be same employees. It is a same employees will be same employees and same employees will be same employees will be same employees will be same employees will be same employees and same employees will be same employees. It is a same employees and same	Basin, Inc., will hereafter be known lives only an internal corporate in continue to be responsible for cored by bond numbers: ESB000024) But the property of the part of the	wn as QUESTAR EXPLORATION name change and no third party operations of the properties described properties as described on the esident, QEP Uinta Basin, Inc.
NAME (PLEASE PRINT) Debra K. S	itanberry	TITLE Supervisor, Re	gulatory Affairs
SIGNATURE L	5 Am Serry	DATE 3/16/2007	
This space for State use only)			

RECEIVED

APR 1 9 2007

FORM 9

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL GAS AND MINING

	5. LEASE DESIGNATION AND SERIAL NUMBER: See attached			
SUNDRY	NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: see attached	
	new wells, significantly deepen existing wells below current sterals. Use APPLICATION FOR PERMIT TO DRILL form	t bottom-hole depth, reenter plugged wells, or to a for such proposals.	7. UNIT of CA AGREEMENT NAME: See attached	
1 TYPE OF WELL OIL WELL	GAS WELL OTHER		8. WELL NAME and NUMBER: see attached	
2. NAME OF OPERATOR:			9. API NUMBER:	
	N AND PRODUCTION COMPANY		attached	
3 ADDRESS OF OPERATOR: 1050 17th Street Suite 500	, Denver STATE CO 210 80	PHONE NUMBER: (303) 308-3068	10. FIELD AND POOL, OR WILDCAT:	
4 LOCATION OF WELL FOOTAGES AT SURFACE: attach			соинту: Uintah	
QTR/QTR, SECTION, TOWNSHIP, RAN	GE, MERIDIAN:		STATE: UTAH	
11. CHECK APPI	ROPRIATE BOXES TO INDICATE	NATURE OF NOTICE REPO		
TYPE OF SUBMISSION	THE STATE OF THE S	TYPE OF ACTION	THE ON OTHER DATA	
NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION	
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL	
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON	
1/1/2007	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR	
<u>, , , , , , , , , , , , , , , , , , , </u>	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE	
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL	
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF	
Date of work completion:	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	✓ OTHER: Well Name Changes	
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	<u> </u>	
PER THE ATTACHED LIS	MPLETED OPERATIONS. Clearly show all perti T OF WELLS, QUESTAR EXPLOF IS BE UPDATED IN YOUR RECOP	RATION AND PRODUCTION (
		M		
NAME (PLEASE PRINT) Debra K. S	tappoerry	TITLE Supervisor, Regu	latory Affairs	
SIGNATURE A	> the Sang	PATE 4/17/2007		
is space for State use only)				

RECEIVED
APR 1 9 2007



United States Department of the Interior



BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155 http://www.blm.gov/ut/st/en.html

IN REPLY REFER TO: 3100 (UT-922)

January 23, 2008

Memorandum

To:

Vernal Field Office

From:

Chief, Branch of Fluid Minerals

Subject:

Name Change Approval

Attached is a certified copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the merger from the Eastern States state office. We have updated our records to reflect the name change in the attached list of leases.

The name change from **QEP** Uinta Basin, Inc. into **Questar Exploration and Production Co.** is effective May 1, 2007, which is a correction to the effective dated stated in the decision letter. For verification of effective date, please refer to the name change certificate from the State of Texas.

/s/ Leslie Wilcken

Leslie Wilcken Land Law Examiner Branch of Fluid Minerals

cc:

MMS

State of Utah, DOGM,

bcc:

Dave Mascarenas

Susan Bauman Connie Seare

JAN 2 8 2008

DIV. COLUMN PROMERNICA -

Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

BUREAU OF LAND MANAGEMENT

5. Lease Serial No. UTU-76508

SUNDRY N Do not use this t abandoned well.	6. If Indian, Allottee or Tribe Name N/A				
SUBMI	T IN TRIPLICATE – Other	instructions on page 2.			ement, Name and/or No.
1. Type of Well	_	_		N/A 8. Well Name and No.	
Oil Well Gas W	/ell Other	_	su	<i>yy</i> ₩ 3W 5-8-22	
Name of Operator Questar Exploration and Production	Company			9. API Well No. 4304733987	
3a. Address 11002 East 17500 South Vernal, Utah 84078		3b. Phone No. (include a	rea code)	10. Field and Pool or E WONSITS VALLEY	Exploratory Area
4. Location of Well (Footage, Sec., T., 656' FNL and 1915 FWL NENW Section 5, T8S	R.,M., or Survey Description, R22E, SLB&M)		11. Country or Parish, Uintah County, Utah	
12. CHEC	K THE APPROPRIATE BO	X(ES) TO INDICATE N	ATURE OF NOTIC	E, REPORT OR OTHE	ER DATA
TYPE OF SUBMISSION		-	TYPE OF ACT	ION	
✓ Notice of Intent	Acidize Alter Casing	Deepen Fracture Treat		uction (Start/Resume)	Water Shut-Off Well Integrity
	Casing Repair	New Construction	_	mplete	Other
Subsequent Report	Change Plans	Plug and Aband		orarily Abandon	
Final Abandonment Notice	Convert to Injection	Plug Back		r Disposal	
testing has been completed. Final determined that the site is ready for The UIC permit (EPA #UT20947-06 well be placed in a TA status until the status until th	r final inspection.) 158) has been extended to	b February, 2011 and the of ning	_		•
14. I hereby certify that the foregoing is t	rue and correct. Name (Printe	d/Typed)			
Rick Canterbury		Title Re	egulatory Affairs		
Signature Click Ca	atabuny	Date 06	6/24/2008		
-	THIS SPACE	FOR FEDERAL O	R STATE OFF	ICE USE	
Approved by					
Conditions of approval, if any, are attached that the applicant holds legal or equitable t				ļr	Date

fictitious or fraudulent statements or representations as to any matter within its jurisdiction. (Instructions on page 2)

entitle the applicant to conduct operations thereon.

JUN 27 2008

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to peke to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Form 3160-5 (August 2007)

Subsequent Report

Final Abandonment Notice

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Casing Repair

Change Plans

Convert to Injection

FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010

5. Lease Serial No. UTU_76508

Recomplete

Water Disposal

Temporarily Abandon

6. If Indian, Allottee or Tribe Name

		to drill or to re-enter an APD) for such proposals.	
SUBM	T IN TRIPLICATE - Other	7. If Unit of CA/Agreement, Name and/or No.	
1. Type of Well			M/A
Oil Well Gas V	Well Other		8. Well Name and No. WV 3W-5-8-22
Name of Operator Questar Exploration and Production	n Company		9. API Well No. 4304733987
3a. Address		3b. Phone No. (include area code)	10. Field and Pool or Exploratory Area
11002 East 17500 South Vernal, Utah 84078		435-781-4362	Wonsits Valley
4. Location of Well (Footage, Sec., T., 656' FNL and 1915' FWL, NENW Section 5, T.	R., M., or Survey Descriptio	n)	11. Country or Parish, State
OSO FIRE and 1913 FWE, NEWWY Section 5, 1.4	55., R22E., SLDIVI		Uintah County, Utah
12. CHEC	CK THE APPROPRIATE B	OX(ES) TO INDICATE NATURE OF NO	TICE, REPORT OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF A	CTION
✓ Notice of Intent	Acidize	Deepen P	roduction (Start/Resume) Water Shut-Off
Trouce of ment	Alter Casing	Fracture Treat	eclamation Well Integrity

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

New Construction

Plug and Abandon

Plug Back

The EPA approved an extension for UIC Permit # UT20947-06158 to convert the WV 3W 5 8 22 to Class II Enhanced Oil Recovery Injection Well to February of 2011. We are evaluating this well for injection and request TA status for this well be extended to Feb of 2011.

COPY SENT TO OPERATOR

Date: <u>6.4.2009</u> Initials: <u>K5</u>

Other Continue TA Status

until well is converted

to an Injection Well

61210°C

fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Federal Approval Of This Action Is Necessary

RECEIVED
MAY 1 4 2009

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)			
Rick Canterbury	Title Regulatory Affairs		
Signature Rick Cauter Sury	Date 05/12/2009		
THIS SPACE FOR FE	DERAL OR STATE OFFIC	E USE	
Approved by			
	Title	Date	
Conditions of approval, if any, are attached. Approval of this notice does not warranthat the applicant holds legal or equitable title to those rights in the subject lease whice entitle the applicant to conduct operations thereon.			
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for a	ny nerson knowingly and willfully to m	ake to any department or agency of the United S	States any false

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

(for state use only)

ROUTING
CDW

Change of Operator (Well Sold)				X -	Operator	· Name Chan	σe		
The operator of the well(s) listed below has changed, effective:			X - Operator Name Change 6/14/2010						
			TO: (New Operator): N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265						
Phone: 1 (303) 308-3048				Phone: 1 (303)	308-3048				
CA No.				Unit:					
WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	1	WELL	
SEE ATTACHED					INO		TYPE	STATUS	
OPERATOR CHANGES DOCUMENT Enter date after each listed item is completed			•					L	
1. (R649-8-10) Sundry or legal documentation wa	s rece	ived f	rom the	FORMER ope	rator on:	6/28/2010			
2. (R649-8-10) Sundry or legal documentation wa	s rece	ived f	rom the	NEW operator	on:	6/28/2010	•		
 3. The new company was checked on the Departs 4a. Is the new operator registered in the State of U 5a. (R649-9-2)Waste Management Plan has been re 	Itah:			, Division of Co Business Number Requested		5 Database on: 764611-0143		6/24/2010	
5b. Inspections of LA PA state/fee well sites compl5c. Reports current for Production/Disposition & S	ete on undrie	: es on:	•	n/a ok	•				
6. Federal and Indian Lease Wells: The BL	M and	l or th	e BIA h	as approved the					
or operator change for all wells listed on Federa 7. Federal and Indian Units:	u or II	ndian I	leases of	n:	BLM	· 8/16/2010	BIA	not yet	
The BLM or BIA has approved the successor	ofuni	it oner	ator for	walls listed on		9/1//2010			
8. Federal and Indian Communization Ag	reem	ents ("CA"	wens nsted on.		8/16/2010			
The BLM or BIA has approved the operator f	or all	wells	listed w	ithin a CA on:		N/A			
9. Underground Injection Control ("UIC") Div	ision	has ap	proved UIC Fo	orm 5 Tran	sfer of Authori	ity to		
Inject, for the enhanced/secondary recovery un	it/proj	ect for	the wa	ter disposal wel	l(s) listed or	n:	6/29/2010		
DATA ENTRY:				•	()	•	0/25/2010	•	
1. Changes entered in the Oil and Gas Database	on:		_	6/30/2010					
2. Changes have been entered on the Monthly Op	erato	r Cha	nge Spi	read Sheet on:		6/30/2010			
 Bond information entered in RBDMS on: Fee/State wells attached to bond in RBDMS on: 			-	6/30/2010					
4. Fee/State wells attached to bond in RBDMS on:5. Injection Projects to new operator in RBDMS o				6/30/2010					
6. Receipt of Acceptance of Drilling Procedures for	II. St ADI)/Nor		6/30/2010	,				
BOND VERIFICATION:	n AFI	J/INCW	OII.		n/a				
1. Federal well(s) covered by Bond Number:				ESD00004					
2. Indian well(s) covered by Bond Number:			-	ESB000024 965010693					
3a. (R649-3-1) The NEW operator of any state/fee	well(s) liste	ed cove	red by Rond Nu	mhar	965010695			
3b. The FORMER operator has requested a release	oflia	bility	from the	eir bond on:		903010093			
LEASE INTEREST OWNER NOTIFICA	4TI)N·	rom m	on cond on.	n/a				
4. (R649-2-10) The NEW operator of the fee wells	has be	en coi	ntacted	and informed by	za letter fro	om the Division			
of their responsibility to notify all interest owners	s of th	is cha	nge on:	mioimou by	n/a	un me Division			
COMMENTS:									

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OUR CAS AND MINUS

DIVISION OF OIL, GAS AND MINING		5. LEASE DESIGNATION AND SERIAL NUMBER:						
		See attached						
SUNDRY NOTICES AND REPORTS ON N	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:						
0		See attached 7. UNIT or CA AGREEMENT NAME:						
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom- drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such	hole depth, reenter plugged wells, or to proposals.	See attached						
1 TYPE OF WELL OIL WELL GAS WELL OTHER		8. WELL NAME and NUMBER:						
2 NAME OF OPERATOR:		See attached						
Questar Exploration and Production Company N5085		Attached						
3. ADDRESS OF OPERATOR:	PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:						
1050 17th Street, Suite 500 Denver STATE CO ZIP 80265	(303) 672-6900	See attached						
FOOTAGES AT SURFACE: See attached		соинту: Attached						
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE: UTAH						
11 CHECK APPROPRIATE BOXES TO INDICATE NATU	JRE OF NOTICE, REPOR	RT. OR OTHER DATA						
TYPE OF SUBMISSION	TYPE OF ACTION	THE THE PARTY OF T						
✓ NOTICE OF INTENT ACIDIZE DEE	PEN	REPERFORATE CURRENT FORMATION						
(Submit in Dunlicate)	CTURE TREAT	SIDETRACK TO REPAIR WELL						
Approximate date work will start: CASING REPAIR NEV	V CONSTRUCTION	TEMPORARILY ABANDON						
C/14/2040	RATOR CHANGE	TUBING REPAIR						
	G AND ABANDON	VENT OR FLARE						
SUBSEQUENT REPORT CHANGE WELL NAME	G BACK	WATER DISPOSAL						
(Submit Original Form Only)	DUCTION (START/RESUME)							
Date of work completion:	LAMATION OF WELL SITE	WATER SHUT-OFF						
		✓ OTHER: Operator Name Change						
	OMPLETE - DIFFERENT FORMATION							
DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers: Federal Bond Number: 965002976 (BLM Reference No. ESB000024) Utah State Bond Number: 965003033 Fee Land Bond Number: 965003033 Fee Land Bond Number: 965003033 The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list								
NAME (PLEASE PRINT) Morgan Anderson	_{тітье} Regulatory Affairs	Analyst						
SIGNATURE / W GW (7th all by	DATE 6/23/2010							
his space for State use only)								

RECEIVED

JUN 2 8 2010

(See Instructions on Reverse Side)

APPROVED 61301 2009
Carley Lussell
Division of Oil, Gas and Mining
Earlene Russell. Engineering Technician

	CHEC	uve Ju	ine 14,	2010					
well_name	sec	c twp	rng	api	entity	mineral lease	type	stat	C
WEST RIVER BEND 3-12-10-15	12	1009	5 150E	4301331888	14542	Federal	OW	P	C
WEST RIVER BEND 16-17-10-17	17	1009	170E	4301332057	14543	Federal	OW	P	
WEST DESERT SPRING 11-20-10-17	20	1005	170E	4301332088	14545	Federal	OW	S	
GD 8G-35-9-15	35	0905	150E	4301333821		Federal	OW	APD	C
GD 9G-35-9-15	35	0905	150E	4301333822		Federal	OW	APD	C
GD 10G-35-9-15	35	0905	150E	4301333823		Federal	OW	APD	C
GD 11G-35-9-15	35	0905	150E	4301333824		Federal	OW	APD	C
GD 12G-35-9-15	35			4301333825		Federal	OW	APD	C
GD 13G-35-9-15	35			4301333826		Federal	OW	APD	C
GD 1G-34-9-15	34	0908		4301333827	16920	Federal	OW	P	
GD 2G-34-9-15	34	0908		4301333828		Federal	OW	APD	C
GD 7G-34-9-15	34	0908		4301333829		Federal	ow	APD	C
GD 7G-35-9-15	35	0908		4301333830		Federal	OW	APD	C
GD 14G-35-9-15	35	0908		4301333831		Federal	OW	APD	C
GD 15G-35-9-15	35	090S		4301333832		Federal	OW	APD	C
GD 16G-35-9-15	35	090S		4301333833	16921	Federal	OW	P	
GD 1G-35-9-15	35	090S		4301333834	10,21	Federal	OW	APD	C
GD 2G-35-9-15	35	090S		4301333835		Federal	OW	APD	C
GD 3G-35-9-15	35			4301333836		Federal	OW	APD	C
GD 4G-35-9-15	35			4301333837		Federal	OW	APD	C
GD 5G-35-9-15	35			4301333838		Federal	OW		
GD 6G-35-9-15	35			4301333839		Federal	OW	APD	C
GD 8G-34-9-15	34			4301333840		Federal	OW	APD	C
GD 9G-34-9-15	34			4301333841		Federal	OW	APD	C
GD 10G-34-9-15	34			4301333842				APD	C
GD 15G-34-9-15	34			4301333843			OW	APD	C
GD 16G-34-9-15	34			4301333844	'		OW	APD	C
GOVT 18-2	18			4301930679	2575		OW	APD	C
FEDERAL 2-29-7-22	29			4304715423	5266		OW	P	-
UTAH FED D-1	14			4304715936	10699		GW	TA	
UTAH FED D-2	25			4304715937			***************************************	S	ļ <u>.</u>
PRINCE 1	10			4304715937	9295 7035			S	
UTAH FED D-4	14			4304710199	9297			<u>P</u>	
ISLAND UNIT 16	11			4304731213 4304731505				S	
EAST COYOTE FED 14-4-8-25	04			4304731303 4304732493	1061			<u>S</u>	
PRINCE 4				1304732493	11630			<u>P</u>	
GH 21 WG	21			1304732677	7035			<u>P</u>	
OU SG 6-14-8-22				1304732692 1304732746	11819			P	
FLU KNOLLS FED 23-3	03			1304732746	11944			S	
GH 22 WG				1304732734	12003			P	
OU GB 12W-20-8-22					12336			P	
OU GB 15-18-8-22				1304733249	13488			P	
OU GB 3W-17-8-22				304733364	12690			P	
OU GB 5W-17-8-22				304733513	12950			P	
WV 9W-8-8-22				304733514	12873			P	
OU GB 9W-18-8-22				304733515	13395			P	
OU GB 3W-20-8-22				304733516	12997			Р	
OU GB 12W-30-8-22				304733526	13514			P	
WV 10W-8-8-22				304733670	13380			Р	
GH 7W-21-8-21				304733814	13450		GW]	P	
GH 7W-21-8-21 GH 9W-21-8-21				304733845	13050	Federal (GW]	P	
G11 7 W -21-0-21	21	080S	210E 4	304733846	13074	Federal (GW]	•	***************************************

	CHECK	iv e Jui	ne 14, :	2010					
well_name	sec	twp	rng	api	entity	mineral lease	type	stat	С
GH 11W-21-8-21	21	080S	210E	4304733847	13049	Federal	GW	P	
GH 15W-21-8-21	21	080S	210E	4304733848	13051	Federal		P	
WV 2W-9-8-21	09			4304733905	13676	Federal		P	-
WV 7W-22-8-21	22			4304733907	13230	Federal		P	
WV 9W-23-8-21	23			4304733909	13160	Federal		P	-
GH 14W-20-8-21	20			4304733915	13073	Federal	GW	P	
OU GB 4W-30-8-22	30			4304733945	13372	Federal	GW	P	
OU GB 9W-19-8-22	19			4304733946	13393	Federal	GW	P	+
OU GB 10W-30-8-22	30	080S		4304733947	13389	Federal	GW	P	
OU GB 12W-19-8-22	19	080S		4304733948	13388	Federal	GW	P	
GB 9W-25-8-21	25	080S		4304733960	13390	Federal		P	
SU 1W-5-8-22	05	080S		4304733985	13369	Federal	GW	P	†
SU 3W-5-8-22	05	+		4304733987	13321	Federal	ow	S	-
SU 7W-5-8-22	05			4304733988	13235	Federal	GW	P	1
SU 9W-5-8-22	05			4304733990	13238	Federal	GW	P	
SU 13W-5-8-22	05			4304733994	13236	Federal	GW	TA	
SU 15W-5-8-22	05			4304733996	13240		GW	P	
WV 8W-8-8-22	08			4304734005	13320			P	
WV 14W-8-8-22	08			4304734007	13320	Federal		S	-
OU GB 6W-20-8-22	20			4304734018	13518		GW	P	-
OU GB 5W-30-8-22	30			4304734025	13518	Federal		P	
OU GB 11W-20-8-22	20			4304734039	13413	Federal	GW	P	
OU GB 4W-20-8-22	20			4304734043	13520				
GH 5W-21-8-21	$\frac{20}{21}$			4304734043			GW	P	
GH 6W-21-8-21	21			4304734148	13387		GW	P	
GH 8W-21-8-21	21			4304734148	13371 13293		GW	P	
GH 10W-20-8-21	20			4304734149		Federal		P	
GH 10W-21-8-21	21			4304734151	13328	Federal		P	
GH 12W-21-8-21	$\frac{21}{21}$			4304734152	13378	Federal		P	
GH 14W-21-8-21	21			4304734153	13294			P	
GH 16W-21-8-21	21			4304734154	13292	Federal		P	<u> </u>
WV 2W-3-8-21	03			4304734137	13329			P	
OU GB 5W-20-8-22				4304734207	13677			P	
WV 6W-22-8-21					13414	Federal		P	ļ
GH 1W-20-8-21	20			4304734272 4304734327	13379	Federal		<u>P</u>	ļ
GH 2W-20-8-21					13451	Federal		P	
GH 3W-20-8-21				4304734328	13527	Federal		P	
GH 7W-20-8-21 GH 7W-20-8-21				4304734329	13728			<u>P</u>	
GH 9W-20-8-21	20			4304734332	13537	Federal		P	
GH 11W-20-8-21	20			4304734333	13411	Federal		P	
GH 15W-20-8-21				4304734334	13410	Federal		P	ļ
GH 15W-20-8-21 GH 16W-20-8-21				4304734335	13407	Federal		P	
WV 12W-23-8-21				4304734336	13501	Federal		P	
				4304734343	13430	Federal		P	
OU GB 13W-20-8-22				4304734348	13495	Federal		P	
OU GB 14W-20-8-22				4304734349	13507	Federal		P	
OU GB 11W-29-8-22				4304734350	13526	Federal		P	
SU PURDY 14M-30-7-22				4304734384	13750	Federal		S	
WVX 11G-5-8-22				4304734388	13422	Federal		P	
WVX 13G-5-8-22				4304734389	13738	Federal	OW	P	
WVX 15G-5-8-22				4304734390	13459	Federal	OW	P	
SU BRENNAN W 15W-18-7-22	18	070S	220E	4304734403	13442	Federal	GW	TA	

		,	ie 14, 2						
well_name	sec	twp	rng	api	entity	mineral lease	type	stat	C
SU 16W-5-8-22	05	080S	220E	4304734446	13654	Federal	GW	P	
SU 2W-5-8-22	05	080S	220E	4304734455	13700	Federal	GW	P	
SU 10W-5-8-22	05	080S	220E	4304734456	13540	Federal	GW	P	
WV 16W-8-8-22	08	080S	220E	4304734470	13508	Federal		P	
OU GB 16WX-30-8-22	30	080S		4304734506	13431	Federal		P	
OU GB 1W-19-8-22	19	080S	220E	4304734512	13469	Federal		P	
OU GB 2W-19-8-22	19	080S	220E	4304734513	13461	Federal		P	
OU GB 5W-19-8-22	19			4304734514	13460	Federal		P	
OU GB 7W-19-8-22	19	<u> </u>		4304734515	13462	Federal		P	-
OU GB 8W-19-8-22	19			4304734516	13489	Federal	GW	P	
OU GB 11W-19-8-22	19			4304734517	13467	Federal	GW	P	
OU GB 16W-19-8-22	19			4304734522	13476	Federal	GW	P	
OU GB 1W-30-8-22	30	****		4304734528	13487	Federal	GW	S	-
OU GB 3W-30-8-22	30	080S		4304734529	13493	Federal	GW	P	
OU GB 6W-30-8-22	30	080S		4304734530	13519	Federal		P	
OU GB 7W-30-8-22	30	080S		4304734531	13494	Federal		P	
OU GB 8W-30-8-22	30			4304734532	13483	Federal	GW	P	
OU GB 9W-30-8-22	30			4304734533	13500	Federal	GW	P	
OU GB 6W-19-8-22	19			4304734534	13475	Federal		P	
OU GB 10W-19-8-22	19			4304734535	13479				
OU GB 13W-19-8-22	19			4304734536		Federal	GW	P	-
OU GB 14W-19-8-22	19			4304734537	13478	***************************************	GW	P	
OU GB 15W-19-8-22	19			4304734537	13484	Federal		P	
OU GB 12W-17-8-22	17			4304734538	13482	Federal		P	
OU GB 6W-17-8-22	17			4304734543	13543	Federal		P	
OU GB 13W-17-8-22	17			4304734544	13536	Federal		P	
OU GB 6W-29-8-22	29				13547	Federal	GW	P	
OU GB 3W-29-8-22	29			4304734545	13535	Federal		P	
OU GB 13W-29-8-22	29			4304734546	13509	Federal	GW	P	
OU GB 4W-29-8-22				4304734547	13506	Federal	GW	P	
OU GB 5W-29-8-22	29			4304734548	13534	Federal		P	
OU GB 14W-17-8-22	29			4304734549	13505		GW	P	
	17			4304734550	13550	Federal	GW	P	-
OU GB 11W-17-8-22	17			4304734553	13671	Federal	GW	P	
OU GB 14W-29-8-22				4304734554	13528	Federal		P	ļ
OU GB 2W-17-8-22	17			4304734559	13539		GW	P	
OU GB 7W-17-8-22	17			4304734560	13599		GW	P	
OU GB 16W-18-8-22	18			4304734563	13559	Federal		P	-
OU GB 1W-29-8-22	29			4304734573	13562	Federal	GW	P	
OU GB 7W-29-8-22	29			4304734574	13564	Federal	GW	P	
OU GB 8W-29-8-22	29			4304734575	13609	Federal	GW	S	
OU GB 9W-29-8-22	29			4304734576	13551	Federal	GW	P	
OU GB 10W-29-8-22	29			4304734577	13594	Federal	GW	P	
OU GB 15W-29-8-22	29			4304734578	13569	Federal	GW	P	
OU GB 2W-20-8-22	20			4304734599	13664	Federal	GW	P	
OU GB 2W-29-8-22	29			4304734600	13691	Federal	GW	P	
OU GB 15W-17-8-22	17			4304734601	13632	Federal	GW	P	
OU GB 16W-17-8-22	17	080S	220E	4304734602	13639	Federal	GW	P	
OU GB 16W-29-8-22	29	080S	220E	4304734603	13610	Federal	GW	P	
OU GB 1W-20-8-22	20			4304734604	13612		GW	P	
OU GB 1W-17-8-22				4304734623	13701	Federal		P	
OU GB 9W-17-8-22				4304734624	13663	Federal	GW	P	1

	effecti	ve oui	14,	2010					
well_name	sec	twp	rng	api	entity	mineral lease	type	stat	C
OU GB 10W-17-8-22	17	080S	220E	4304734625	13684	Federal	GW	P	
OU GB 9W-20-8-22	20			4304734630	13637	Federal	GW	P	
OU GB 10W-20-8-22	20	080S	220E	4304734631	13682	Federal	GW	P	
OU GB 15W-20-8-22	20	080S	220E	4304734632	13613	Federal	GW	P	
OU WIH 15MU-21-8-22	21	080S	220E	4304734634	13991	Federal		P	
OU WIH 13W-21-8-22	21	080S	220E	4304734646	13745	Federal		P	
OU GB 11W-15-8-22	15	080S	220E	4304734648	13822	Federal	GW	P	
OU GB 13W-9-8-22	09	080S	220E	4304734654	13706	Federal	GW	P	
OU WIH 14W-21-8-22	21	080S	220E	4304734664	13720	Federal	GW	P	1
OU GB 12WX-29-8-22	29	080S	220E	4304734668	13555	Federal	GW	P	
OU WIH 10W-21 -8 -22	21	080S	220E	4304734681	13662	Federal	GW	P	
OU GB 4G-21-8-22	21	080S	220E	4304734685	13772	Federal	OW	P	
OU GB 3W-21-8-22	21	080S	220E	4304734686	13746	Federal	GW	P	
OU GB 16SG-30-8-22	30	080S	220E	4304734688	13593	Federal	GW	P	
OU WIH 7W-21-8-22	21	080S	220E	4304734689	13716	Federal	GW	P	
OU GB 5W-21-8-22	21			4304734690	13770	Federal	GW	P	
WIH 1MU-21-8-22	21			4304734693	14001	Federal	GW	P	
OU GB 5G-19 - 8-22	19			4304734695	13786	Federal	OW	P	
OU GB 7W-20-8-22	20			4304734705	13710	Federal	GW	P	
OU SG 14W-15-8-22	15			4304734710	13821	Federal	GW	P	
OU SG 15W-15-8-22	15			4304734711	13790	Federal	GW	P	
OU SG 16W-15-8-22	15			4304734712	13820	Federal	GW	P	
OU SG 4W-15-8-22				4304734713	13775	Federal	GW	P	-
OU SG 12W-15-8-22	15			4304734714	13838	Federal	GW	P	
OU GB 5MU-15-8-22	15			4304734715	13900	Federal	GW	P	+
OU SG 8W-15-8-22	15			4304734717	13819	Federal	GW	P	
OU SG 9W-15-8-22	15			4304734718	13773	Federal	GW	P	
OU SG 10W-15-8-22	15			4304734719	13773	Federal	GW	P	-
OU SG 2MU-15-8-22	15			4304734721	13887	Federal	GW	P	-
OU SG 7W-15-8-22				4304734722	13920	Federal	GW	P	-
OU GB 14SG-29-8-22				4304734743	14034	Federal	GW	P	+
OU GB 16SG-29-8-22				4304734744	13771	Federal	GW	P	-
OU GB 13W-10-8-22				4304734754	13774		GW	P	
OU GB 6MU-21-8-22				4304734755	14012	Federal		P	
OU SG 10W-10-8-22				4304734764	13751	Federal	GW	P	-
OU GB 14M-10-8-22				4304734768	13731	Federal		P	-
OU SG 9W-10-8-22				4304734783	13725	Federal	GW GW	P	
OU SG 16W-10-8-22				4304734784	13723	Federal		P	
SU BW 6M-7-7-22				4304734784			GW		
GB 3M-27-8-21				4304734837	13966	Federal		P	+
WVX 11D-22-8-21				4304734900	14614	Federal	GW	P	
GB 11M-27-8-21				4304734902 4304734952	14632	Federal	GW	P	
GB 9D-27-8-21					13809	Federal	GW	P	
GB 1D-27-8-21				4304734956 4304734957	14633	Federal	GW	P	
WRU EIH 2M-35-8-22				4304734957	14634	Federal	GW	P	-
GH 12MU-20-8-21					13931	Federal		P	
OU SG 4W-11-8-22				4304735069	14129	Federal		P	
OU SG 4W-11-8-22				4304735071	14814	Federal	GW	OPS	C
				4304735072	14815	Federal	GW	OPS	С
SG 6ML-11-8-22		****		4304735073	14825	Federal	GW	P	
OU SG 5MU-14-8-22				4304735076	13989	Federal	GW	P	<u> </u>
OU SG 6MU-14-8-22	14	080S	220E	4304735077	14128	Federal	GW	P	

			14,	T					
well_name	sec			api	entity	mineral lease	type	stat	C
SG 12MU-14-8-22	14	080S	220E	4304735078	13921	Federal	GW	P	
OU SG 13MU-14-8-22	14	080S	220E	4304735079	13990	Federal	GW	P	
OU SG 9MU-11-8-22	11	080S	220E	4304735091	13967	Federal	GW	P	
SG 11SG-23-8-22	23	080S	220E	4304735099	13901	Federal	GW	TA	
OU SG 14W-11-8-22	11	080S	220E	4304735114	14797	Federal	GW	OPS	C
SG 5MU-23-8-22	23	080S	220E	4304735115	14368	Federal	GW	P	
SG 6MU-23-8-22	23	080S	220E	4304735116	14231	Federal	GW	P	
SG 14MU-23-8-22	23			4304735117	14069	Federal	GW	P	-
SG 12MU-23-8-22	23			4304735188	14412	Federal	GW	P	1
SG 13MU-23-8-22	23			4304735190	14103		GW	P	
WH 7G-10-7-24	10			4304735241	14002	Federal		S	
GB 4D-28-8-21	28			4304735246	14645	Federal		P	-
GB 7M-28-8-21	28		~~~~~~	4304735247	14432	Federal	GW	P	-
GB 14M-28-8-21	28			4304735248	13992	Federal	GW	P	
SG 11MU-23-8-22	23			4304735257	13973	Federal	GW	P	
SG 15MU-14-8-22	14			4304735328	14338	Federal	GW	P	-
EIHX 14MU-25-8-22	25			4304735330	14501	Federal	GW	P	
EIHX 11MU-25-8-22	25			4304735331	14470	Federal	GW	P	
NBE 12ML-10-9-23	10			4304735333	14260	Federal	GW	P	
NBE 13ML-17-9-23	17			4304735334	14000	Federal	GW	P	
NBE 4ML-26-9-23	26			4304735335	14215		GW	P	
SG 7MU-11-8-22	11		~~	4304735374		Federal			-
SG 1MU-11-8-22	11	***************************************		4304735374	14635		GW	S	
OU SG 13W-11-8-22	$\frac{11}{11}$			4304735375	14279	Federal	GW	P	-
SG 3MU-11-8-22	11				14796	Federal	GW	OPS	C
SG 8MU-11-8-22				4304735379	14978	Federal	GW	P	
SG 2MU-11-8-22	11			4304735380	14616	Federal		P	
SG 10MU-11-8-22	11			4304735381	14636	Federal		P	
SU 11MU-9-8-21	11			4304735382	14979	Federal	GW	P	
OU GB 8MU-10-8-22	09			4304735412	14143	Federal	GW	P	
EIHX 2MU-25-8-22	10			4304735422	15321	Federal	GW	OPS	C
	25			4304735427	14666	Federal	GW	P	
EIHX 1MU-25-8-22	25			4304735428	14705	Federal	+	P	
EIHX 7MU-25-8-22	25			4304735429	14682			P	
EIHX 8MU-25-8-22				4304735430	14706	Federal		P	
EIHX 9MU-25-8-22	25			4304735433	14558	Federal	GW	P	
EIHX 16MU-25-8-22	25			4304735434	14502	Federal		P	
EIHX 15MU-25-8-22	25			4304735435	14571	Federal	GW	P	
EIHX 10MU-25-8-22	25			4304735436	14537	Federal	GW	P	
GB 3MU-3-8-22	03			4304735457	14575	Federal	GW	P	
NBE 15M-17-9-23	17			4304735463	14423	Federal	GW	P	
NBE 7ML-17-9-23	17			4304735464	14232	Federal	GW	P	
NBE 3ML-17-9-23				4304735465	14276	Federal	GW	P	
NBE 11M-17-9-23				4304735466	14431	Federal	GW	P	
NBE 10ML-10-9-23	10	090S	230E	4304735650	14377	Federal	GW	P	
NBE 6ML-10-9-23				4304735651	14422	Federal	GW	P	
NBE 12ML-17-9-23	17	090S	230E	4304735652	14278	Federal	GW	P	
NBE 6ML-26-9-23	26	090S	230E	4304735664	14378	Federal		P	
NBE 11ML-26-9-23				4304735665	14340	Federal		P	
NBE 15ML-26-9-23				4304735666	14326	Federal		P	<u> </u>
SG 4MU-23-8-22				4304735758	14380			P	-
SG 11MU-14-8-22				4304735829	14486	Federal		P	
	T	2000	-4VL	1307133047	14400	reactar	UW	ſ	

wall name		,	1e 14,			7	_,		
well_name	sec	twp	rng	api	entity	mineral lease	type	stat	С
RB DS FED 1G-7-10-18	07	100S	180E	4304735932	14457	Federal	OW	S	
RB DS FED 14G-8-10-18	08	1008	180E	4304735933	14433	Federal	OW	P	
OU SG 14MU-14-8-22	14	080S	220E	4304735950	14479	Federal		P	
COY 12ML-24-8-24	24	080S	240E	4304736039	14592	Federal	OW	P	
WIH 1AMU-21-8-22	21			4304736060	14980	Federal	GW	P	
SU 8M-12-7-21	12			4304736096	16610	Federal	GW	OPS	С
NBE 4ML-10-9-23	10	090S	230E	4304736098	15732	Federal	GW	P	+
NBE 8ML-10-9-23	10			4304736099	15733	Federal		P	_
NBE 16ML-10-9-23	10			4304736100	14728	Federal		S	
SUBW 14M-7-7-22	07			4304736136	15734	Federal	GW	P	
NBE 8ML-12-9-23	12			4304736143	15859	Federal	GW	S	
GB 16D-28-8-21	28			4304736260	14981	Federal	GW	P	
NBE 5ML-10-9-23	10			4304736353	15227	Federal	GW	P	-
NBE 7ML-10-9-23	10			4304736355	15850	Federal	GW	P	
NBE 3ML-10-9-23	10			4304736356	15393			P	
EIHX 4MU-36-8-22	36			4304736444		Federal	GW		
EIHX 3MU-36-8-22	36			4304736445	14875	Federal	GW	P	
EIHX 2MU-36-8-22	36			4304736446	14860	Federal	GW	P	
EIHX 1MU-36-8-22	36				14840	Federal	GW	S	
NBE 7ML-26-9-23				4304736447	14861	Federal	GW	P	
NBE 8ML-26-9-23	26			4304736587	16008	Federal	GW	P	
NBE 1ML-26-9-23	26			4304736588	15689	Federal	GW	P	
NBE 2ML-26-9-23	26			4304736589	15880	Federal	GW	P	
NBE 3ML-26-9-23	26			4304736590	15898	Federal	GW	S	
	26			4304736591	15906	Federal	GW	P	
NBE 5ML-26-9-23	26			4304736592	15839		GW	P	
NBE 9ML-10-9-23	10			4304736593	15438	Federal	GW	P	
NBE 11ML-10-9-23	10			4304736594	15228	Federal	GW	P	
NBE 15ML-10-9-23	10			4304736595	15439	Federal	GW	P	
NBE 2ML-17-9-23	17			4304736614	15126	Federal	GW	P	
NBE 4ML-17-9-23	17			4304736615	15177	Federal	GW	P	
NBE 6ML-17-9-23	17	090S	230E	4304736616	15127	Federal	GW	S	
NBE 10ML-17-9-23	17	090S	230E	4304736617	15128	Federal	GW	P	1
NBE 14ML-17-9-23	17	090S	230E	4304736618	15088		GW	P	1
NBE 9ML-26-9-23	26	090S	230E -	4304736619	15322	Federal			
NBE 10D-26-9-23	26	090S	230E	4304736620	15975		GW	S	†
NBE 12ML-26-9-23				4304736621	15840			P	-
NBE 13ML-26-9-23				4304736622	15690			P	
NBE 14ML-26 - 9-23				4304736623	15262			P	
NBE 16ML-26-9-23				4304736624	15735			P	
WF 1P-1-15-19				4304736781	14862			P	+
SG 3MU-23-8-22				4304736940	15100			P	
NBE 5ML-17-9-23				4304736941	15100			P P	
TU 14-9-7-22				4304730941	16811				-
WF 14C-29-15-19				4304 <i>7373</i> 43 4304737541			GW	OPS	C
NBE 2ML-10-9-23				4304737341 4304737619	15178			P	
GB 16ML-20-8-22					15860			P	
WVX 8ML-5-8-22				4304737664 4304738148	15948			P	
WVX 6ML-5-8-22				1304738140				APD	С
WVX 1MU-17-8-21				1304738141	-			APD	C
GH 8-20-8-21				1304738156				APD	C
**************************************				1304738157			GW	APD	C
WVX 4MU-17-8-21	17	U80S 2	210E 4	1304738190		Federal	GW	APD	C

well_name	sec		rng	api	entity	mineral	type	stat	C
WVX 16MU-18-8-21	18	080S	2100	4304738191		lease			
GH 7D-19-8-21	19				1,6000	Federal		APD	C
WF 8C-15-15-19	15			4304738267	16922	Federal		P	
WVX 1MU-18-8-21	18			4304738405	17142	Indian	GW	OPS	C
WVX 9MU-18-8-21	18			4304738659		Federal	GW	APD	C
GB 12SG-29-8-22	29			4304738660	1.500.5	Federal	GW	APD	C
GB 10SG-30-8-22	30			4304738766	16096	Federal	GW	S	
FR 14P-20-14-20	20			4304738767	16143	Federal	GW	S	
SU 11M-8-7-22	08			4304739168	16179	Federal	GW	P	
HB 2M-9-7-22				4304739175		Federal	GW	APD	C
SUMA 4M-20-7-22	09			4304739176		Federal	GW	APD	C
SU 16M-31-7-22	20			4304739177		Federal	GW	APD	C
FR 13P-20-14-20	31			4304739178		Federal	GW	APD	C
SG 11BML-23-8-22	20			4304739226	16719	Federal	GW	P	
SG 12DML-23-8-22	23			4304739230		Federal	GW	APD	C
GB 1CML-29-8-22	23			4304739231		Federal	GW	APD	C
NBE 8CD-10-9-23	29			4304739232		Federal	GW	APD	C
NBE 15AD-10-9-23	10			4304739341	16513	Federal	GW	P	
	10			4304739342			GW	APD	C
NBE 6DD-10-9-23	10			4304739343		Federal	GW	APD	C
NBE 6AD-10-9-23	10			4304739344		Federal	GW	APD	C
NBE 6BD-10-9-23	10			4304739345		Federal	GW	APD	C
NBE 5DD-10-9-23	10			4304739346	16574	Federal	GW	P	
NBE 7BD-17-9-23	17			4304739347		Federal	GW	APD	C
NBE 4DD-17-9-23	17			4304739348	16743	Federal	GW	P	
NBE 10CD-17-9-23	17			4304739349	16616	Federal	GW	P	
NBE 11CD-17-9-23	17			4304739350		Federal	GW	APD	C
NBE 8BD-26-9-23	26			4304739351	16617	Federal	GW	P	
NBE 3DD-26-9-23	26			4304739352		Federal	GW	APD	C
NBE 3CD-26-9-23	26	090S	230E	4304739353		Federal	GW	APD	C
NBE 7DD-26-9-23	26	090S	230E	4304739354			GW	APD	C
NBE 12AD-26-9-23	26	090S	230E	4304739355		Federal	GW	APD	C
NBE 5DD-26-9-23	26	090S	230E	4304739356			GW	APD	C
NBE 13AD-26-9-23	26			4304739357		Federal	GW	APD	C
NBE 14AD-26-9-23	26	090S	230E	4304739358					C
NBE 9CD-26-9-23	26	090S	230E	4304739359			GW	APD	C
FR 9P-20-14-20	20			4304739461	17025		GW	S	ļ
FR 13P-17-14-20	17			4304739462			GW	APD	C
FR 9P-17-14-20	17	140S	200E	4304739463	16829			P	
FR 10P-20-14-20	20			4304739465			GW	APD	C
FR 5P-17-14-20				4304739509			GW	APD	C
FR 15P-17-14-20	17			4304739510			GW	APD	C
FR 11P-20-14-20	20			4304739587				APD	
FR 5P-20-14-20				4304739588				APD	C
FR 9P-21-14-20				4304739589				APD	C
FR 13P-21-14-20	21			4304739590				APD	C C
GB 7D-27-8-21				4304739661					C
GB 15D-27-8-21				1304739662	16830			P P	
WV 13D-23-8-21				1304739663	16813			P P	
WV 15D-23-8-21				1304739664	16924				
FR 14P-17-14-20				1304739807	10924	***************************************		P	
FR 12P-20-14-20				1304739807					C
	20	1409	ZUUE 4	1304/39808		Federal	GW	APD	C

well_name	sec	twp	rng	api	entity	mineral lease	type	stat	С
FR 6P-20-14 - 20	20	140S	200E	4304739809	16925	Federal	GW	P	
FR 3P-21-14-20	21	140S		4304739810		Federal	GW	APD	C
FR 4P-21-14-20	21	140S	200E	4304739811	16771	Federal	GW	P	T
FR 8P-21-14-20	21	140S	200E	4304739812		Federal	GW	APD	C
FR 15P-21-14-20	21	140S	200E	4304739815		Federal	GW	APD	C
FR 2P-20-14-20	20	140S	200E	4304740053		Federal	GW	APD	
FR 2P-21-14-20	21	140S	200E	4304740200		Federal	GW	APD	C
WV 11-23-8-21	23	080S	210E	4304740303		Federal	GW	APD	C
GB 12-27-8-21	27	080S	210E	4304740304		Federal	GW	APD	C
GH 11C-20-8-21	20	080S	210E	4304740352		Federal	GW	APD	C
GH 15A-20-8-21	20	080S	210E	4304740353		Federal	GW	APD	С
GH 10BD-21-8-21	21	080S	210E	4304740354		Federal	GW	APD	C
FR 11P-21-14-20	21	140S	200E	4304740366		Federal	GW	APD	C
MELANGE U 1	09	140S	200E	4304740399		Federal	GW	APD	С
OP 16G-12-7-20	12	070S	200E	4304740481	17527	Federal	OW	DRL	C
OP 4G-12-7-20	12	070S	200E	4304740482		Federal	OW	APD	C
WF 8D-21-15-19	21	150S	190E	4304740489		Indian	GW	APD	C
WF 15-21-15-19	21	150S	190E	4304740490		Indian	GW	APD	1
WF 4D-22-15-19	22	150S	190E	4304740491		Indian	GW	APD	C



United States Department of the Interior



BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155 http://www.blm.gov/ut/st/en.html

IN REPLY REFER TO: 3100 (UT-922)

JUL 2 8 2010

Memorandum

To:

Vernal Field Office, Price Field Office, Moab Field Office Roja L Bankut

From:

Chief, Branch of Minerals

Subject:

Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from Questar Exploration and Production Company into QEP Energy Company is effective June 8, 2010.

cc:

MMS UDOGM

AUG 1 6 2010

DIV. OF OIL, GAS a nin

Earlene Russell - RE: Re: Questar WI wells

From:

Debbie Stanberry < Debbie. Stanberry @qepres.com>

To:

Earlene Russell <earlenerussell@utah.gov>, Laura Bills <Laura.Bills@qepr...

Date:

10/25/2010 1:09 PM

Subject: RE: Re: Questar WI wells

CC:

Morgan Anderson < Morgan. Anderson @qepres.com >

Earlene:

I have put the status of each well down below in red; there have been no Sundries filed with the BLM or the State showing a date of first injection as none of these wells are injecting. Please let me know if you have any further questions on these but believe we should be good for now. Thanks.

4304733221 WV 5W-13-8-21 pending

13 T85 RAIE

QEP has filed an application with EPA but has not yet received approval so consequently it is not injecting; would remain GW, P

4304733987 SU 3W-5-8-22 UT20947-06158

5 T8S RAZE

Have received EPA approval to inject BUT QEP is currently waiting on approved ROW from BIA/BLM for this project so it is not currently injecting; would remain OW, S

7 785 4304733503 WV 7WRG-7-8-22 UT29045-06156

RABEthis EPA permit has expired; QEP may seek extension; work never done on well for conversion so it is

not injecting; would remain OW, P 4304739461 FR 9P-20-14-20 UT21241-08420

20 T14S RZOE

Have received EPA approval to inject but QEP has not yet done work on the well for the conversion; this well is not injecting; would remain GW, S

4304716475 RW 43-28B UTU2000-02419

28 T15 R23E

This well has a long history; QEP has filed all paperwork with EPA but work on the well for conversion has not been done; would remain OW, S

Debbie Stanberry (303) 308-3068

From: Earlene Russell [mailto:earlenerussell@utah.gov]

Sent: Thursday, October 21, 2010 10:38 AM

To: Debbie Stanberry; Laura Bills Subject: Fwd: Re: Questar WI wells

Debbie and Laura,

These were discussed when we did the operator change from QEP Uinta Basin to Questar E&P - long ago.

Can either of you help with provide documentation, so we can show these wells as injection?

Earlene Russell

Sundry Number: 1-5961 Approval of this: 43047339870000

Action is Necessary

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-76508
SUNDF	RY NOTICES AND REPORTS (ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposition bottom-hole depth, reenter plu DRILL form for such proposals.	sals to drill new wells, significantly deepen e Igged wells, or to drill horizontal laterals. Us	existing wells below current e APPLICATION FOR PERMIT TO	7.UNIT or CA AGREEMENT NAME: KILIMANJARO (DEEP)
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: SU 3W-5-8-22
2. NAME OF OPERATOR: QEP ENERGY COMPANY			9. API NUMBER: 43047339870000
3. ADDRESS OF OPERATOR: 11002 East 17500 South , Ver		E NUMBER: 168 Ext	9. FIELD and POOL or WILDCAT: WONSITS VALLEY
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0656 FNL 1915 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NENW Section: 05	IP, RANGE, MERIDIAN: Township: 08.0S Range: 22.0E Meridian: S		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
The SU 3W-8-8-22 procedure: POOH wit 2000 PSI Drillout packer to +/-5850' c	□ change to previous plans □ change well status □ deepen □ operator change □ production start or resume □ reperforate current formation □ tubing repair □ wildcat well determination MPLETED OPERATIONS. Clearly show all perticate the production of the tubing, PU and RIH with bit accepted in packer fluid, set paccepted well is in the Horse Secondary UTU88206X.	on well by the following and scraper Test casing to 5800' RIH w/tubing and ker Test backside to 2000 Recovery Unit Agreemen	Accepted by the Utah Division of
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE Pormit Agent	
Jan Nelson SIGNATURE N/A	435 781-4331	Permit Agent DATE 6/16/2011	
11/17		0/10/2011	

Sundry Number: 1-5945 Approval of this: 43047339870000

Action is Necessary

STATE OF UTAH DEPARTMENT OF NATIVES RESOURCES DIVISION OF OIL, GAS, AND MINING STATE OF UTAH DEPARTMENT OF NATIVES RESOURCES DIVISION OF OIL, GAS, AND MINING STATE OF UTAH DEPARTMENT OF NATIVES RESOURCES DIVISION OF OIL, GAS, AND MINING OF UTAH DEPARTMENT OF AUTHOR DIVISION OF OIL, GAS, AND MINING OF UTAH DEPARTMENT OF AUTHOR DIVISION OF OIL, GAS, AND MINING OF UTAH DIVISION OF OIL, GAS, AND MINING STATE OF UTAH DIVISION OF WELL OF WELL OIL OF WELL OI				
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill notice the state of the stat				FORM 9
Do not use this form for proposable to drill new wells, significantly deepen existing wells below current bottom-hold depth, resolver plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO KILLIMALASO (DEEP) L TYPE OF WELL OIL Well 1. TYPE OF WELL OIL O'BRIT SHAPE 1. DOOR TO SHAPE PHONE NUMBER: 3. APP RUMBER: 4. LOCATION OF WELL OTRIVITY OTRIVITY, SECTION, TOWNSHIP, RANGE, MERIDIAN: QUITYER, SECTION, TOWNSHIP, RANGE, MERIDIA				
DESCRIPTIONS OF PRESSOR PLANSES OF THE PURSUAN PROPERTY OF WELL TYPE OF WELL ON WE	SUND	RY NOTICES AND REPORT	S ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
ALTHE OF OPERATOR. QEP ENERGY COMPANY 3. ADDRESS OF OPERATOR. QEP ENERGY COMPANY 3. ADDRESS OF OPERATOR. QUESTION TO WELL VOORSITS VAN MED SOUTH, Vermin, UL, 84078 303 308-3008 Ext VOORSITS VALLEY **COLUMY: UINTAIL UINTAIL UINTAIL **CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA **TYPE OF SUBMISSION **TYPE OF ACTION **TYPE OF ACTION **NOTICE OF INTEXT **NOT	bottom-hole depth, reenter pl	ugged wells, or to drill horizontal laterals	en existing wells below current . Use APPLICATION FOR PERMIT TO	
3. ADDRESS OF OPERATOR: Vermal, Ut, 84078 303 308-3088 Ext				
ALGOATION OF WELL SADOR				
OSSE FIN. 1915 FVIL. QTRY OTR. SECTION, 107 MISHIP, RANGE, MERIDIAN: QTYPE OF SUBMISSION TYPE OF ACTION ACTI				
TYPE OF SUBMISSION ACIDIZE ALTRE CASING CHANGE WELL STATUS CHANGE WELL STATUS CHANGE WELL STATUS CHANGE WELL STATU CHANGE WELL STAT	FOOTAGES AT SURFACE:			
TYPE OF SUBMISSION ACTICLE OF INTERT Approved the state of the stat	QTR/QTR, SECTION, TOWNSH		n: S	1:
ACIDIZE ALTER CASING CASING REPAIR	11. CHE	CK APPROPRIATE BOXES TO INDIC	ATE NATURE OF NOTICE, REPORT	, OR OTHER DATA
A POPTICE OF INTENT Approximate date work will start: 7/15/2011 CHANGE WELL STATUS	TYPE OF SUBMISSION		TYPE OF ACTION	
Approximate date work will start: T/15/2011	_	ACIDIZE	☐ ALTER CASING	CASING REPAIR
SUBSEQUENT REPORT Date of Work Completion: SPUD REPORT Date of Spud: PRODUCTION START OR RESUME RECLAMATION OF WELL SITE RECOMPLETE DIFFERENT FORMATION SPUD REPORT Date of Spud: REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARY ABANDON TUBING REPAIR VENT OR FLARE WATER DISPOSAL DATILLING REPORT WATER SHUTOFF SITA STATUS EXTENSION APD EXTENSION DRILLING REPORT WILLOCAT WELL DETERMINATION OTHER TALE SUBSCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. The SU 3W-5-8-22 will be converted to a injection well by the following procedure: POOH with tubing, PU and RIH with bit and scraper Test casing to 2000 PSI Drillout CIBP @ 5848', cleanout to +/-6800' RIH w/tubing and Accepted by the packer to +/-5850' circulate in packer fluid, set packer. Test backside to 2000 than Division of PSI, land tubing. This well is in the Horse Secondary Recovery Unit Agreen Wit Gas and Mining UTU88206X. NAME (PLEASE PRINT) PHONE NUMBER TITLE PERMIT Agent SIGNATURE DATE	Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	☐ CHANGE TUBING	☐ CHANGE WELL NAME
Date of Work Completion: OPERATOR CHANGE	7/15/2011	☐ CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMATIONS	✓ CONVERT WELL TYPE
OPERATOR CHANGE		☐ DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARY ABANDON	Date of Work Completion:	☐ OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK
Date of Spud: REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARY ABANDON TUBING REPAIR VENT OR FLARE WATER DISPOSAL WATER SHUTOFF SI TA STATUS EXTENSION APD EXTENSION WILDCAT WELL DETERMINATION OTHER THE SU 3W-5-8-22 Will be converted to a injection well by the following procedure: POOH with tubing, PU and RIH with bit and scraper Test casing to 2000 PSI Drillout CIBP @ 5848', cleanout to +/-6800' RIH w/tubing and Accepted by the packer to +/-5850' circulate in packer fluid, set packer. Test backside to 2000tah Division of PSI, land tubing. This well is in the Horse Secondary Recovery Unit Agreen@il; Gas and Mining UTU88206X. NAME (PLEASE PRINT) PHONE NUMBER TITLE Dan Nelson 435 781-4331 PHONE NUMBER Permit Agent SIGNATURE DATE		☐ PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION
DRILLING REPORT Report Date: WATER SHUTOFF		☐ REPERFORATE CURRENT FORMATION	☐ SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. The SU 3W-5-8-22 will be converted to a injection well by the following procedure: POOH with tubing, PU and RIH with bit and scraper Test casing to 2000 PSI Drillout CIBP @ 5848', cleanout to +/-6800' RIH w/tubing and Accepted by the packer to +/-5850' circulate in packer fluid, set packer. Test backside to 2000tah Division of PSI, land tubing. This well is in the Horse Secondary Recovery Unit Agreen@it; Gas and Mining UTU88206X. FOR RECORD ONLY NAME (PLEASE PRINT) Jan Nelson 435 781-4331 PHONE NUMBER TITLE Permit Agent SIGNATURE DATE		☐ TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. The SU 3W-5-8-22 will be converted to a injection well by the following procedure: POOH with tubing, PU and RIH with bit and scraper Test casing to 2000 PSI Drillout CIBP @ 5848', cleanout to +/-6800' RIH withbing and Accepted by the packer to +/-5850' circulate in packer fluid, set packer. Test backside to 200 Vtah Division of PSI, land tubing. This well is in the Horse Secondary Recovery Unit Agreen@it; Gas and Mining UTU88206X. FOR RECORD ONLY NAME (PLEASE PRINT) Jan Nelson 435 781-4331 PHONE NUMBER TITLE Permit Agent SIGNATURE DATE		☐ WATER SHUTOFF	☐ SI TA STATUS EXTENSION	APD EXTENSION
The SU 3W-5-8-22 will be converted to a injection well by the following procedure: POOH with tubing, PU and RIH with bit and scraper Test casing to 2000 PSI Drillout CIBP @ 5848', cleanout to +/-6800' RIH w/tubing and Accepted by the packer to +/-5850' circulate in packer fluid, set packer. Test backside to 2000thah Division of PSI, land tubing. This well is in the Horse Secondary Recovery Unit Agreen@it; Gas and Mining UTU88206X. FOR RECORD ONLY NAME (PLEASE PRINT) Jan Nelson 435 781-4331 PHONE NUMBER 435 781-4331 PHONE NUMBER TITLE Permit Agent SIGNATURE DATE		☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:
Jan Neison 435 781-4331 Permit Agent SIGNATURE DATE	The SU 3W-5-8-2 procedure: POOH wire 2000 PSI Drillout packer to +/-5850' c	2 will be converted to a injecth tubing, PU and RIH with b CIBP @ 5848', cleanout to + irculate in packer fluid, set p well is in the Horse Seconda	ction well by the following it and scraper Test casing to '/-6800' RIH w/tubing and acker. Test backside to 200 ary Recovery Unit Agreen	:0 Accepted by the Odtah Division of id; Gas and Mining
SIGNATURE DATE				
	SIGNATURE	100 /01 1001	DATE	

STATE OF UTAH

au 4	STATE OF LITAU			FORM
	STATE OF UTAH DEPARTMENT OF NATURAL RESOUR	RCES		FORWI
	DIVISION OF OIL, GAS AND MII	NING		5. LEASE DESIGNATION AND SERIAL NUMBER: SEE ATTACHED
	ANOTIOES AND DEDOCT	0.001.200		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
SUNDRY	NOTICES AND REPORTS	S ON WEL	LS	N/A
drill horizontal lat	ew wells, significantly deepen existing wells below curn tterals. Use APPLICATION FOR PERMIT TO DRILL fo	rent bottom-hole depti form for such proposal	n, reenter plugged wells, or to s.	7. UNIT OF CA AGREEMENT NAME: SEE ATTACHED
1. TYPE OF WELL OIL WELL	GAS WELL OTHER_			8. WELL NAME and NUMBER: SEE ATTACHED
2. NAME OF OPERATOR: QEP ENERGY COMPANY		·	· · · · · · · · · · · · · · · · · · ·	9. API NUMBER:
B. ADDRESS OF OPERATOR:			PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
11002 E 17500 S	Y VERNAL STATE UT ZIP	84078	(435) 781-4331	N/A
4. LOCATION OF WELL				1 HA! T A I I
FOOTAGES AT SURFACE:				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHIP, RANG	GE, MERIDIAN:			STATE: UTAH
11. CHECK APPR	ROPRIATE BOXES TO INDICAT	TE NATURE (OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION			PE OF ACTION	
NOTICE OF INTENT	ACIDIZE	DEEPEN		REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE	TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CONS	RUCTION	✓ TEMPORARILY ABANDON
5/3/2011	CHANGE TO PREVIOUS PLANS	OPERATOR	CHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND A	BANDON	VENT OR FLARE
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK		WATER DISPOSAL
Date of work completion:	CHANGE WELL STATUS	PRODUCTIO	N (START/RESUME)	WATER SHUT-OFF
,	COMMINGLE PRODUCING FORMATIONS	RECLAMATI	ON OF WELL SITE	OTHER:
	CONVERT WELL TYPE	RECOMPLE	TE - DIFFERENT FORMATION	
QEP ENERGY COMPANY	OMPLETED OPERATIONS. Clearly show all p Y REQUESTS 12 MONTHS TA S TO INJECTION FOR THE WV WA	STATUS FOR	THE LIST OF WEL	LS IN ORDER TO PERMIT AND
PLEASE SEE ATTACHED).		COPYS	ENT TO OPERATOR
			2 , ,OO	UG 1 1 2011
			Date:	1/2
			Initials:	
	Í			
O IANIAITI O	CON		DEDMIT AGENT	
JAN NELS	JUN	TITL	PERMIT AGENT	

NAME (PLEASE PRINT) JAN NELSON TITLE PERMIT AGENT	TITLE PERMIT AGENT	NAME (PLEASE PRINT) JAN NELSON
NAME (PLEASE PRINT)	IIILE	NAME (PLEASE PRINT)

(5/2000)

1. TYPE OF WELL

11.

ot 12649 -3-36

MAY 0 9 2011

DIV. OF OIL, GAS & MINING

_	Unit #	Lease#	API number	Well name	Well #	QTR	SEC	TWP	RGE	Future Plans for well bore
_	891003509B	UTU43916	4304734835	WRU EIH	14W-26-8-22	SESW	26	85	22E	Convert to injection well. UIC submitted, waiting for approval.
	891003509G	UTU43915	4304715081	WR	16-9	SWSE	9	8S	22E	Plan to use in GB Water flood. Start permitting this year.
_	891008482E	UTU0802	4304733794	WV	10W-1-8-21	NWSE	1	85	21E	Plan to use for Water disposal wells.
_	891008482E	UTU0806	4304734248	W۷	12W-12-8-21	NWSW	12	85	21E	Plan to use for Water disposal wells.
_	891008482E	UTU0807	4304734279	WV	12W-14-8-21	NWSW	14	85	21E	Plan to use for Water disposal wells.
_	891008482E	UTU0806	4304734245	WV	6W - 12-8-21	SENW	12	85	21E	Plan to use for Water disposal wells.
_	UTU73974X	U9617	4304731355	GB	13-20	NWSW	20	85	22E	Plan to use in GB Water flood. Start permitting this year.
_	UTU73974X	UTU65276	4304731556	GB	3-17.	SESE	17	85	22E	Plan to use in GB Water flood. Start permitting this year.
		UTU9645	4304735099	SG	11SG-23-8-22	NESW	23	8\$	22E	Plan to use for Water disposal wells.
	4	UTU76508	4304733987	SU	3W-5-8-22	NENW	5	85	22E	Convert to injection. Have UIC and ROW for pipeline. Start 2011
	15									

1 E

j 1

· 4		5. LEASE DESIGNATION AND SERIAL NUMBER:			
•					
		SEE ATTACHED			
	SUNDRY	NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A		
Do	not use this form for proposals to drill r drill horizontal la	7. UNIT OF CA AGREEMENT NAME: SEE ATTACHED			
1. T	YPE OF WELL OIL WELL	GAS WELL OTHER	8. WELL NAME and NUMBER: SEE ATTACHED		
2. N	AME OF OPERATOR:		9. API NUMBER:		
	P ENERGY COMPAN	Υ	N/A		
	DDRESS OF OPERATOR: 002 E 17500 S	PHONE NUMBER: (435) 781-4331	10. FIELD AND POOL, OR WILDCAT:		
	OCATION OF WELL	Y STATE OT ZIPOTOTO (100) TOT 1001			
F	OOTAGES AT SURFACE:		COUNTY: UINTAH		
Q	TR/QTR, SECTION, TOWNSHIP, RAN	IGE, MERIDIAN:	STATE: UTAH		
11.	CHECK APP	ROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA		
	TYPE OF SUBMISSION	TYPE OF ACTION			
/	NOTICE OF INTENT (Submit in Duplicate)	ACIDIZE DEEPEN ALTER CASING FRACTURE TREAT	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL		
	Approximate date work will start:	CASING REPAIR NEW CONSTRUCTION	✓ TEMPORARILY ABANDON		
	5/3/2011	CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR		
	0,0,2011	CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE		
	SUBSEQUENT REPORT	CHANGE WELL NAME PLUG BACK	WATER DISPOSAL		
	(Submit Original Form Only)	CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF		
	Date of work completion:	COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	OTHER:		
		CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION			
12.	DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume	es, etc.		
		Y REQUESTS 12 MONTHS TA STATUS FOR THE LIST OF WEL TO INJECTION FOR THE WV WATER FLOOD AS WELL AS DIS			
PL	EASE SEE ATTACHE	Э.			
		COPYS	SENT TO OPERATOR		
		Data. [®]	UG 1 1 2011		
		Initials.	111		

JAN NELSON **PERMIT AGENT** NAME (PLEASE PRINT 5/3/2011 SIGNATURE

See Instructions on Reverse Side)

15 0+ 12649 -3-36

(This space for State use only)

Utah Division of Oll, Gas and Mining

RECEIVED MAY 0 9 2011

_	Unit#	Lease#	API number	Well name	Well#	QTR	SEC	TWP	RGE	Future Plans for well bore
_	891003509B	UTU43916	4304734835	WRU EIH	14W-26-8-22	SESW	26	85	22E C	Convert to injection well. UIC submitted, waiting for approval.
<u> </u>	891003509G	UTU43915	4304715081	WR	16-9	SWSE	9	85	22E P	Plan to use in GB Water flood. Start permitting this year.
	891008482E	UTU0802	4304733794	WV	10W-1-8-21	NWSE	1	85	21E P	Plan to use for Water disposal wells.
	891008482E	UTU0806	4304734248	WV	12W-12-8-21	NWSW	12	85	21E P	Plan to use for Water disposal wells.
_	891008482E	UTU0807	4304734279	WV	12W-14-8-21	NWSW	14	85	21E P	Plan to use for Water disposal wells.
_	891008482E	UTU0806	4304734245	WV	6W-12-8-21	SENW	12	85	21E P	Plan to use for Water disposal wells.
	UTU73974X	U9617	4304731355	GB	13-20	NWSW	20	8\$	22E P	Plan to use in GB Water flood. Start permitting this year.
	UTU73974X	UTU65276	4304731556	GB	3-17.	SESE	17	85	22E P	Plan to use in GB Water flood. Start permitting this year.
_		UTU9645	4304735099	SG	11SG-23-8-22	NESW	23	85	22E P	Plan to use for Water disposal wells.
- 10 Ka		UTU76508	4304733987	SU	3W-5-8-22	NENW	5	85	22E C	Convert to injection. Have UIC and ROW for pipeline. Start 2011

Sundry Number: 22644 API Well Number: 43047339870000

	STATE OF UTAH DEPARTMENT OF NATURAL RESOUR			FORM	19	
	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-76508					
SUNDR	RY NOTICES AND REPORTS	.S	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
	posals to drill new wells, significantly reenter plugged wells, or to drill horizon n for such proposals.			7.UNIT or CA AGREEMENT NAME: KILIMANJARO (DEEP)		
1. TYPE OF WELL Water Injection Well				8. WELL NAME and NUMBER: SU 3W-5-8-22		
2. NAME OF OPERATOR: QEP ENERGY COMPANY				9. API NUMBER: 43047339870000		
3. ADDRESS OF OPERATOR: 11002 East 17500 South,	Vernal, Ut, 84078 303	PHONE NUM 3 308-3068		9. FIELD and POOL or WILDCAT: WONSITS VALLEY		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0656 FNL 1915 FWL		COUNTY: UINTAH				
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NENW Section: (HIP, RANGE, MERIDIAN: 05 Township: 08.0S Range: 22.0E Mer	idian: S		STATE: UTAH		
11. CHEC	K APPROPRIATE BOXES TO INDICA	TE NATURE	OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION		TY	PE OF ACTION			
	ACIDIZE	ALTER CASI	NG	CASING REPAIR		
Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUI	BING	CHANGE WELL NAME		
1/26/2012	CHANGE WELL STATUS	COMMINGLE	PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT	DEEPEN	FRACTURE 1	REAT	NEW CONSTRUCTION		
Date of Work Completion:	OPERATOR CHANGE	PLUG AND A	BANDON	PLUG BACK		
	PRODUCTION START OR RESUME	RECLAMATIO	ON OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK	TO REPAIR WELL	TEMPORARY ABANDON		
	TUBING REPAIR	VENT OR FL	ARE	WATER DISPOSAL		
DRILLING REPORT	WATER SHUTOFF	SI TA STATU	S EXTENSION	APD EXTENSION		
Report Date:	WILDCAT WELL DETERMINATION	✓ OTHER		OTHER: COMMENCED INJECTION		
l .	COMPLETED OPERATIONS. Clearly show ELL COMMENCED INJECTIO			Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY February 01, 2012		
NAME (PLEASE PRINT) Valyn Davis	PHONE NUMB 435 781-4369		atory Affairs Analyst			
SIGNATURE		DATE	012		_	
N/A		2/1/2	UIZ			



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
Utah State Office
440 West 200 South, Suite 500
Salt Lake City, UT 84101-1345
http://www.blm.gov/ut/st/en.html



IN REPLY REFER TO: 3180 / (UTU88205X) UT-922000

DIV. OF OIL, GAS & MINING

APR 19 2016

Ms. Laura Rippentrop QEP Energy Resources 1050 17th Street, Suite 800 Denver, Colorado 80265

Re: Automatic Contraction

Kilimanjaro Unit Uintah County, Utah

Dear Ms. Rippentrop:

Your letter of April 6, 2016, describes the lands automatically eliminated effective March 23, 2016, from the Kilimanjaro Unit Area, located in Uintah County, Utah, pursuant to Section 2(e) of the unit agreement and requests our concurrence. The lands you have described contain 14,034.29 acres more or less, and constitute all legal subdivisions, no parts of which are included in the Wasatch-Mesaverde Participating Area. As a result of the automatic contraction, the unit is reduced to 40.00 acres.

The following Federal Leases are entirely eliminated from the unit area:

UTU011225B	UTU73443	UTU87358
UTU011226	UTU73684	UTU87359
UTU011226B	UTU74423	UTU88371
UTU0103144	UTU87580	
UTU075939*	UTU75102	
UTU0647**	UTU75243	
UTU70853	UTU76278	
UTU70854	UTU76507	
UTU70855	UTU76508	
UTU70856	UTU82201	

- * Partially Committed not eligible for two year extension
- ** Non-Committed not eligible for two year extension

The following Federal Lease is partially eliminated from the unit area:

UTU71416

You have complied with the requirements of Section 2(e), provided you promptly notify all interested parties.

If you have any questions, please contact Judy Nordstrom of this office at (801) 539-4108.

Sincerely,

Roger L. Bankert

Chief, Branch of Minerals

cc: UDOGM

SITLA

ONRR w/Exhibit "B" (Attn: Jessica Bowlen) BLM FOM - Vernal (UTG01) w/enclosure

Well removed from Kilimanjaro Unit effective 3/23/2016

Well Name	Sec	TWN	RNG	API	Status
FEDERAL 2-29-7-22	29	070S	220E	4304715423	PA
SU 1W-5-8-22	5	080S	220E	4304733985	Р
SU 3W-5-8-22	5	080S	220E	4304733987	Α
SU 7W-5-8-22	5	080S	220E	4304733988	P
SU 9W-5-8-22	5	080S	220E	4304733990	Р
SU 13W-5-8-22	5	080S	220E	4304733994	TA
SU 15W-5-8-22	5	080S	220E	4304733996	P
SU PURDY 14M-30-7-22	30	070S	220E	4304734384	TA
SU 16W-5-8-22	5	080S	220E	4304734446	Р
SU 2W-5-8-22	5	080S	220E	4304734455	Р
SU 10W-5-8-22	5	080S	220E	4304734456	S
SU BW 6M-7-7-22	7	070S	220E	4304734837	Р
SU 8M-12-7-21	12	070S	210E	4304736096	OPS
SUBW 14M-7-7-22	7	070S	220E	4304736136	Р
TU 14-9-7-22	9	070S	220E	4304737345	OPS
SU 11M-8-7-22	8	070S	220E	4304739175	OPS
KJ 2-2-7-22	2	070S	220E	4304754055	APD